PRICE ONE SHILLING

No 225

Presented to the L. H. Bailey Hortorium
by the Missouri Botanical Garden, 1972.

A CATALOGUE OF

HONI·SOIT·QUI·MAL·Y·PENSE

DIEU · ET · MON · DROIT

1886

NEW BEAUTIFUL AND RARE PLANTS

OFFERED BY

WILLIAM BULL

F.L.S. F.R.G.S. F.Z.S. F.R.H.S. M.A.I.

F.R.B.S. & M.S.A. *Socc. Hort Berol. Bruxell. St Petersburgh. et Paris et Soc. Agric et Bot Candav. Socius*

NEW PLANT MERCHANT

536·KING'S·ROAD

CHELSEA

(And Ashburnham Park) LONDON S.W.

ENTERED AT STATIONERS HALL

SHOUT
SHARE
IT

MR. WILLIAM BULL'S

ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HER ROYAL HIGHNESS THE CROWN PRINCESS OF PRUSSIA
HIS SERENE HIGHNESS THE DUKE OF TECK
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS HIGHNESS THE VICEROY OF EGYPT
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF MARLBOROUGH
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ROXBURGHE
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF MANCHESTER
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONYNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Right Hon. the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY & TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON
The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX
The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND BAL. CARRES
The Right Hon. the EARL OF EGLINTON AND WINTON
The Right Hon. the EARL OF STRATHMORE AND KINGHORNE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF KINNOULL
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBERY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPETOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AYLESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF FIFE
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY
The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON
The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF BANDON
The Right Hon. the EARL OF CALEDON
The Right Hon. the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS
The Right Hon. the EARL GREY

LIST OF PATRONS—Continued.

The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL OF LONSDALE
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF ST. GERMANS
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL VANE
The Right Hon. the EARL AMHERST
The Right Hon. the EARL OF CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF YARBOROUGH
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ZETLAND.
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BECTIVE
The Right Hon. LORD H. C. G. GORDON-LENNOX
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT DONERAILE
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon. VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. LORD BROOKE
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD DACRE
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAY
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DYNEVOR
The Right Hon. LORD WALSINGHAM
The Right Hon. LORD SUFFIELD
The Right Hon. LORD BRAYBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON
The Right Hon. LORD DUNSANY
The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAYLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CAREW
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD WENLOCK
The Right Hon. LORD WROTTESLEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD TRURO
The Right Hon. LORD AVELAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZHARDINGE
The Right Hon. LORD ATHLUMNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD HARLECH
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDILAUN
The Right Hon. LORD HOTHFIELD
The Right Hon. LORD HILLINGDON
M. LE COMTE DE GERMINY
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
SIR THOMAS DYKE ACLAND, Bart.
SIR PENISTON MILBANKE, Bart.
SIR JOHN HERON-MAXWELL, Bart.
SIR WILFRID LAWSON, Bart.
SIR ROBERT SHEFFIELD, Bart.
SIR H. B. P. ST. JOHN-MILDMAY, Bart.
SIR W. E. WELBY-GREGORY, Bart.
SIR G. N. BROKE-MIDDELTON, Bart., C.B.
SIR NATHANIEL MAYER DE ROTHSCHILD, Bart.
The ROYAL HORTICULTURAL GARDENS, KENSINGTON
The ROYAL BOTANIC GARDENS, KEW, REGENT'S PARK, EDINBURGH, DUBLIN and BELFAST
The ROYAL GARDENS at HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER, LIVERPOOL and HULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA and CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL, BUITENZORG and ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
The PUBLIC GARDENS, RANGOON
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY, CALCUTTA, LAHORE and MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING FOR THE FIRST TIME MANY

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

SOUTH SEA ISLANDS, EAST INDIES, CELEBES, BORNEO, BRAZIL, UNITED STATES OF COLOMBIA, AMBOINA, SIERRA LEONE, WEST AFRICA, FIJI ISLANDS, SOUTH AMERICA, &c., &c.,

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

Telegraphic Address—"WILLIAM BULL, LONDON."

NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.

IMPATIENS HAWKERII

For description and price, *vide* page 8.

EUCHARIS MASTERSII.

For description and price, *vide* page 8.

ANTHURIUM CHELSEIENSE.

For description and price, *vide* page 7.

ARISTOLOCHIA ELEGANS.

For description and price, *vide* page 7.

NEW PLANTS

ANNOUNCED FOR THE FIRST TIME

BY

WILLIAM BULL, F.L.S.

ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. From the free manner in which the beautiful spathes are produced and the long time which they last in perfection, combined with the ornamental character of the foliage, this handsome hybrid is a most desirable acquisition. For illustration *vide* page 5. 2 and 3 guineas.

ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species of neat growth, imported from Brazil. It has smooth slender terete stems with cordate ovate leaves, smooth above, and glaucescent beneath. The handsome and elegant flowers are borne on long stalks and have a slightly distended tube, which is suddenly bent upwards, the upper part dilated into a cordate cup-shaped limb of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. It has been certificated by the Royal Horticultural Society, and is described and figured in the *Gardeners' Chronicle* for September 5, 1885. For illustration *vide* page 6. 21*s*.

BEGONIA COMPTA.

A pretty ornamental species from Brazil. Its leaves have palish pink footstalks, which are five to six inches long, remarkable for the unequal development of their two halves, the one side being narrowed to the base, and the other developed into a roundish angular lobe. The colour is satiny green with a silvery tinge along the course of the mid-rib; this coloration with the satiny surface being of a very pleasing character. 7*s*. 6*d*.

BEGONIA DECORA.

A shrubby decorative variety, with dark green obliquely lanceolate leaves, profusely marked with oblong spots or dots of a silvery-grey colour; somewhat of the character of *B. argyrostigma*, but with the spots more minute. It has been introduced from Brazil. 5*s*.

CLERODENDRON MINAHASSÆ.

This species has been introduced from Celebes. It has erect tetragonal stems with opposite obovate serrated leaves. The flowers form a broad terminal cymose panicle, and have a large leafy calyx, the lobes of which are tipped with red; the corolla is four inches long, yellowish white, with a limb of lanceolate lobes, and exserted purple anthers. In its fruiting state it is very ornamental, as the calyx grows much larger after the flowers fall, spreading out so as to resemble a flower three inches across, sanguineous red, with a round blue berry in the centre. 21*s*.

COTONEASTER FONTANESII.

A compact growing hardy shrub, with terete brown pubescent stems and branches, bearing dark green alternate leaves, orbicular in outline. The flowers, which are white, grow in small corymbose glomerules, and are succeeded by large round coral-red berries. It is an effective shrub from the abundant clusters of brilliant red berries which it produces. 5*s*.

DENDROBIUM PARTHENIUM.

A lovely new species, with flowers of the purest white; it has been introduced from Borneo, and has been named and described by Professor Reichenbach in the *Gardeners' Chronicle*, October 17th, 1885. It has long slender stems, furnished with tapering blunt bilobed leaves. The chaste white flowers are borne on long white pedicels, and there are three purple blotches at the base of the anther. The petals are oblong, blunt, surpassing in extent the sepals which have obscure keels. It is named Partheniun, in allusion to the virginal whiteness of its flowers. Price on application.

ERANTHEMUM MACROPHYLLUM.

A very desirable winter flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour, forming a pleasing contrast to the celestial blue of the upper petals. Blooming as it does in the winter, when flowers are so scarce, this will be found a welcome addition to our stoves. It is very free flowering and of good habit. 10*s.* 6*d.*

ERANTHEMUM VELUTINUM.

A distinct stove species introduced from Brazil. Its leaves are of a rich deep velvety olive-green, traversed by sunken veins so that the surface forms a series of ridges and furrows which serve to show off with advantage the velvety texture of the surface. The inflorescence forms spikes of blossom eight inches in length; the numerous flowers have a slender curved tubular base about an inch long, and are of a deep rosy pink colour. 10*s.* 6*d.*

EUCHARIS MASTERSII.

This new and beautiful Eucharis has been imported from the United States of Colombia. Its deliciously fragrant flowers, which are from 2½ to 3 inches in diameter, are of the most snowy whiteness and are borne in umbels on erect scapes. It has the same habit and leaf as *E. Sanderii*, but is entirely distinct from it in the staminal cup or corona, the free portion of which forms a narrow but united collar-like rim to the perianth tube. This species will be found a desirable acquisition, it being very free flowering and the blooms admirably adapted for cutting. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. For illustration *vide* page 4. 3*s.* 6*d.* each; 30*s.* per dozen.

GYMNADENIA MACRANTHA.

A pretty terrestrial orchid, with sheathing three-nerved leaves, imported from Sierra Leone. The upper part of the stem is furnished with bracts, and from the axils of these are developed the flowers six to ten on a spike; the sepals and petals are of a dark brown, the lip roundish and emarginate, of a pretty purplish lilac with dark purple streaks and speckles on the base and disc. 10*s.* 6*d.*

IMPATIENS HAWKERII.

A more lovely flowering plant than this new species it would be difficult to imagine. It is a native of the South Sea Islands where it was discovered by Lieutenant Hawker. The sharply serrate leaves are elliptic acuminate. The magnificent flowers are very large, flatly expanded, and of the most brilliant rich deep carmine colour, this is relieved by a lustrous bluish tinge round the small white eye; the dorsal sepal is roundish and the two lateral lobes oblong and bilobed, the spur is red and about two inches long. The handsome flowers of this superb new Impatiens are produced in the greatest profusion from March until October, the plant is of free growth and of good habit, and cannot fail to become one of the most useful of decorative plants. For illustration *vide* page 3 10*s.* 6*d.* each; 3 plants for 1 guinea. Orders are now being booked. Date of distribution will be announced hereafter by advertisement.

IXORA CONSPICUA.

This handsome stove plant bears in the freest manner, fine trusses of flowers, buff-yellow on opening, afterwards changing to bright orange. The blooms are large and of good substance, the lobes being round and well formed. A very desirable variety and fine exhibition plant. 21*s.*

IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pips are large and borne in good compact trusses, added to which it is extremely free flowering. 15*s.*

PALICOUREA JUGOSA.

An ornamental Brazilian stove plant, with opposite elliptic oblong leaves, which are of a dark satiny green, with a striking pink midrib and veins. The veins are depressed, so that the leaf-surface presents a series of ridges and furrows, which serve to show off to advantage the satiny tints of their colour. The under surface is of a wine-purple colour. 10*s.* 6*d.*

PINANGA SPECTABILIS.

An ornamental Stove Palm, introduced from the East Indies. The leaves have short petioles with long sheathing bases, which in the young state are bilobed, and in the more mature state pinnate, of a dark green colour, mottled with light green, the nerves being prominently raised on the upper surface; the under surface of the leaves have a silvery appearance. 21*s*.

SELAGINELLA FLAGELLIFERA.

A very elegant species of a bright cheerful green colour, introduced from the Fiji Islands. The leaves on the main rachis are spreading, broadly cordate, with a stout midrib and entire margins. The fructification is terminal on the branchlets, the spikelets tetragonal, from a quarter to half an inch long. From the free manner in which this species produces long flagelliform rooting stems or runners, it is particularly adapted for rockwork or basket-culture. 7*s*. 6*d*.

SMILAX DISCOLOR.

A bold growing semi-scandent species, introduced from South America. The leaves are about nine inches long and four inches broad, oblong ovate and suddenly acuminate; they are of a firm leathery texture, and of a rich green colour irregularly blotched in a young state with patches of purplish-brown varying much in size and form; they are five-nerved, the three central ones being very strongly marked, and the two exterior ones less distinctly developed. It is a bright cheerful clean-looking plant, desirable on account of the ornamental character of its blotched foliage. 10*s*. 6*d*.

TECOMA AMBOINENSIS.

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes from the axils of the leaves, the orange-red corolla tube being from three to four inches long. It is a very showy species and well adapted for furnishing trellises and pillars in stoves. 15*s*.

THUNIA MARSHALLIANA IONOPHLEBIA.

A distinct variety of the beautiful *T. Marshalliana*, with erect leafy reed-like stems, and oblong lanceolate acuminate leaves, about six inches long, pale green, and glaucous beneath. Its large and handsome flowers are pure white, differing from the type, however, in the colouring on the disc and crest of the lip, which is sulphur-yellow, instead of orange-yellow. Price on application.

ZALACCA NITIDA.

A handsome Stove Palm from Western Africa. It forms a noble head of handsome pinnate leaves, with a spiny trunk. In the young plants the leaves, which are of a shining rich dark green colour, are only biparted, with broad divisions. It is a highly ornamental species. 15*s*.

NEW GLOXINIAS.

LYDIA, very large drooping flower, upper lobes deep rose, lower lobes rose shaded with deep crimson; light throat, prettily speckled with crimson. 5*s*.

MODIOLA, flowers erect, deep rich velvety crimson, the lobes margined with rose, the mouth being shaded with dark maroon; light throat, freckled with crimson. 5*s*.

For general collection, *vide* Index.

NEW SPOTTED PELARGONIUM.

CLOVIS, upper petals blackish maroon edged with bright crimson, lower petals bright rosy crimson blotched with maroon. 10*s*. 6*d*.

For general collection, *vide* Index.

NEW DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

COMUS, soft rosy purple flower, upper petals feathered with dark maroon. 5*s*.

SABINE, bright rosy carmine, a large well-formed round flower of a most pleasing colour. 5*s*.

For general collection, *vide* Index.

ALOCASIA SANDERIANA.

A remarkably handsome and truly grand Arad, from the Eastern Archipelago, forming one of the finest of variegated-leaved stove plants. The colour of the young leaves is bright glossy green, and on the older leaves the surface has a metallic blue reflection. The leaf-blade is arrow-shaped, the front portion with about three triangular lobes on each side, the basal portion with one or two smaller lobes; the thick costa and the stout cross veins are white, conspicuously bordered with ivory-white, the margins also being white. This is certainly the most beautiful of all the Alocasias, and a most magnificent foliage plant. 1 and 1½ guinea.

NEW, RARE & DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. 5*s.*

ACACIA SPHÆROCEPHALA, 7*s.* 6*d.*
ACALYPHA ILLUSTRATA, 2*s.* 6*d.* and 3*s.* 6*d.*
MACAFEEANA, 2*s.* 6*d.* and 3*s.* 6*d.*
ACALYPHA MACROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
MARGINATA, 2*s.* 6*d.* and 3*s.* 6*d.*
MUSAICA, 2*s.* 6*d.* and 3*s.* 6*d.*

ACALYPHA OBOVATA.

The beauty of the Acalyphas is sufficiently familiar, and the present form is a handsome additiou to the genus. The leaves are obovate, in the earlier stages of development green with creamy edges, later on olive-green with the margins rosy pink, and eventually having a bronzy centre with broad rosy crimson margins. It is very distinct and effective. 3*s.* 6*d.*

ACANTHUS MONTANUS, 3*s.* 6*d.*
ACHIMENES, *vide* Index.
ÆCHMEA AMAZONICA, 5*s.* and 7*s.* 6*d.*
DISCOLOR, *vide* Lamprococcus discolor
ÆCHMEA FULGENS, *vide* Lamprococcus fulgens
MINIATA, *vide* Lamprococcus miniata
MARIÆ REGINÆ, 10*s.* 6*d.*
VEITCHII, *vide* Chevalliera Veitchii

ÆCHMEA PANICULIGERA.

A very handsome Bromeliad, imported from the West Indies. The flower scape is several feet high, of a reddish purple colour, and clothed with white down; this supports a large compound panicle, one to two feet long, of numerous rose-coloured flowers, the petals of which project beyond the sepals, and are of a deep bright purple, the inflorescence being highly attractive. 10*s.* 6*d.*

ÆCHMEA WEILBACHII, *vide* Lamprococcus Weilbachii
ÆSCHYNANTHUS GRANDIFLORUS, 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
AGLAONEMA MARANTÆFOLIA (oblongifolia), 5*s.*
PICTUM GRACILE, 5*s.*
ALLAMANDA CHELSONI, 3*s.* 6*d.*
GRANDIFLORA, 5*s.*
HENDERSONI, 3*s.* 6*d.*
NERIIFOLIA, 3*s.* 6*d.*
NODILIS, 3*s.* 6*d.*
ALOCASIA AMABILIS, 5*s.*
GIGANTEA, 5*s.*
HYBRIDA, 7*s.* 6*d.*
INTERMEDIA, 7*s.* 6*d.*
JENNINGSII, 2*s.* 6*d.*
JOHNSTONI, *vide* Cyrtosperma Johnstoni
LOWII, 5*s.*
MACRORRHIZA VARIEGATA, 3*s.* 6*d.* and 5*s.*
MARSHALLII, 3*s.* 6*d.*
METALLICA, 3*s.* 6*d.* and 5*s.*
(SCHISTOCASIA) PORTEI, 1 & 1½ guinea
REGINÆ, 2 guineas
SANDERIANA, *vide* page 10.
THIDAUTIANA, 1 guinea
VEITCHII, 7*s.* 6*d.*
ZEBRINA, 7*s.* 6*d.* and 10*s.* 6*d.*
ALPINIA MUTICA, 7*s.* 6*d.*
VITTATA, 3*s.* 6*d.* and 5*s.*
AMARYLLIS ACHIEVEMENT, 7*s.* 6*d.*
ACHILLES, 10*s.* 6*d.*
ACRAMANNI PULCHERRIMA, 1 guinea
AMAZON, 10*s.* 6*d.*
AMDASSADOR, 7*s.* 6*d.*
ARIADNE, 10*s.* 6*d.*
ASPASIA, 5*s.*
AULICA SUPERDA, 5*s.* and 7*s.* 6*d.*
BARON, 5*s.*
BRILLIANT, 1 and 1½ guinea
CERDERUS, 10*s.* 6*d.*
AMARYLLIS COMMANDER, 7*s.* 6*d.*
COQUETTE, 5*s.*
CORSAIR, 10*s.* 6*d.*
COUNTESS, 10*s.* 6*d.*
CYRUS, 10*s.* 6*d.*
DIADEM, 15*s.*
ELECTRA, 1 guinea
EMMELINE, 7*s.* 6*d.*
EUROPA, 1 guinea
EUTERPE, 15*s.*
FIGARO, 7*s.* 6*d.*
FORMOSISSIMA (*Jacobæa Lily*), 6*d.*
GENERAL, 1 guinea
HENDERSONI, 10*s.* 6*d.* and 15*s.*
—— COCCINEA, 10*s.* 6*d.* and 15*s.*
HEROINE, 10*s.* 6*d.*
IGNESCENS, 3*s.* 6*d.* and 5*s.*
IMPERIALIS, 1 guinea
(BRUNSVIGIA) JOSEPHINÆ, 7*s.* 6*d.*
JUPITER, 7*s.* 6*d.*
LEOPOLDII, 10*s.* 6*d.* and 15*s.*
MABEL, 10*s.* 6*d.*
METEOR, 10*s.* 6*d.*
NEPTUNE, 10*s.* 6*d.*
NIMROD, 5*s.*
OBERON, 1 guinea
ONDINE, 10*s.* 6*d.*
OPTIMA, 10*s.* 6*d.*
OSCAR, 10*s.* 6*d.*
PARDINA HYBRIDA, 7*s.* 6*d.* and 10*s.* 6*d.*
PAULINE, 15*s.*
PORTIA, 5*s.*
PRINCEPS, 1½ guinea
PYRROCHROA, 5*s.* and 7*s.* 6*d.*
REGALIS, 1 guinea
REGINA, 1 guinea
RETICULATA, 5*s.*
ROMEO, 7*s.* 6*d.*
ROSALIND, 5*s.*

AMARYLLIS Sappho, 7*s.* 6*d.*
Souvenir, 7*s.* 6*d.*
Stella, 7*s.* 6*d.*
Sultana, 10*s.* 6*d.*
Sylvia, 7*s.* 6*d.*
Titania, 7*s.* 6*d.*

AMARYLLIS Trojan, 10*s.* 6*d.*
Uranie, 7*s.* 6*d.*
Verona, 15*s.*
Vesta, 10*s.* 6*d.*
Vesuvius, 7*s.* 6*d.*
Victoria, 10*s.* 6*d.*

AMARYLLIS, choice selections of good sorts, 3, 4, and 6 guineas per dozen.

AMASONIA punicea, 21*s.*
AMHERSTIA nobilis, price on application
AMORPHOPHALLUS campanulatus, 5*s.* & 7*s.* 6*d.*
ANŒCTOCHILUS, *vide* Orchids
ANANASSA penangensis variegata, 1 guinea
sativa variegata, 10*s.* 6*d.*

ANCHOMANES dubius, 10*s.* 6*d.*
ANCYLOGYNE longiflora, 3*s.* 6*d.*
ANDROPOGON Schœnanthus, 5*s.*
ANTHURIUM Andreanum, *vide* page 13
Bakeri, 10*s.* 6*d.*
candidum, 3*s.* 6*d.*

ANTHURIUM CARNEUM.

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 10*s.* 6*d.* and 15*s.*; strong plants, 1½ and 2 guineas.

ANTHURIUM Chantrieri, 10*s.* 6*d.* and 15*s.*; strong plants, 1½ and 2 guineas
chelseiense, *vide* page 7.
cruentum, 2 guineas
crystallinum, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

ANTHURIUM Dechardi, 3*s.* 6*d.* and 5*s.*
ferrierense, 15*s.* and 1 guinea
Galeottianum, 7*s.* 6*d.*
Harrisii pulchrum, 15*s.*
hybridum, 5*s.* and 7*s.* 6*d.*

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, deflexed at first, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent, and the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 15*s.* and 1 guinea; fine plants, 2 and 3 guineas.

ANTHURIUM INTERMEDIUM.

We have in this the result of the intercrossing of *A. hybridum* and *A. crystallinum*. The leaf-blades are deflexed, over a foot long, oblong ovate, cordate at the base, with an open rounded sinus, the upper surface of a velvety green, with a slight olive tinge, the costa and principal veins being whitish. The spathe is lanceolate, and of a pale reddish hue, with a rosy red spadix. 7*s.* 6*d.* & 10*s.* 6*d.*

ANTHURIUM LIEVENSII.

A bold and striking Aroid. The leaf-blades are ovate-acuminate, with rounded basal lobes and an acute sinus, and are traversed by raised slightly-curved veins. It has a reddish-tinted spathe and bright red spadix. 1 guinea.

ANTHURIUM leuconeurum, 3*s.* 6*d.*
lucidum, 7*s.* 6*d.*
macrolobum, 7*s.* 6*d.* and 10*s.* 6*d.*
magnificum—*syn.* A. grande and A. cordifolium, 3*s.* 6*d.* and 5*s.*
Mooreanum, 1 guinea
nymphæifolium, 10*s.* 6*d.*
ornatum, 10*s.* 6*d.*
regale, 3*s.* 6*d.* and 5*s.*
Scherzerianum, 3*s.* 6*d.* and 5*s.*
—— album (true)
—— giganteum, 2 and 3 guineas
—— maximum, *vide* page 14.
—— Palmeri, 1 guinea
—— splendens, 1 and 2 guineas
—— Wardii, 3 guineas
—— Williamsii, 5*s.*
splendidum, *vide* page 15.
triumphans, 10*s.* 6*d.* and 15*s.*
Veitchii, 10*s.* 6*d.*, 15*s.* & 1 guinea.
Warocqueanum, 7*s.* 6*d.* and 10*s.* 6*d.*
ANTIGONON amabile, 5*s.*
insigne, 7*s.* 6*d.*

ANTIGONON speciosum, 7*s.* 6*d.*
APHELANDRA aurantiaca, 3*s.* 6*d.*
aurantiaca Roezlii, 2*s.* 6*d.* and 3*s.* 6*d.*
Chamissoniana, 3*s.* 6*d.* and 5*s.*
cristata, 3*s.* 6*d.*
fascinator, 3*s.* 6*d.*
Leopoldii, 3*s.* 6*d.*
Margaritæ, 5*s.*
nitens, 3*s.* 6*d.*
Porteana, 3*s.* 6*d.*
pumila, 7*s.* 6*d.*
ARALIA Chabrieri, 5*s.*
cochleata, 7*s.* 6*d.*
elegantissima, 5*s.*
filicifolia, 5*s.*
gracillima, 5*s.*
Guilfoylei, 5*s.*
leptophylla, 3*s.* 6*d.*
longipes, 10*s.* 6*d.*
maculata, 5*s.*
reticulata, 3*s.* 6*d.*
rotunda, 7*s.* 6*d.*
Veitchii, 5*s.*

ANTHURIUM ANDREANUM.

ANTHURIUM ANDREANUM.

The flower-spathes of this magnificent Araceous plant are heart shaped and of a most brilliant scarlet colour, the surface irregularly corrugated and traversed by deep sinuous veins; the spadix is ivory-white at the base, and greenish-yellow at the tip. An extremely attractive plant, each inflorescence remaining in perfection about three months. 5*s*., 7*s*. 6*d*., 10*s*. 6*d*. and 1 guinea.

ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3, 5 and 7 guineas.



ANTHURIUM SPLENDIDUM.

A strikingly beautiful stove Aroid, imported from South America, quite distinct from anything previously in cultivation, the surface of the cordate leaves being remarkably peculiar. The course of the nerves is marked by a broadish band of deep lustrous velvety green, the intervening spaces being of a pale yellowish green. The leaf surface is scabrous, and the portions between the ribs strongly bullate, as if raised in papillose blisters. 1 guinea.

ARISÆMA FIMBRIATUM.

A very remarkable and distinct species, introduced from the Philippine Islands. The leaves are deeply divided into three ovate acute segments. The spathes are acuminate, brownish purple, reticulated and very effectively striped with narrow whitish bands. The spadix terminates in a long whip-like extremity furnished throughout its length with long purplish filaments, imparting to the plant a distinct and novel character. Described and illustrated in the *Gardeners' Chronicle*, November 29th, 1884, pages 680 and 689. 10*s.* 6*d.*

BIGNONIA MAGNIFICA.

A free-growing plant, of scandent habit, introduced from the United States of Colombia. The flowers, which are produced in large branching panicles, are of great size (about 3½ inches across), and of an exceedingly attractive colour, ranging from delicate mauve to rich purplish crimson, relieved by a conspicuous throat of light primrose colour. 5*s.* and 7*s.* 6*d.*

ARALIA VEITCHII GRACILLIMA, *5s.*
ARDISIA OLIVERI, 3*s.* 6*d.*
PICTA, 1½ guinea.
ARDISIAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
ARISÆMA FIMBRIATUM, *vide* page 16.
ARISTOLOCHIA CLYPEATA, 7*s.* 6*d.*
DUCHARTREI, 5*s.*
ELEGANS, *vide* page 7.
FLORIBUNDA, 7*s.* 6*d.*
GIGAS, 3*s.* 6*d.* and 5*s.*
GRNITHOCEPHALA, 5*s.* and 7*s.* 6*d.*
TRICAUDATA, 5*s.*
TRILOBATA, 3*s.* 6*d.* and 5*s.*
ARTANTHE RUBRONODOSA, 7*s.* 6*d.*
ARTOCARPUS CANNONI, 3*s.* 6*d.*
EBURNEA, 5*s.*
INTEGRIFOLIA (The Jack Fruit), 10*s.* 6*d.*
LACINIATA, 3*s.* 6*d.*
—— METALLICA, 3*s.* 6*d.*
ASPARAGUS, of sorts, *vide* pages 54 and 55.
ATACCIA CRISTATA, 7*s.* 6*d.* and 10*s.* 6*d.*
BARLERIA ARGENTEA, 5*s.*
BATATAS PANICULATA, 3*s.* 6*d.* and 5*s.*
BAUHINIA PICTA, 7*s.* 6*d.*
BAUHINIAS, of sorts, 5*s.* and 7*s.* 6*d.*
BEAUMONTIA GRANDIFLORIA, 5*s.* and 7*s.* 6*d.*
BEGONIA, *vide* Index
BELOPERONE ATROPURPUREA, 5*s.*
BERTOLONIA FORMOSA, 7*s.* 6*d.*
GUTTATA, 5*s.*
—— ALBA, 10*s.* 6*d.*
—— SPLENDENS, 15*s.*
MARCHANDI, 5*s.*
MARGARITACEA SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*
MARMOREA SUPERBA, 3*s.* 6*d.* and 5*s.*
MIRANDÆI, 7*s.* 6*d.*
GRNATA, 7*s.* 6*d.*
PRIMULÆFLORA, *vide* Monolena primulæflora
PUBESCENS, 3*s.* 6*d.*
SUPERBISSIMA, 1 guinea
VAN HOUTTEI, 5*s.*
VELUTINA, 5*s.*
VITTATA, 7*s.* 6*d.*
BIGNONIA AURANTIACA, 7*s.* 6*d.* and 10*s.* 6*d.*
CHAMBERLAYNII, 3*s.* 6*d.* and 5*s.*
MAGNIFICA, *vide* page 17.
ORNATA, 5*s.*
PICTA, 3*s.* 6*d.* and 5*s.*

BIGNONIA REGALIS.

A very handsome stove climber, with opposite elliptic lanceolato leaves. The flowers are exceedingly beautiful, very large, and of a bright yellow and red colour. It has been recently imported from British Guiana, and is a decided acquisition to this beautiful genus. 10*s.* 6*d.*

BIGNONIA RETICULATA, 5*s.*
ROEZLIANA, 5*s.*
—— VILLOSA, 5*s.*
SPECIOSA, 3*s.* 6*d.*
VENUSTA, 3*s.* 6*d.* and 5*s.*
BILLBERGIA CHLOROSTICTA, 15*s.* and 21*s.*
FARINOSA, 10*s.* 6*d.*
LEOPOLDII, 7*s.* 6*d.*
MORELIANA, 5*s.* and 7*s.* 6*d.*
SAUNDERSII, 10*s.* 6*d.*
THYRSOIDEA, 5*s.*
VITTATA. 5*s.*
BOUGAINVILLEA GLABRA, 2*s.* 6*d.* and 3*s.* 6*d.*
LATERITIA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPECIOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPECTABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*
BROSIMUM, *vide* GALACTRODENDRON
BROWNEA ARIZA, 10*s.* 6*d.*
COCCINEA, 1 guinea
BROWNEA ERECTA, 1 and 1½ guinea
GRANDICEPS
HYBRIDA, 1½ guinea
BRUNFELSIA AMERICANA, 5*s.*
BRUNSVIGIA JOSEPHINÆ, *vide* Amaryllis Josephinæ
BURBIDGEA NITIDA, 3*s.* 6*d.*
BURCHELLIA CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
CALADIUM, *vide* Index
CALLIPHRURIA HARTWEGIANA, 7*s.* 6*d.*
SUBEDENTATA, 2*s.* 6*d.*
CALPICARPUM ORNATUM, 1 guinea.
CAMOENSIA MAXIMA, *vide* page 19.
CAMPSIDIUM FILICIFOLIUM, 2*s.* 6*d.* & 3*s.* 6*d.*
CAMPYLOBOTRYS, *vide* Hoffmannia
CANNA, *vide* Index
CAPPARIS FRONDOSA, 5*s.*
CARAGUATA, *vide* Tillandsia.
CARLUDOVICA, *vide* Index
CARUMBIUM POLYANDRUM, 10*s.* 6*d.*

CARYOPHYLLUS AROMATICUS.

This is the plant that produces the well-known Clove of commerce. 10*s.* 6*d.*

CENTRADENIA FLORIBUNDA ROSEA, 3*s.* 6*d.*
GRANDIFLORA, 3*s.* 6*d.*
CEROPEGIA GARDNERI, 3*s.* 6*d.* and 5*s.*
CENTROPOGON LUCYANUS, 1*s.* 6*d.* and 2*s.* 6*d.*
CENTROSOLENIA BULLATA (EPISCIA TESSELLATA), 5*s.*
CESPEDESIA BONPLANDI, 2 guineas.
CHAMÆCLADON RUBENS, 5*s.*
CHAMERANTHEMUM BEYRICHII VARIEGATUM, 3*s.* 6*d.*
NITIDUM, *vide* Ebermaiera nitida
CHEVALLIERA (ÆCHMEA) VEITCHII, 7*s.* 6*d.* & 10*s.* 6*d.*
CHIRITA MOONII, 7*s.* 6*d.*
SINENSIS, 3*s.* 6*d.*
CHRYSOPHYLLUM IMPERIALE, 10*s.* 6*d.* to 21*s.*

CHIRITA ZEYLANICA.

A handsome species with opposite fleshy ovate entire leaves, and panicles of showy flowers. The individual flowers are handsome and of a rich reddish purple colour, having on the lower side of the tube two golden yellow lines. 10*s.* 6*d.*

HALF NATURAL SIZE.

CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden yellow. Certainly one of the most striking and noble flowering plants lately introduced. This plant has been described and illustrated in Vol. XXV of the Transactions of the Linnean Society, p. 301, t. 36. 5 guineas.

CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scape, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 10*s.* 6*d.*

CINNAMOMUM CASSIA
VERUM, 7*s.* 6*d.*
ZEYLANICUM
CISSUS ALBO-NITENS, 3*s.* 6*d.*
DISCOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
CISSUS ENDRESII, 7*s.* 6*d.*
LINDENI, 3*s.* 6*d.* and 5*s.*
PORPHYROPHYLLA, 3*s.* 6*d.* and 5*s.*
CLERODENDRON BALFOURIANUM, 2*s.* 6*d.*
CALAMITOSUM, 3*s.* 6*d.* and 5*s.*

CLERODENDRON DELECTUM.

A handsome and effective new variety raised from *C. Balfourianum*, freely producing in large dichotomous cymes its showy flowers. The calyx is pure white, and the corolla of a deep rich magenta rose colour. A useful and welcome addition to ornamental stove climbers. 3*s.* 6*d.* and 5*s.*

CLERODENDRON FALLAX, 3*s.* 6*d.*
FRAGRANS FLORE PLENO, 2*s.* 6*d.*
HASTATUM, 5*s.*
CLERODENDRON INFORTUNATUM, 3*s.* 6*d.*
KÆMPFERI, 3*s.* 6*d.* and 5*s.*
MINAHASSÆ, *vide* page 7.

CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish purple. 5*s.* and 7*s.* 6*d.*

CLERODENDRON SPECIOSUM, 3*s.* 6*d.*
SPLENDENS, 3*s.* 6*d.* and 5*s.*
THOMSONÆ, 3*s.* 6*d.*
VISCOSUM, 3*s.* 6*d.* and 5*s.*
CLIDEMIA VITTATA, 7*s.* 6*d.*
COCCOCYPSELUM DISCOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
COCCOLOBA PLATYCLADA, 3*s.* 6*d.*
COCHLIOSTEMA JACOBIANUM, 10*s.* 6*d.*
COFFEA ARABICA, 3*s.* 6*d.* and 5*s.*
ARABICA VARIEGATA, 7*s.* 6*d.*
COFFEA LIBERICA, 3*s.* 6*d.* and 5*s.*
COLEUS, *vide* Index
COLOCASIA, *vide* Alocasia
COLUMNEAS, of sorts, 3*s.* 6*d.* and 5*s.*
COMBRETUM GRANDIFLORUM 5*s.*
PURPUREUM, 5*s.*
CORYNOSTYLIS HYBANTHUS ALBIFLORA, 7*s.* 6*d.*
COSSIGNIA BORBONICA, 15*s.*
COSTUS ALBESCENS, 7*s.* 6*d.*
ELEGANS, 5*s.*
COUROUPITA GUIANENSIS, 10*s.* 6*d.*

CRINUM AUGUSTUM.

This magnificent and noble species has large and delicionsly-scented flowers, borne in immense heads consisting of from twenty to twenty-five blooms, supported on stout erect scapes. The individual flowers consist of six segments, each about six inches long, which contract at the base into a tube four inches in length. The segments inside are purplish white, contrasting in a very pleasing manner with the exterior, which is bright rosy purple. 10*s.* 6*d.*

CRINUM AMABILE, 10*s.* 6*d.*
ERUBESCENS, 7*s.* 6*d.*
FORMOSUM, 3*s.* 6*d.*
GIGANTEUM, 15*s.*
MOOREI, *vide* page 59.
ORNATUM, 7*s.* 6*d.*
PEDUNCULATUM PACIFICUM, *vide* page 60.
SANDERIANUM, *vide* page 21.
SCABRUM, 10*s.* 6*d.*
CROSSANDRA INFUNDIBULIFORMIS, 3*s.* 6*d.*
UNDULATA, 5*s.*
CROTON (CODIÆUM) ANDREANUS, 3*s.* 6*d.*
ANGUSTIFOLIUS, 2*s.* 6*d.* and 3*s.* 6*d.*
APPENDICULATUS, 3*s.* 6*d.*
ARGUS, 3*s.* 6*d.*
AUREO-LINEATUS, 3*s.* 6*d.*
AUREO-PUNCTATUS, 5*s.*
BARONNE JAMES DE ROTHSCHILD, 3*s.* 6*d.*

CROTON BROOMFIELDII.

A richly-marked golden variegated variety of great beauty. The leaves are nine or ten inches long, and about two and a half inches broad in the widest part. The green ground colour is very dark, but everywhere broken up by irregular yellow lines, spots, and blotches. The mid-rib has a slight tint of red, with a yellow central band, and the margins are similarly tinted. 7*s.* 6*d.* and 10*s.* 6*d.*

CROTON BISMARCKI, 3*s.* 6*d.*
CAMPTOPHYLLUS, 3*s.* 6*d.*
CROTON CERBERUS, 5*s.*
CHALLENGER (IMPERATOR), 5*s.*

CROTON CHELSONI.

A remarkably elegant narrow-leaved form of rich coloration. The leaves are sometimes plane, sometimes twisted spirally, and in this latter state the variegation shows up most distinctly, being of a bright salmony orange tint, shaded with crimson. Introduced from New Guinea. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Dundee. 3*s.* 6*d.* and 5*s.*

CROTON CHRYSOPHYLLUS, 5*s.*
CONCINNUS, 3*s.* 6*d.*
CONQUEST, 10*s.* 6*d.*
CROTON CORNIGERUS, 10*s.* 6*d.*
COUNTESS, 7*s.* 6*d.* and 10*s.* 6*d.*
CYRUS, 5*s.*

CRINUM SANDERIANUM.

CRINUM SANDERIANUM.

A very distinct new speeies introduced from Sierra Leone. It has globose bulbs about two inehes in diameter, ensiform leaves, thin in texture and much undulated towards tho margins. The flowers aro produced in umbels and consist of six lanceolate, acuminate white segments with a broad and conspicuous band of reddish crimson down tho centre of each. 3*s*. 6*d*.

CROTON CRŒSUS.

One of the series of Crotons or Codiæums with golden variegation. The leaves are bright green, with a yellow costa, and freely blotched with bright yellow in irregular patches or freckled markings, occupying half or sometimes more than half the leaf surface. 10*s*. 6*d*.

CROTON DECORUS, 7*s*. 6*d*.
DIADEM, 3*s*. 6*d*.
DIANA, 5*s*.
DISRAELI, 3*s*. 6*d*.
DORMANIANUS, 3*s*. 6*d*.
DUKE OF BUCCLEUCH, 3*s*. 6*d*.
CROTON EARL OF DERBY, 5*s*.
EBURNEUS, 5*s*.
ECLIPSE, 10*s*. 6*d*.
ELEOANTISSIMUS, *vide* page 23.
EMBLEM, 7*s*. 6*d*.
ENSION, 3*s*. 6*d*.

CROTON EMINENS.

A dense-habited free-growing hybrid variety. The leaves are closely set, broadly lance-shaped, tapered at the apex to an acute point; they are of a bright glossy green, with an ivory-coloured mid-rib, and a portion of the lateral veins of the same colour. The contrast is very striking. 10*s*. 6*d*.

CROTON EXCURRENS.

A peculiar variety, which is characterised by its oblong-stalked leaves having the mid-rib or costa excurrent in the form of a small horn near the apex of the leaf. The colours are green and yellow, very regularly disposed. A distinct and attractive plant. 15*s*.

CROTON EVANSIANUS, 3*s*. 6*d*.
FALCATUS, *vide* C. variabilis
CROTON FASCIATUS, *vide* C. Hendersoni
GLORIOSUS (Princess of Wales), 3*s*. 6*d*.

CROTON FORMOSUS.

A handsome hybrid variety of moderate growth. The leaf-stalks are crimson, the leaf-blade bright green, while the centre and principal veins are yellow, the surface being here and there sprinkled with yellow spots. These yellow portions take on at a later period a glowing crimson hue, the mid-rib and margin especially being of a bright magenta-crimson. It was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Carlisle, and at the Provincial Show of the Royal Horticultural Society, held at Preston. 7*s*. 6*d*. and 10*s*. 6*d*.

CROTON GRACILIS, 10*s*. 6*d*.
HANBURYANUS, 5*s*.
HASTIFERUS, 3*s*. 6*d*.
CROTON HARWOODIANUS, *vide* C. triumphans
HAWKERII, 5*s*.
HECTOR, 5*s*.

CROTON HEROICUS.

An attractive hybrid of the Bismarcki type. The colour is bright green freely marked with deep yellow, the central bar and the veins, and in many cases the half, or even the whole of the leaf-surface being yellow, and this in some leaves flushed or lined with a tint of rosy crimson. When regularly yellow-barred, and marked with yellow veins, and these parts also striated with crimson veins, the leaves are particularly handsome. 10*s*. 6*d*.

CROTON HENDERSONI (FASCIATUS), 3*s*. 6*d*.
ICARUS, 3*s*. 6*d*.
ILLUSTRIS, *vide* page 24.
CROTON IMPERATOR, *vide* C. Challenger
IMPERIALIS, 7*s*. 6*d*.
INTERRUPTUS AUREUS, 5*s*.

CROTON INSIGNIS.

A fine form of great beauty, with long narrow foliage. The leaves are deep green, with the mid-rib and veins beautifully picked out with golden-yellow, the margins and mid-rib rosy crimson. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 10*s*. 6*d*.

CROTON JAMESII, 3*s*. 6*d*.
JUBILEE, 3*s*. 6*d*.
JUCUNDUS, 5*s*.
JUNON, 3*s*. 6*d*.
CROTON KINGIANUS, 5*s*.
LACTEUS, 3*s*. 6*d*.
LANCIFOLIUS, 5*s*.

CROTON LINEARIS.

A small-growing variety of remarkably neat habit. The leaves are from four to six inches long, linear, usually obtuse, but sometimes narrowed to the point, dark green, with a yellow mid-rib and a few lateral blotches of the same colour, occasionally almost wholly yellow. 5*s*. and 7*s*. 6*d*.

CROTON MACAFEEANUS, 3*s*. 6*d*.
MACARTHURI, 3*s*. 6*d*.
MAJESTICUS, 2*s*. 6*d*. and 3*s*. 6*d*.
MASSANGEANUS, 5*s*.
MEMNON, 7*s*. 6*d*.
MOOREANUS, 3*s*. 6*d*.
MORTII, 3*s*. 6*d*. and 5*s*.
CROTON MUSAICUS, 5*s*.
MUTABILIS, *vide* C. princeps
NEPTUNE, 3*s*. 6*d*. and 5*s*.
NIMROD, 10*s*. 6*d*.
NOBILIS, 3*s*. 6*d*.
OBERON, 3*s*. 6*d*.
ORESTES, 7*s*. 6*d*.



CROTON ELEGANTISSIMUS.

CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieties yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. This variety was one of the new plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Brussels. 7*s.* 6*d.* and 10*s.* 6*d.*



CROTON ILLUSTRIS.

A singularly grotesque-looking variety. The leaves are mostly three-lobed on purplish petioles, the lobes being twisted or curved, so as to acquire a sort of forked appearance. The colour is green, richly maculated with golden yellow; the central bar yellow, and the variegation irregularly distributed, so that sometimes the points are almost wholly golden. It is an extremely distinct and attractive plant. 10*s*. 6*d*.

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy pink, and the mid-rib of a deeper rosy crimson. 10*s.* 6*d.*

CROTON PICTURATUS, 3*s.* 6*d.*
PRESIDENT, 3*s.* 6*d.*
PRIMA DONNA, 7*s.* 6*d.*
PRINCE OF WALES, 3*s.* 6*d.*

CROTON PRINCEPS (MUTABILIS), 5*s.*
PRINCESS OF WALES, *vide* C. gloriosus
QUEEN VICTORIA, 3*s.* 6*d.*
REX, 3*s.* 6*d.*

CROTON RECURVATUS.

An exceedingly pretty variety, remarkable for its elegantly recurved leaves. The stems are purplish, and the petioles deep blood-crimson. The colouration is striking, there being a yellow central band with a crimson mid-rib, and yellow veins; the yellow being more or less suffused, so that it predominates over the green of the remaining parts. It is a good example of a race of small-growing Crotons, which are found very useful for decoration. 10*s.* 6*d.*

CROTON ROSEO-PICTUS, *vide* page 26.

CROTON RUBESCENS, 7*s.* 6*d.* and 10*s.* 6*d.*

CROTON RUBERRIMUS.

Probably the reddest of all the bright red varieties yet known. The leaves are narrow and elegantly drooping; in the young state they are green at the edge, with creamy yellow on each side the red costa, the green parts spotted with cream; then the creamy parts become suffused with red, and the costa changes to a deep crimson; the yellow finally being replaced by deep rosy crimson. 10*s.* 6*d.*

CROTON SCEPTRE.

One of the ribbon-leaved forms of Croton. The colouring consists of a crimson costa, on each side of which comes the dark bottle-green ground colour, and added to this are irregular spots, and a few patches of fiery orange with some spots of yellow. A pretty and distinct variety. 10*s.* 6*d.*

CROTON SCHOMBURGKIANUS, 5*s.*
SOVEREIGN, 3*s.* 6*d.*
SPECIOSUS, 5*s.*
SPECTABILIS, 5*s.*
SPIRALIS, 2*s.* 6*d.* and 3*s.* 6*d.*

CROTON SPLENDIDUS, 5*s.*
SUPERBIENS, 5*s.*
TORQUATUS, 3*s.* 6*d.*
TORTILIS, 3*s.* 6*d.*
TRAVELLER, 5*s.*

CROTON TRIUMPHANS (HARWOODIANUS).

A fine variety from the New Hebrides. The leaves are deep green, with a golden line on each side the mid-rib, the principal veins also golden, running into a net-work of the same colour towards the point. The costa is rich bright crimson, and forms a pretty contrast with the colour on either side. In the fully matured state the leaves become rich greenish bronze, and the costa a rosy crimson, very bright and effective. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Carlisle. 7*s.* 6*d.*

CROTON TRICOLOR, 7*s.* 6*d.*
UNDULATUS, 3*s.* 6*d.*
UNIVITTATUS, 5*s.*

CROTON VARIABILIS (FALCATUS), 3*s.* 6*d.*
VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
VEITCHIANUS, 3*s.* 6*d.*

CROTON VITTATUS.

A very handsome Croton of bold and striking habit. The colour of the leaf-blade is a clear full green, with a broad band of creamy yellow, which runs out laterally along the bases of the distant primary veins. The mid-rib in the older and more matured leaves takes on the same bright ruby-red as the petioles, which adds much to the brilliancy of the marking. 7*s.* 6*d.*

CROTON VIVICANS, 3*s.* 6*d.*
VOLUTUS, 3*s.* 6*d.*
WARRENII, 5*s.*
WEISMANNI, 3*s.* 6*d.*
WILLIAMSII, 3*s.* 6*d.* and 5*s.*

CRYPTANTHUS (TILLANDSIA) ACAULIS ZEBRINA, 5*s.*
(TILLANDSIA) BEUCKERII, 10*s.* 6*d.*
(——) BIVITTATA, 5*s.* and 7*s.* 6*d.*
CUPANIA FILICIFOLIA, *vide* Jaearanda Clausseniana.

CUPANIA GRANDIDENS

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 1 guinea.

CURCULIGO DENSA, 7*s.* 6*d.*
RECURVATA, 3*s.* 6*d.*
—— STRIATA, 10*s.* 6*d.*
—— VARIEGATA, 5*s.* and 7*s.* 6*d.*

CURCUMA CORDATA, 5*s.*
LUTEO-VIRIDIS, 7*s.* 6*d.*
PETIOLATA, 5*s.*
ROSCOEANA, 5*s.*

CROTON ROSEO-PICTUS.

CROTON ROSEO-PICTUS.

A very pretty and distinct Croton of compact habit, densely leafy, and from its pleasing colouration one of the most useful for decorative purposes. The primary ground colour is green, the mid-rib and its border being pale yellow, as are also the principal veins, which are marked in an arcuate manner, while between and beyond them the surface is broken up in yellow reticulations. These markings take on a pretty rose tint, which is most decided near the margins. 5*s*.

CURCUMA RUBRICAULIS, *5s.*
ZEDOARIA, *7s. 6d.*
CURMERIA PICTURATA, *3s. 6d.*
WALLISII, *5s.*
CYANOPHYLLUM BOWMANNI, *5s.*
MAGNIFICUM, *3s. 6d.* and *5s.*
CYANOTIS (TRADESCANTIA) MULTICOLOR, *2s. 6d.*
(TRADESCANTIA) ZANONIA, *3s. 6d.*
(——) ZEBRINA ARGENTEA, *2s. 6d.*
CYCADS, *vide* Index.
CYMBIDIUM, *vide* Orchids
CYPERUS ALTERNIFOLIUS, *1s. 6d.* and *2s. 6d.*
ALTERNIFOLIUS VARIEGATUS, *2s. 6d.* and *3s. 6d.*
LAXUS, *3s. 6d.*
—— VARIEGATUS, *3s. 6d.* and *5s.*
CYPHOMANDRA ARGENTEA, *7s. 6d.*
CYPRIPEDIUM, *vide* Orchids
CYRTANTHERA CHRYSOSTEPHANA, *3s. 6d.*
POHLIANA, *3s. 6d.*
CYRTOCERAS REFLEXUM, *3s. 6d.* and *5s.*
CYRTODEIRA CHONTALENSIS, *2s. 6d.* and *3s. 6d.*
FULGIDA, *2s. 6d.* and *3s. 6d.*
METALLICA, *2s. 6d.* and *3s. 6d.*

CYRTOSPERMA JOHNSTONI.

A most remarkable Arad, introduced from the Solomon Islands. The leaf-stalks are furnished with irregular whorls of stiff spines, the stem is darkly mottled, and has flesh-coloured bands just above the spines; the leaf-blade is semi-erect, arrow-shaped, prettily variegated and strikingly veined with bright rosy red. This plant is altogether unique and very attractive. 1 guinea.

DALECHAMPIA ROEZLIANA ALBA, *3s. 6d.*
DALECHAMPIA ROEZLIANA ROSEA, *2s. 6d.* & *3s. 6d.*

DAVIDSONIA PRURIENS.

A noble-looking and desirable ornamental plant, with alternate leaves, nearly two feet long. There are five or six pairs of pinnæ, the terminal one about nine inches long. In the young state the leaves are of a bright red colour, from which they pass to a deepish green. It produces a succulent edible fruit, and is one of the most interesting plants in Queensland. *15s.*, 1 and 1½ guinea.

DESMODIUM GYRANS, *5s.*
DICHORISANDRA MUSAICA, *10s. 6d.*
UNDATA, *3s. 6d.* and *5s.*
DICHOTRICHUM TERNATEUM, *7s. 6d.*
DIEFFENBACHIA AMAZONICA, *5s.*
AMŒNA, *3s. 6d.*
DIEFFENBACHIA BARAQUINIANA, *3s. 6d.*
BOWMANNII, *3s. 6d.*
BAUSEI, *3s. 6d.*
CARDERI, *5s.*
COSTATA, *5s.*

DIEFFENBACHIA CHELSONI.

A very handsome plant with dark satiny green leaves, the costa marked with a grey band, feathered about one-third across each half of the blade, the surface of which is also freely spotted and blotched with bright yellow-green. The well-marked contrast between the three colours renders the variegation very effective. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Brussels. *7s. 6d.*

DIEFFENBACHIA DELECTA, *3s. 6d.*
EBURNEA, *5s.*
FLAVO-VIRENS, *3s. 6d.*
GRANDIS, *3s. 6d.*
ILLUSTRIS, *5s.*
INSIGNIS, *7s. 6d.*
LANCEOLA, *5s.*
LEOPOLDII, *3s. 6d.* and *5s.*
DIEFFENBACHIA LUCINDA, *3s. 6d.*
MACULOSA, *3s. 6d.*
MAGNIFICA, *3s. 6d.*
MAJESTICA, *10s. 6d.*
MEMORIA CORSI, *10s. 6d.*
NEBULOSA, *3s. 6d.*
NOBILIS, *3s. 6d.*
PICTA, *3s. 6d.*

DIEFFENBACHIA PRINCEPS.

A bold and handsome plant, of ornamental character. The leaves are dark green, with a few scattered yellowish spots, and a silvery grey marking running through the centre, that in the upper half of the leaf being most distinctly developed. *10s. 6d.*

DIEFFENBACHIA REGINA, *vide* page 28.
REX, *vide* page 29.
DIEFFENBACHIA SHUTTLEWORTHII, *7s. 6d.*
SPLENDENS, *vide* page 30.

DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent. *10s. 6d.*

DIEFFENBACHIA VELUTINA, *3s. 6d.*
VITTATA, *5s.*
WEIRII, *3s. 6d.*
DIONÆA MUSCIPULA, *vide* Index.
DIOSCOREA ANŒCTOCHILUS, *5s.* and *7s. 6d.*
ARGYREIA, *5s.* and *7s. 6d.*
DIOSCOREA BULBIFERA, *5s.*
CHRYSOPHYLLA, *5s.*
DISCOLOR VARIEGATA, *3s. 6d.*
ILLUSTRATA, *3s. 6d.*
MELANOLEUCA, *7s. 6d.*
METALLICA, *5s.*

DIOSCOREA SPECIOSA.

A free growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. 5*s*.

DIPLADENIA AMABILIS, 3*s*. 6*d*. **DIPLADENIA** AMŒNA, 3*s*. 6*d*.

DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. The plant is of free growth, and of the most floriferous character. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

DIEFFENBACHIA REGINA.

DIEFFENBACHIA REGINA.

A very distinct and striking variety from South America. It has oblong elliptic greenish-white leaves, mottled with blotches of pale green, and having a narrow margin, and a few streaky markings of a deeper shade. From its distinct markings, the plant is very effective and well entitled to be regarded as the Queen of the Dieffenbachias. This beautiful plant has frequently been shown in Mr. W. B.'s winning collections of New Plants. 1 guinea.

DIEFFENBACHIA REX.

DIEFFENBACHIA REX.

If *D. regina* may be considered as the Queen, we have in this the King of the genus—a very handsomely marked plant of free and vigorous habit. The leaves are of a very deep green colour, thickly covered with oblique-elongate angular white blotches, which take the same direction as the venation, and are here and there slightly veined and suffused with green. It was introduced from South America. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at several of the Royal Horticultural Society's Exhibitions. 1 guinea.

DIEFFENBACHIA SPLENDENS.

DIEFFENBACHIA SPLENDENS.

A striking plant of great beauty, remarkable for the lustre of its colouring. The stem is faintly mottled with dark and light green. The leaves have a thick ivory-white mid-rib, and the ground colour is of a rich deep velvety bottle-green, with a resplendent lustrous surface, freely marked with whitish striated blotches. It is a remarkably fine and telling plant, imported from the United States of Colombia. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition held at Ghent. 7*s*. 6*d*.

DIPLADENIA BOLIVIENSIS, 3*s.* 6*d.*
DIADEMA, 15*s.*
ELIOTTI, 10*s.* 6*d.*
HYBRIDA, 3*s.* 6*d.*
INSIONIS, 7*s.* 6*d.*
MAGNIFICA (ACUMINATA), 3*s.* 6*d.* and 5*s.*
PROFUSA, 5*s.*
REGINA, 10*s.* 6*d.*
SPLENDENS, 5*s.* and 7*s.* 6*d.*
DIPTERIX ODORATA (**TONQUIN BEAN**), 42*s.*
DISSOTIS PLUMOSA, 5*s.*
DORSTENIA BARTERI, 7*s.* 6*d.*
BRASILIENSIS, 7*s.* 6*d.*
CAULESCENS, 7*s.* 6*d.*
THOMSONI, 7*s.* 6*d.*
DRACÆNA ALBA MARGINATA, 3*s.* 6*d.*
ALBICANS, 5*s.*
AMABILIS, 3*s.* 6*d.*
AMBOINENSIS, 1 guinea
AURANTIACA, 5*s.*
BAPTISTII, 3*s.* 6*d.*

DRACÆNA BAUSEI, 7*s.* 6*d.*
BELLA, 5*s.*
BERKELEYI, 5*s.*
CANTRELLII, 7*s.* 6*d.*
CAUSTONI, 7*s.* 6*d.*
CLAUDIA, 10*s.* 6*d.*
CONGESTA (RUBRA), 2*s.* 6*d.* and 3*s.* 6*d.*
COOPERI, 3*s.* 6*d.*
CORONANS, 1 guinea.
COUNTESS OF LATHOM, 15*s.*
CRISTULA, 3*s.* 6*d.*
DILATA, 1 guinea
EBURNEA, 1 guinea
ELIZABETHÆ, 10*s.* 6*d.*
ERNESTII, 5*s.*
EXCELLENS, 15*s.*
EXCELSA, 5*s.*
FERREA, 3*s.* 6*d.*
—— VARIEGATA, 5*s.*
FRAGRANS, 7*s.* 6*d.*

DRACÆNA FRAGRANS VARIEGATA.

An effective decorative plant of bold habit, with elegantly recurved leaves of a rich deep green colour, ornamented throughout their entire length with a broad central striped variegation of yellow and pale yellowish green. 1, 1½ and 2 guineas.

DRACÆNA FRASERI, 5*s.*
FREDERICI, 5*s.* and 7*s.* 6*d.*
GLADILINA, 10*s.* 6*d.*
GLADSTONEI, 10*s.* 6*d.*
GOLDIEANA, *vide* page 32
GRACILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
GUILFOYLEI, 3*s.* 6*d.*

DRACÆNA HYBRIDA, 5*s.*
IONEA, 5*s.* and 7*s.* 6*d.*
IMPERATOR, 5*s.*
IMPERIALIS, 5*s.*
KNAUSII, 10*s.* 6*d.*
LEONARDII, 7*s.* 6*d.*
MADONNA, 10*s.* 6*d.*

DRACÆNA LINDENI.

The most distinct and striking Dracæna announced since *D. Goldieana*. In habit it is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Mr. W. B. imported this beautiful and attractive plant from Brazil. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation and the blending of the colours render the plant of the highest value for decoration. 1, 1½ and 2 guineas.

DRACÆNA MAJESTICA, 7*s.* 6*d.*
MASTERSII, 7*s.* 6*d.*
METALLICA, 7*s.* 6*d.*
MOOREANA, 5*s.*
MRS. BAUSE, 5*s.* and 7*s.* 6*d.*
MRS. C. J. FREAKE, 7*s.* 6*d.* and 10*s.* 6*d.*
MRS. WILLS, 3*s.* 6*d.*
PHRYNIOIDES, 10*s.* 6*d.*
PICTURATA, 1 guinea.
PLACIDA, 1 guinea.
PLUTUS, 10*s.* 6*d.*
PRINCEPS, 10*s.* 6*d.* and 15*s.*
REALII, 5*s.*
RECURVA, 10*s.* 6*d.*
REGALIS, 7*s.* 6*d.*
REGINA, 3*s.* 6*d.* and 5*s.*
RENARDLÆ, 5*s.*
ROSSII, 7*s.* 6*d.*
RUBRA, *vide* D. congesta
SALMONEA, 5*s.* and 7*s.* 6*d.*
SCOTTIÆ, 5*s.* and 7*s.* 6*d.*
SHEPHERDII, 3*s.* 6*d.* and 5*s.*

DRACÆNA SPINKSII, 10*s.* 6*d.*
SPLENDENS, 5*s.* and 7*s.* 6*d.*
STRICTA, 2*s.* 6*d.* and 3*s.* 6*d.*
SUPERBA, 5*s.*
SURCULOSA MACULATA, 7*s.* 6*d.*
SYDNEYI, 7*s.* 6*d.*
TERMINALIS, 3*s.* 6*d.*
—— ALBA, 5*s.* and 7*s.* 6*d.*
THOMSONII, 15*s.*
TRIUMPHANS, 1 guinea
VENOSA, 3 guineas
VENUSTA, 10*s.* 6*d.* and 15*s.*
VESTALIS, 1 guinea
VITIENSIS, 10*s.* 6*d.*
VOLUTA, 7*s.* 6*d.*
WILLSII, 7*s.* 6*d.*
WILSONI, 15*s.*
DRACONTIUM ALBOSTIPES, 7*s.* 6*d.*
ANNULATUM, 7*s.* 6*d.*
ASPERUM, 5*s.*
CARDERI, 7*s.* 6*d.*
SCALPTURATUM, 7*s.* 6*d.*

DRACÆNA GOLDIEANA.

One of the most magnificent ornamental-foliaged plants ever introduced, and altogether unique in character and aspect. It is a native of Western Tropical Africa. The plant is of erect habit, the leaves being marbled and irregularly banded with dark green and silver-grey in alternate straight or furcate transverse bands, the colours being about equally distributed. The back of the unfolded leaves is a pale reddish purple or wine colour, and the stem where visible at the upper joints is of similar hue. It is, without doubt, one of the most superb of ornamental stove plants, and indispensable in all first-class collections. This beautiful species has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea.

DRYMONIA MARMORATA.

An erect-growing Gesneraceous plant, with the stems obscurely tetragonal, bearing large opposite leaves, having long reddish purple petioles, the blade ovate, bullate, dark green, with the convex portions between the veins of a glistening grey; the margin crenate, the under surface purplish. The flowers, which grow in the leaf-axils, are creamy white and fimbriated. 7*s.* 6*d.*

DRYMONIA TURIALVÆ, 5*s.*
DYCKIA BREVIFOLIA, 7*s.* 6*d.*
EBERMAIERA (CHAMERANTHEMUM) NITIDA, 5*s.*
ECHITES, *vide* Dipladenia
PICTA, 3*s.* 6*d.* and 5*s.*
RUBRO-VENOSA, 5*s.*

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 7*s.* 6*d* and 10*s.* 6*d.*

ELETTARIA DIEPENHORSTII, 5*s.*
ENCEPHALARTOS, *vide* Index
ENCHOLIRION CORALLINUM, 7*s.* 6*d.*
JONGHEI, 10*s.* 6*d.*
EPIPHYLLUM, of sorts; these are useful for winter and early spring blooming, and are very showy and attractive. 30*s.* and 42*s.* per dozen.
EPIPREMNUM MIRABILE "TONOA PLANT" 3*s.* 6*d.* and 5*s.*
EPISCIA TESSELLATA, *vide* Centrosolenia bullata
ERANTHEMUM ANDERSONI (elegans). 2*s.* 6*d.* and 3*s.* 6*d.*
ATROPURPUREUM, 3*s.* 6*d.*
EBORACENSE, 3*s.* 6*d.*
LAXIFLORUM, 2*s.* 6*d.*
ERANTHEMUM MACROPHYLLUM, *vide* page 8.
MOOREI, 3*s.* 6*d.*
NIGRESCENS, 3*s.* 6*d.*
PULCHELLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
RETICULATUM (SCHOMBURGKII), 3*s.* 6*d.*
TRICOLOR, 3*s.* 6*d.*
TUBERCULATUM, 3*s.* 6*d.*
VELUTINUM, *vide* page 8.
VERSICOLOR, 3*s.* 6*d.*
ERYTHRINA COMPACTA, *vide* page 64.
OLAUCA, 5*s.*
MARMORATA, 5*s.*
PARCELLII, 10*s.* 6*d.*
VESPERTILIO, *vide* page 34.
ERYTHROTIS BEDDOMEI, 3*s.* 6*d.* and 5*s.*

ERYTHROXYLON COCA.

This extremely interesting plant is of great officinal importance in South America, where its leaves are largely employed as a masticatory, under the name of Coca. When taken internally it acts as a powerful stimulant of the nervous system; and, when under its influence, persons are able to perform long and rapid journeys without exhaustion. "Four times a day, whatever the nature of his occupation—whether employed in the mines, the fields, as a muleteer, or domestic servant, the Indian resigns himself to the pleasures of Coca chewing." 10*s.* 6*d.*

EUADENIA EMINENS.

A remarkably distinct and interesting plant, discovered in Liberia by one of my collectors; it is especially notable on account of its peculiar inflorescence, which resembles a candelabrum in its ramification, the yellow petals looking like a pair of gas jets on each branch. The plant is of branching habit, with alternate trifoliate glabrous leaves; the inflorescence is terminal and erect; the dorsal petals about four inches long, and of a clear sulphur-yellow colour. Figured in the *Botanical Magazine* for September, 1881. 1 guinea.

EUCHARIS AMAZONICA, 2*s.* 6*d.* and 3*s.* 6*d.*; 18*s.* and 30*s.* per dozen.
MASTERSII, *vide* page 8.
EUCHARIS CANDIDA 2*s.* 6*d.* and 3*s.* 6*d.* each; 18*s.* and 30*s.* per dozen.

EUCHARIS SANDERII.

A distinct and beautiful new species. Its snow-white flowers are produced in umbels, and the corona, which is marked with six yellow stripes, is so shallow that it merely projects as a rim beyond the mouth of the tube. The leaves are deep green. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. 3*s.* 6*d.* each; 30*s.* per dozen.

EUCODONIA, *vide* Index.
EUGENIA MAGNIFICA, 1 guinea.
PIMENTA (ALLSPICE), 5*s.*
EUPHORBIA JACQUINIÆFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
EUPHORBIA SPLENDENS, 3*s.* 6*d.*
EURYCLES AUSTRALASICA, 3*s.* 6*d.* and 5*s.*
CUNNINGHAMII, 3*s.* 6*d.*
EXOSTEMMA CHONTALENSIS, 10*s.* 6*d.*

FARADAYA PAPUANA.

A climbing shrubby plant from Java, furnished with opposite lanceolate leaves, attached by long thickened petioles, and coarsely bullate on the upper surface. The flowers are white, salver-shaped, with a limb of four sub-equal segments, and are produced in corymbose panicles. 10*s.* 6*d.*

FERNS, *vide* Index.
FILICIUM DECIPIENS, 10*s.* 6*d.*
FICUS BARBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
DEALBATA, 7*s.* 6*d.* and 10*s.* 6*d.*
EBURNEA, 5*s.*
ELASTICA, 3*s.* 6*d.*
FICUS ELASTICA VARIEGATA, 10*s.* 6*d.* and 15*s.*
EXSCULPTA, *vide* page 35.
MOOREI, 5*s.*
PARCELLI, 3*s.* 6*d.*
RADICANS, 3*s.* 6*d.*
SYCOMORUS, 7*s.* 6*d.* and 10*s.* 6*d.*

ERYTHRINA VESPERTILIO.

A very distinct and grotesque looking warm greenhouse shrub, from Western Australia. The leaflets are very remarkable and unusual in form, and it is this which imparts grotesqueness to the aspect of the plant; they are obversely triangular, the base being cuneate, and the front side deeply hollowed out, so as to leave the two front angles projecting, the hollowed portion having sometimes a central apiculus. The flowers are numerous in showy erect racemes, pendulous, with an ovate standard nearly an inch and a half long. 10*s*. 6*d*.

FICUS EXSCULPTA.

FICUS EXSCULPTA.

A handsome plant, furnished with evergreen leaves of a peculiarly elegant form. It has been introduced from the South Sea Islands. The leaves are shortly stalked, lanceolate in outline, and sinuately lobed, the lobes are again sinuate so as to produce a prettily cut margin, the curious crenations giving the leaf the appearance of having been stamped or punched out. This was one of the twelve New Plants with which Mr. William Bull gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. *6s.* and *7s. 6d.*

FITTONIA argyroneura, 2*s.* 6*d.*
gioantea, 2*s.* 6*d.*
Pearcei, 2*s.* 6*d.*
FRANCISCEA acuminata, 3*s.* 6*d.*
augusta (ramosissima), 3*s.* 6*d.* and 5*s.*
calycina, 5*s.*
confertiflora (laurifolia), 3*s.* 6*d.*
eximia, 3*s.* 6*d.*
Hopeana (uniflora), 3*s.* 6*d.*
hydranoeæformis, 3*s.* 6*d.* and 5*s.*
latifolia, 3*s.* 6*d.*
Lindeni, 3*s.* 6*d.*
magnifica, 7*s.* 6*d.*
rosea perfecta, 7*s.* 6*d.*
violacea grandiflora, 7*s.* 6*d.*
GALACTODENDRON utile (Milk Tree), 10*s.* 6*d.*
GARCINIA Livingstoni, 10*s.* 6*d.* and 15*s.*
indica, 1 guinea
Mangostana, 2 and 3 guineas
GARDENIA citriodora, 3*s.* 6*d.*
florida, 2*s.* 6*d.* and 3*s.* 6*d.*
Fortuniana, 2*s.* 6*d.* and 3*s.* 6*d.*
globosa, 5*s.*
GARDENIA radicans, 2*s.* 6*d.* and 3*s.* 6*d.*
Thunbergii, 5*s.*
GEISSOMERIA marmorata, 3*s.* 6*d.*
GESNERA Donkelaari, 7*s.* 6*d.*
Douglasii, 3*s.* 6*d.* and 5*s.*
Duvalii, 5*s.*
Leopoldii, 3*s.* 6*d.*
—— albo-carminea, 3*s.* 6*d.*
—— roseo-lilacina, 3*s.* 6*d.*
macrantha, 3*s.* 6*d.*
Marchii, 5*s.*
vide Index
GLONERA jasminiflora, 5*s.*
GLORIOSA Plantii, 2*s.* 6*d.* and 3*s.* 6*d.*
superba, 3*s.* 6*d.*
GLOXINIA, *vide* Index
GODWINIA gigas, 10*s.* 6*d.*
GOMPHIA decora, 5*s.* and 7*s.* 6*d.*
GOODYERA, *vide* Orchids
GRAPTOPHYLLUM pictum, 3*s.* 6*d.*
Nortonii, 2*s.* 6*d.*
GREVILLEA, *vide* page 64.

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5*s.* and 7*s.* 6*d.*

GRIFFINIA Blumenavia, 7*s.* 6*d.*
dryades, 10*s.* 6*d.*
ornata, 10*s.* 6*d.*
GUSTAVIA gracillima, *vide* page 37.
GUZMANNIA picta, (Nidularium fulgens), 7*s.* 6*d.* and 10*s.* 6*d.*
GYMNOSTACHYUM, *vide* Fittonia
GYNURA aurantiaca, 1*s.* 6*d.*

HÆMANTHUS INSIGNIS.

A handsome species, native of Natal. The flower stems are thickly spotted with purple, and terminate each in a large leafy involucre, surrounding an umbel of exceedingly bright orange-scarlet flowers. The leaves, which accompany the flowers, are spotted with purple. 1 guinea.

HÆMANTHUS KALBREYERI.

A magnificent species from the West Coast of Africa. Its showy inflorescence is of immense size, a single head often producing upwards of a hundred of its attractive flowers, which are of a bright reddish vermilion colour. The filaments are brightly coloured, while the golden anthers have a pretty effect in contrast with the mass of glowing colour. 5*s.*

HÆMANTHUS coccineus, 2*s.* 6*d.*
Katherinæ superbus
HEVEA brasiliensis (Para Rubber)
HEDYCHIUM acuminatum, 5*s.*
Gardnerianum, 3*s.* 6*d.*
HELICONIA aureo-striata
metallica, 1 guinea
nitens, 10*s.* 6*d.*
HEMIGRAPHIS colorata, 3*s.* 6*d.*
HIBISCUS Rosa sinensis albo-variegatus, 2*s.* 6*d.* and 3*s.* 6*d.*
HIBISCUS Rosa sinensis brilliantissimus, 5*s.*
Rosa sinensis carminatus perfectus, 3*s.* 6*d.*
—— —— Colleri, 3*s.* 6*d.*
—— —— Cooperi, 2*s.* 6*d.*
—— —— cruentus, 3*s.* 6*d.*
—— —— Dennisoni, 3*s.* 6*d.*
—— —— fuloidus, *vide* page 38.
—— —— kermesinus, *vide* page 38.
—— —— Lambertii, 3*s.* 6*d.*
—— —— miniatus semi-plenus, *vide* page 39.

HIBISCUS ROSA SINENSIS MAGNIFICUS.

A remarkably handsome and attractive variety producing magnificent flowers, which are of an exceedingly bright rosy magenta colour, shaded with crimson; the base of each petal is marked with a blotch of rich chocolate, which forms a large dark centre to the flower. 7*s.* 6*d.*

HIBISCUS Rosa sinensis puniceus, 3*s.* 6*d.*
Rosa sinensis vivicans, *vide* page 39.
—— —— zebrinus, 3*s.* 6*d.*
schizopetalus, 2*s.* 6*d.* and 3*s.* 6*d.*
HIBISCUS, see also page 64.
HIPPEASTRUM, *vide* **AMARYLLIS**
HOFFMANNIA (Higginsia) Ghiesbreghtii, 2*s.* 6*d.*
HOFFMANNIA (Higginsia) Ghiesbreghtii variegata, 5*s.*
(Higginsia) Ortoiesii, 3*s.* 6*d.*
(——) refuloens argyroneura, 3*s.* 6*d.*
(——) —— robusta, 3*s.* 6*d.*
HOMALOMENA peltatum, 10*s.* 6*d.*
HOYA bella, 3*s.* 6*d.*
campanulata, 3*s.* 6*d.* and 5*s.*

GUSTAVIA GRACILLIMA.

This magnificent plant was discovered in the United States of Colombia by M. Roezl. The flowers grow from the axils of the leaves in the young plants; they are solitary or in pairs, four inches in diameter, of a charming rose colour, consisting of eight obovate oblong petals, with a yellow incurved staminal tube bearing numerous densely packed purple anthers, in a ring of an inch or more across. It was figured in the *Botanical Magazine*, tab. 6151. 1 guinea.

HIBISCUS ROSA SINENSIS FULGIDUS.

This magnificent variety, which was obtained from the South Sea Islands, is remarkable alike for the size, colour and marking of its brilliant flowers. The leaves are broadly ovate, with coarsely serrated margins. The flowers are of very large size (five inches in diameter), composed of fine broad, rounded and beautifully undulated petals, of an intense carmine scarlet, paler and somewhat rosy-tinted towards the base, where on each petal is an oblong blotch of deep crimson, forming a blunt-rayed star in the centre of the flower. It is one of the finest varieties yet introduced. 3*s.* 6*d.*

HIBISCUS ROSA SINENSIS KERMESINUS.

A grand flowering stove plant, with the foliage and general habit of other varieties of this extremely ornamental species. The flowers are large and showy, full double, the petals broad, rounded, and undulated, the three or four outer series reflexed, the central ones erect, the innermost consisting of the transformed column developed into numerous petaliferous lobes bearing stamens on their margins. The colour is a fine rich carmine crimson. The plant has been imported from the South Sea Islands. 5*s.*

HIBISCUS ROSA SINENSIS MINIATUS SEMI-PLENUS.

This remarkably showy stove plant has firm, almost leathery, ovate leaves, which are coarsely toothed, and brilliant flowers of a vermilion scarlet colour, darker towards the base of the petals. The flowers are semi-double, the petals very much waved and recurved, forming an irregular undulated mass four inches across, from which the partially petaloid staminal column projects two inches. The brilliant and attractive flowers are remarkable for the absence of formality, the shape being wild, and abounding in fantastic curves, but nevertheless they are remarkably handsome. It has been imported from the South Sea Islands. *3s. 6d.*

HIBISCUS ROSA SINENSIS VIVICANS.

A fine free-flowering stove plant of vigorous habit, with ovate stalked leaves, and remarkably large flowers, four and a half to five inches in diameter, full double, the centre being completely filled up with broad convolute petals, having tufts of stamens intermixed. The colour is a brilliant crimson scarlet. It is a very showy variety, and was imported from the South Sea Islands. *5s.*

HOYA CUMINGIANA.

A very pretty stove climber, native of the Eastern Archipelago. It has tereto branches with leathery leaves; the flowers grow in stalked umbels, and are of a tawny yellow colour with the segments recurved, while the lobes of the staminal crown have each a purple-crimson spot. 10*s.* 6*d.*

HOYA GLOBULOSA.

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coronal protuberances white, the interstices pink, forming a pleasing contrast. 5*s.*

HOYA CARNOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARNOSA PICTA AUREA, 5*s.*
—— VARIEGATA, 3*s.* 6*d.* and 5*s.*
IMPERIALIS, 5*s.* and 7*s.* 6*d.*
PAXTONI, 3*s.* 6*d.*
STENOPHYLLA, 3*s.* 6*d.*
HOYA TEYSMANNIANA, 7*s.* 6*d.*
HYDROCOTYLE NITIDULA, 3*s.* 6*d.*
HYMENOCALLIS MACROSTEPHANA, 10*s.* 6*d.*, 15*s.* and 1 guinea.
vide Pancratium
IMANTOPHYLLUM, *vide* page 65.

HYMENOSPORUM FLAVUM.

A handsome evergreen plant from Eastern Australia. It is of branching habit, and is furnished with glabrous leaves which are broadly obovate-lanceolate. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 10*s.* 6*d.*

IMPATIENS CUSPIDATA, 7*s.* 6*d.*
PLACCIDA (PLATYPETALA), 2*s.* 6*d.*
——(——) ALBA, 1*s.* 6*d.*
HAWKERII, *vide* page 8.
SULTANI, 1*s.* 6*d.*
INDIGOFERA DECORA, *vide* page 65.
IPOMŒA HORSFALLIÆ, 5*s.* and 7*s.* 6*d.*
INSIONIS, 3*s.* 6*d.* and 5*s.*
LEARII, 2*s.* 6*d.* and 3*s.* 6*d.*
TERNATA, 3*s.* 6*d.*

IPOMŒA THOMSONIANA.

A beautiful new species, in habit much resembling the well-known *I. Horsfalliæ*, the flowers, however, which are borne in clusters, are pure white and much larger, being about three inches in diameter at the mouth. It has thick fleshy leaves and from its free-blooming character, cannot fail to become one of the most popular and useful of stove-house climbers. 10*s.* 6*d.* and 15*s.*

ISMENE, *vide* page 65.
ISOLOMA HIRSUTA, 3*s.* 6*d.*
MOLLIS, 3*s.* 6*d.*
IXORA AMABILIS, 3*s.* 6*d.*
AMŒNA, 5*s.*
AURELIA, 3*s.* 6*d.*

IXORA AMBROSIA.

A distinct and very free-blooming variety, producing fine trusses of flowers of a bright orange-salmon colour. 7*s.* 6*d.*

IXORA AURORA.

Fine trusses of large attractive flowers, orange-buff on opening, changing afterwards to bright salmon. 15*s.*

IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10*s.* 6*d.*

IXORA CHELSONI.

The flower pips of this splendid variety are of large size, and of exceptionally good form and great substance; they are produced in immense round full trusses; colour bright orange-salmon, flushed and shaded with pink. From its profuse flowering habit, dwarf-branching growth, and the rich tint of its blossoms, this variety will be found exceedingly useful and effective. 7*s.* 6*d.*

IXORA COCCINEA SUPERBA, 3*s.* 6*d.*
CONSPICUA, *vide* page 8
IXORA CROCATA RUTILANS, 3*s.* 6*d.* and 5*s.*

IXORA CONCINNA.

A splendid variety producing large and compact trusses of fine flowers, which on first expanding are of a bright salmon colour, but gradually change to deep salmon-pink; extremely beautiful. 10*s.* 6*d.*

IXORA DECORA.

Yellow flaked with rosy crimson; remarkably attractive; a magnificent variety producing noble trusses of very large fine flowers. 10*s.* 6*d.*

IXORA DUFFII, *vide* I. macrothyrsus
FORMOSA, 5*s.*
IXORA FRASERI, 3*s.* 6*d.*
GRIFFITHII, 5*s.*



IXORA SPLENDIDA.

IXORA SPLENDIDA.

A magnificent variety producing profusely very large and handsome trusses of flowers of a rich bright orange-crimson colour; remarkable showy and attractive. 1 guinea.

IXORA EMINENS.

A splendid variety of exceptional merit, giving trusses of fine, large, well-formed flowers, clear buff on opening, changing afterwards to light salmon pink. 21*s.*

IXORA EXIMIA.

This variety produces fine large trusses of pips with very long tubes; the colour on opening is buff, changing afterwards to salmon-pink. 7*s.* 6*d.*

IXORA GEMMA.

A fine addition to this showy and effective genus. It has round and well-formed pips of a rich orange yellow colour, produced in large and compact trusses. This variety will be found of the greatest value for exhibition purposes. 15*s.*

IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10*s.* 6*d.*

IXORA INSIGNIS.

A fine variety of close dwarf habit; deep rosy crimson flowers shaded with orange, borne in a compact truss. 15*s.*

IXORA JAVANICA FLORIBUNDA, 3*s.* 6*d.*
LAVERNA, 3*s.* 6*d.*
LOBBII, 7*s.* 6*d.*
IXORA LUCINDA, 5*s.*
MACROTHYRSUS (DUFFII), 3*s.* 6*d.*
MINERVA, 5*s.*

IXORA MIRANDA.

This variety produces compact trusses of flowers, which on first opening are of a buff colour, but change gradually to a rosy-salmon shade. 7*s.* 6*d.*

IXORA ORNATA.

A remarkably free-blooming variety, producing good trusses of bright orange-salmon flowers in the greatest profusion. 7*s.* 6*d.*

IXORA PICTURATA.

An extremely floriferous variety; the flowers on first opening are of a bright orange colour, which gradually changes to buff. 7*s.* 6*d.*

IXORA MODIOLA, 5*s.*
ODORATA, 5*s.*
IXORA PILORIMII, 5*s.*
PRINCE OF ORANGE, 3*s.* 6*d.*

IXORA PROFUSA.

An extremely free flowering variety, producing very fine huge trusses, densely furnished with flower pips of a beautiful rich soft rosy salmon colour. 7*s.* 6*d.*

IXORA PRINCEPS, 3*s.* 6*d.*
REGINA, 3*s.* 6*d.*
SANGUINEA, 3*s.* 6*d.*
IXORA SPECIOSA, *vide* page 8.
SPECTABILIS, 5*s.*
SPLENDIDA, *vide* page 41.

IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7*s.* 6*d.*

IXORA VERONA, 3*s.* 6*d.*
WESTII, 5*s.*
WILLIAMSII, 3*s.* 6*d.*
JACARANDA CLAUSSENIANA (CUPANIA FILICIFOLIA), 1 and 1½ guinea
ELEOANTISSIMA, 10*s.* 6*d.*
MIMOSÆFOLIA, 5*s.*
JASMINUM DUCHESSE D'ORLEANS, 3*s.* 6*d.*
GRACILLIMUM, 3*s.* 6*d.*
JASMINUM HIRSUTUM (MULTIFLORUM), 2*s.* 6*d.* & [3*s.* 6*d.*
LIGUSTRIFOLIUM, 3*s.* 6*d.*
SAMBAC, 2*s.* 6*d.* and 3*s.* 6*d.*
—— FLORE PLENO, 3*s.* 6*d.*
JATROPHA MULTIFIDA, 5*s.*
JONESIA ASOCA, 10*s.* 6*d.* and 15*s.*
JUSTICIA PURPUREA, 2*s.* 6*d.*
KÆMPFERIA BENSONIÆ, 7*s.* 6*d.*
BERKELEYI, 7*s.* 6*d.*

KÆMPFERIA GILBERTII.

A fleshy-rooted perennial, with attractively variegated foliage, introduced from the East Indies. From the succulent roots are annually produced a tuft of oblong-lanceolate deep green leaves, which are slightly undulated at the margin, and bordered by a broad and very conspicuous band of white. The purple and white flowers are peculiar in form as often occurs in the Zingiberaceous order. 5*s.*

KÆMFERIA MOULMEINENSIS, 7*s.* 6*d.*
ROSCOEANA, 5*s.*
ROTUNDA, 5*s.*
UNDULATA, 5*s.*
KYLLINGIA MONOCEPHALA, 3*s.* 6*d.*
LAMPROCOCCUS (ÆOHMEA) DISCOLOR, 5*s.*
(——) FULGENS, 3*s.* 6*d.* and 5*s.*
(——) MINIATA, 5*s.*
(——) WEILBACHII, 7*s.* 6*d.*
LANDOLPHIA KIRKII, 1 guinea
WATSONIANA, 1 guinea
LAPORTEA SCHOMBURGKII VERSICOLOR, 10*s.* 6*d.*
LASIANDRA, *vide* page 65.
LAURUS CINNAMOMUM, 5*s.* and 7*s.* 6*d.*
LEDENBERGIA ROSEO-ÆNEA, 3*s.* 6*d.*
LIBONIA, *vide* page 65.
LIETZIA BRASILIENSIS, 3*s.* 6*d.*
LOMATOPHYLLUM SAUNDERSONIANUM, 10*s.* 6*d.*
LUCULIA, *vide* Greenhouse Plants
MACROZAMIA, *vide* Index
MAGNOLIA MUTABILIS, 7*s.* 6*d.*
PUMILA, 5*s.* and 7*s.* 6*d.*
MANETTIA BICOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
CORDATA, 2*s.* 6*d.* and 3*s.* 6*d.*
MICANS, 2*s.* 6*d.* and 3*s.* 6*d.*
MANGIFERA INDICA, 1 guinea
MARANTA ALBO-LINEATA, 3*s.* 6*d.*
AMABILIS, 5*s.*
AROENTEA, 10*s.* 6*d.*
ARGYREIA, 5*s.*
ARUNDINACEA *(The Arrowroot Plant)*, 7*s.* 6*d.*
ASYMMETRICA, 10*s.* 6*d.*
BACHEMIANA, 7*s.* 6*d.*
BARAQUINII, 3*s.* 6*d.*
BELLA, 7*s.* 6*d.*
BICOLOR, 5*s.*
BINOTII, 15*s.* and 1 guinea
CHIMBORACENSIS, 5*s.*
MARANTA CONSPICUA, 7*s.* 6*d.*
FASCIATA, 3*s.* 6*d.*
GOULETII, 5*s.*
GOVEANA, 5*s.*
GRATIOSA, 10*s.* 6*d.*
ILLUSTRIS, 3*s.* 6*d.*
KERCHOVEANA, 3*s.* 6*d.* and 5*s.*
LEOPARDINA, 7*s.* 6*d.*
LIETZEI, 5*s.* and 7*s.* 6*d.*
LINDENI, 3*s.* 6*d.*
LUBBERSII, 3*s.* 6*d.*
MAKOYANA, 3*s.* 6*d.*
MASSANGEANA, 3*s.* 6*d.*
MUSAICA, 10*s.* 6*d.*
NITENS, 7*s.* 6*d.*
NITIDA, 10*s.* 6*d.*
ORNATA, 3*s.* 6*d.*
PICTURATA, 7*s.* 6*d.*
PORPHYROCAULIS, 5*s.*
PRASINA, 7*s.* 6*d.*
PRINCEPS, 3*s.* 6*d.* and 5*s.*
PULCHELLA, 5*s.*
RADIATA, 5*s.*
REGALIS, 3*s.* 6*d.*
ROSEO-PICTA, 3*s.* 6*d.*
SEEMANNI, 7*s.* 6*d.*
SMARAGDINA, 7*s.* 6*d.*
SPECIOSA, 10*s.* 6*d.*
SPLENDIDA, 3*s.* 6*d.*
TUBISPATHA, 3*s.* 6*d.*
UNDULATA, 5*s.* and 7*s.* 6*d.*
VEITCHII, 3*s.* 6*d.*
VITTATA, 3*s.* 6*d.*
WALLISII, 3*s.* 6*d.* and 5*s.*
WARSCEWICZII, 3*s.* 6*d.*
WIOTII, 5*s.*
ZEBRINA, 3*s.* 6*d.*
MARCGRAVIA DUBIA, 5*s.*
PARADOXA, 10*s.* 6*d.*

MARCGRAVIA INDICA.

This plant belongs to a very peculiar group of climbing plants, which cling like Ivy to the surface to which they become affixed. The present is a free-growing species, that will make a neat and very interesting wall climber, on account of the peculiarities of its growth and foliation. The stems are flattened, the leaves being two-ranked, oblong-ovate and of a deep green colour. 10*s.* 6*d.*

MASCARENHASIA CURNOWIANA, 10*s.* 6*d.*
MEDINILLA AMABILIS, 7*s.* 6*d.*
CURTISII, 7*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.* and 5*s.*
MELASTOMA MALABATHRICA, 5*s.*
MESUA FERREA, 10*s.* 6*d.*
METHONICA, *vide* Gloriosa
MEYENIA ERECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
MICANIA PULVERULENTA, 3*s.* 6*d.*
MONOLENA (BERTOLONIA) PRIMULÆFLORA, 5*s.*
MONOLOPHUS SECUNDA, 10*s.* 6*d.*
MONSTERA DELICIOSA (Philodendron pertusum), 10*s.* 6*d.*
MUSA CAVENDISHII, 10*s.* 6*d.* and 15*s.*
COCCINEA, 1 guinea
SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*
VITTATA, 1 to 2 guineas

MUSA URANOSCOPAS.

This new Queensland Banana will form a noble ornament for a warm conservatory. It has a thick handsome stem, formed as in its allies, by the sheathing leaf-stalks, which support large broad leaves not unlike those of *Musa Ensete*. The flowers and fruit are borne in erect racemes, unlike those of the ordinary Banana, in which they are nodding. It is found on the scrub lands of the Johnstone and Daintree Rivers in Queensland. 10*s.* 6*d.*, 15*s.* and 1 guinea.

MUSA ZEBRINA, 10*s.* 6*d.* and 15*s.*
MUSSÆNDA FRONDOSA, 3*s.* 6*d.*
THEIFERA, 5*s.*
MYRTUS TOMENTOSA, 5*s.*
NÆGELIA, *vide* GESNERA
NAPOLEONA IMPERIALIS, 5*s.* and 7*s.* 6*d.*

NEPENTHES RAFFLESIANA INSIGNIS.

A very distinct and magnificent variety of robust growth, producing extremely handsome and gigantic pitchers, about nine inches in length by four in breadth, heavily mottled in a most effective manner with purplish brown on a green ground. The deeply-ribbed rim surrounding the mouth of the pitcher is prolonged at the upper end into a stalk terminated by a large ovate oblong spreading lid, the under side of which is mottled with purplish brown. It has been described and illustrated in the *Gardeners' Chronicle*, September 30th, 1882. 5 guineas.



CARNIVOROUS PLANTS.

NEPENTHES AMPULLARIA VITTATA, 10*s.* 6*d.*
AMPULLARIA VITTATA MAJOR, 1 guinea
CHELSONI, 1 guinea
COURTII, 1 guinea
DISTILLATORIA, 10*s.* 6*d.*
DOMINII, 10*s.* 6*d.*
GRACILIS MAJOR, 5*s.*
HENRYANA, 1 and 1½ guinea
HOOKERI (Sir Joseph Hooker's Pitcher Plant), 1 guinea
HOOKERÆ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea
HYBRIDA, 10*s.* 6*d.*
—— MACULATA, 10*s.* 6*d.*
INTERMEDIA, 10*s.* 6*d.*
KENNEDYANA, 1 guinea
LAWRENCEANA, 1 and 2 guineas
MASTERSIANA
MOROANIÆ, 15*s.* and 1 guinea
OUTRAMIANA, 1 guinea
PHYLLAMPHORA, 3*s.* 6*d.* and 5*s.*
RAFFLESIANA, 15*s.* and 1 guinea
—— INSIGNIS, *vide* page 44
—— NIVEA, 2 guineas
RATCLIFFIANA, 10*s.* 6*d.* and 15*s.*
SEDENI, 5*s.*
STEWARTII, 10*s.* 6*d.*
SUPERBA, 1 guinea
ZEYLANICA RUBRA, 15*s.*
NIDULARIUM FULGENS, *vide* Guzmanuia picta
INNOCENTII, 10*s.* 6*d.*
SPECTABILE, 7*s.* 6*d.* and 10*s.* 6*d.*

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. It was discovered by one of my collectors in Liberia. 7*s.* 6*d.*

OCHROSIA ELLIPTICA, 5*s.*
ODONTOGLOSSUM, *vide* ORCHIDS
ONCIDIUM, *vide* ORCHIDS
OPLISMENUS IMBECILLIS VARIEGATUS (PANICUM VARIEGATUM), 1*s.* 6*d.*
(PANICUM INTERMEDIUM) INTERMEDIUS, 2*s.* 6*d.* & 3*s.* 6*d.*
ORCHIDS, *vide* Index
OUVIRANDRA FENESTRALIS, 1 guinea.
OXALIS BUPLEURIFOLIA, 5*s.*
SENSITIVA, 3*s.* 6*d.* and 5*s.*
PALICOUREA JUCOSA, *vide* page 8.
PALISOTA BARTERI, 7*s.* 6*d.*
PALMS, of sorts, *vide* Index

PANAX DIFFISSUM.

An interesting compact-growing stove plant, a native of the South Sea Islands. It has pale bright green leaves, which are triangular, bipinnate, and crispate, the primary divisions with spiny-toothed, bluntish secondary divisions, the teeth turned upwards, which gives to the surface of the leaf its crispy appearance. 5*s.* and 7*s.* 6*d.*

PANAX DISSECTUM.

An evergreen plant of branching habit; the leaves are numerous, drooping, and bipinnate, having the obovate cuneate leaflets very greatly varied in size and outline, all of them being furnished with long marginal teeth. This plant from its plumose character and elegant habit, is exceedingly pretty for table decoration and other ornamental purposes. 7*s.* 6*d.*

PANAX DUMOSUM.

A remarkably neat and pleasing dwarf stove plant, with short-jointed stems, thickly clothed with deeply divided cheerful green leaves. The petioles are olive-green, mottled with brighter green, and terminating in a roundish-ovate pinnately divided blade of numerous variously-shaped lobes, the pinnæ furnished at the margins with incurved spiny teeth. Extremely ornamental. 5*s.* and 7*s.* 6*d.*

PANAX ELEGANS, 10*s.* 6*d.*
EXCELSUM, 3*s.* 6*d.*
PANAX FRUTICOSUM, 7*s.* 6*d.*
LACINIATUM, 3*s.* 6*d.*

PANAX FISSUM.

A very elegant and ornamental stove shrub, with an erect branched stem, flecked with small elongate pallid spots, the leaf-stalks being of the same colour. The leaves are tripinnately divided, with a few incurved whitish teeth on each margin. 5*s.* and 7*s.* 6*d.*

PANAX PLUMATUM.

PANAX PLUMATUM.

A very elegant plant, from the South Sea Islands. The leaves form a crispy head of foliage, and are very elegantly divided. It is a plant of pleasing character, having the aspect of *P. laciniatum*, but many degrees more finely cut. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Ghent. *6s.*

PANAX VICTORIÆ, *vide* page 47
PANCRATIUM AMŒNUM, 3*s.* 6*d.* and *5s.*
PANCRATIUM CANDIDUM, 3*s.* 6*d.*
FRAGRANS, *5s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

PANCRATIUM CARIBBÆUM.

A very distinct and beautiful species from the West Indies; its flowers are pure white, very fragrant, and most useful for cutting for bouquets and other decorative purposes. 2*s.* 6*d.* and 3*s.* 6*d.*



PANAX VICTORIÆ.

PANAX VICTORIÆ.

A distinct and very graceful stove plant, thickly furnished with leaves of a remarkably elegant character, forming a recurving mass of pleasing variegated foliage. The leaf-blade is ternate, the leaflets being prettily margined with white, which gives the plant a remarkably lively and pictorial character. It is a native of the South Pacific Islands, and is one of the most elegant variegated plants of modern introduction. *5s.*, *7s* 6*d.* and 10*s.* 6*d.*

PHILODENDRON CARDERI.

PHILODENDRON CARDERI.

This exquisitely coloured Arad is a native of South America. The leaves are of a dark shaded bottle-green, with a satiny lustre, the principal ribs being marked out by bright green lines of a glaucous or metallic hue; at the back the leaves are of a shaded wine-purple, the course of the veins being marked by broad green lines. The glossy shaded satiny surface of the leaves imparts to them a wondrous degree of beauty. 10*s.* 6*d.*

PANCRATIUM MEXICANUM, 1*s.* 6*d.* and 2*s.* 6*d.*
ROTATUM, 3*s.* 6*d.*
SPECIOSUM, 5*s.* and 7*s.* 6*d.*
PANCRATIUM, *vide* Hymenocallis
PANDANOPHYLLUM HUMILE, 1½ guinea
PANDANUS JAVANICUS VARIEGATUS, 3*s.* 6*d.* and 5*s.*
ORNATUS, 15*s.*
UTILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
VANDERMEERSCHII, 10*s.* 6*d.*
VEITCHII, 3*s.* 6*d.* and 5*s.*
PANICUM VARIEGATUM, *vide* Oplismenus
PANICUM INTERMEDIUM, *vide* Oplismenus
PAPYRUS ANTIQUORUM, 7*s.* 6*d.*
PARMENTIERA CEREIFERA, 1 guinea
PASSIFLORA ALATA, 3*s.* 6*d.*
AMABILIS, 3*s.* 6*d.*
BIJOU, 3*s.* 6*d.*
BUONAPARTEA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
EDULIS, 3*s.* 6*d.*
FULGENS, *vide* Tacsonia Buchanani

PASSIFLORA HAHNII.

This is a very distinct and beautiful variety of Passion-flower. It is a native of Mexico, and is a free-growing temperate stove climber. The flowers are about three inches across, of a creamy white, with a yellowish corona, and are produced in great profusion. It has received a First Class Certificate from the Royal Horticultural Society. 5*s.*

PASSIFLORA KERMESINA, 3*s.* 6*d.*
LAURIFOLIA, 5*s.*
PASSIFLORA LOUDONI, 3*s.* 6*d.*
MADONNA, 3*s.* 6*d.*

PASSIFLORA MACROCARPA.

A free-growing climber, introduced from the Rio Negro. The blossoms are very large, white and purple, but it is chiefly remarkable for its immense fruits, which often weigh as much as eight pounds each or more, and are of excellent quality. 3*s.* 6*d.* and 5*s.*

PASSIFLORA QUADRANGULARIS VARIEGATA.

The bold character and beautiful flowers of *Passiflora quadrangularis* are too well known to need description. The present variety differs from it in having the foliage variegated. The leaves are very freely covered with yellow blotches and spots, producing a colouration which is at once handsome and conspicuous. 3*s.* 6*d.* and 5*s.*

PASSIFLORA MUTABILIS, 3*s.* 6*d.*
PRINCEPS (RACEMOSA), 3*s.* 6*d.*
QUADRANGULARIS, 2*s.* 6*d.* and 3*s.* 6*d.*
SHEPPARDII, 3*s.* 6*d.*
TRIFASCIATA, 3*s.* 6*d.*
VITIFOLIA, *vide* Tacsonia Buchanani
See also page 66
PAULLINIA HOOIBRENKII, 10*s.* 6*d.*
OCEANICA, 10*s.* 6*d.*
SORBILIS, Guarana Tea Plant, 10*s.* 6*d.*
TRIALICTRIFOLIA, 3*s.* 6*d.*
—— AROENTEA, 5*s.*
PAVETTA BORBONICA, 10*s.* 6*d.*
PAVONIA MULTIFLORA (WIOTII), 3*s.* 6*d.*
PAVONIA MAKOYANA, 3*s.* 6*d.*
PEDILANTHUS TITHYMALOIDES VARIEGATUS, 7*s.* 6*d.*
PELLIONIA DAVEAUANA, 2*s.* 6*d.*
PULCHRA, 2*s.* 6*d.*
PENTAS CARNEA, 1*s.* 6*d.* and 2*s.* 6*d.*
KERMESINA, 1*s.* 6*d.* and 2*s.* 6*d.*
PEPEROMIA AROYREIA, 3*s.* 6*d.*
EBURNEA, 3*s.* 6*d.*
PETRÆA ERECTA, 5*s.* and 7*s.* 6*d.*
PHILODENDRON CARDERII *vide* page 48
CRINIPES, 5*s.*
DISCOLOR, 5*s.*
GLORIOSUM, 5*s.* and 7*s.* 6*d.*

PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots, the larger ones being surrounded by numerous smaller dots of the same colour. 2 guineas.

PHILODENDRON IMPERIALE (MAMEI), 1 guinea
LINDENIANUM, 3*s.* 6*d.* and 5*s.*
MELANOCHRYSUM, 5*s.*
PHILODENDRON PERTUSUM, *vide* Monstera deliciosa
RADIATUM, 7*s.* 6*d.*

PHYLLAGATHIS GYMNANTHA.

A handsome stove perennial, with a short erect stem, furnished with ovate leaves, which are seven-nerved, cordate at the base, ciliate at the margins; the surface bright glossy green. The peduncles, which spring from the upper axils, are tinged with red below, each bearing a compact head of pink flowers, which have obliquely bilobed petals. It has been imported from Borneo. 7*s.* 6*d.*

PHYLLAGATHIS ROTUNDIFOLIA, 5*s.* & 7*s.* 6*d.*
PHYLLANTHUS ATROPURPUREUS, 3*s.* 6*d.*
ELEGANS, 5*s.*
NIVOSUS, 3*s.* 6*d.*
ROSEO-PICTUS, 3*s.* 6*d.*
SEEMANNIANUS, 7*s.* 6*d.*
PHYLLARTHRON COMORENSE, 7*s.* 6*d.*
PHYLLOTÆNIUM LINDENI, 3*s.* 6*d.* and 5*s.*
PILEA MUSCOSA, 2*s.* 6*d.*
PIPER ORNATUM, 5*s.*
PIPERS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
PISTIA STRATIOTES, 3*s.* 6*d.*
PITCAIRNIA, *vide* page 52

POTHOS AUREUS.

POTHOS AUREUS.

This remarkably distinct Aroid, which is of climbing habit, has been imported from the Selomon Islands. The leavos are strikingly variegated, heart-shaped, and unoqual sided, of a dark green, boldly and irregularly marked by bands or blotches of creamy yellow, here and there suffused with pale yellowish green. Being of free growth, it will be an ornamental object in the tropical plant stove, where it will find itself at home on walls and artificial rockwork. *3s. 6d.* and *5s.*

POTHOS FLEXUOSUS.

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stems, the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs over, it is well adapted for covering walls, or for other ornamental purposes. 10*s.* 6*d.*

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10*s.* 6*d.*, 15*s.* & 1 guinea.

PITCAIRNIA CORALLINA, 5*s.* and 7*s.* 6*d.*
PLATYPHYLLA, 7*s.* 6*d.*
TABULÆFORMIS, 3*s.* 6*d.* and 5*s.*
PLEROMA MARMORATA, 10*s.* 6*d.*
PLOCOSTEMMA LASIANTHUM, 5*s.*
PLUMBAGO COCCINEA SUPERBA, 2*s.* 6*d.* & 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
POGOSTEMON PATCHOULI, 3*s.* 6*d.*
POINCIANA PULCHERRIMA, 7*s.* 6*d.*
REGIA, 7*s.* 6*d.*
POINSETTIA PULCHERRIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
PULCHERRIMA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— PLENISSIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEO-CARMINATA, 2*s.* 6*d.*
PORTLANDIA GRANDIFLORA, 7*s.* 6*d.*
POSOQUERIA MULTIFLORA, 7*s.* 6*d.*
POTHOS ARGYREIA, 2*s.* 6*d.* and 3*s.* 6*d.*
AUREUS, *vide* page 50
CELATOCAULIS, 5*s.*
FLEXUOSUS, *vide* page 51
MACROPHYLLUS, 3*s.* 6*d.*
PSIDIUM CATTLEYANUM (The Guava), 5*s.* & 7*s.* 6*d.*
PSYCHOTRIA CYANOCOCCA, 3*s.* 6*d.* and 5*s.*
PUYA MAIDIFOLIA, 5*s.*
SULPHUREA, 7*s.* 6*d.*
UNDULATA, 7*s.* 6*d.*
RAVENALA MADAGASCARIENSIS "The Traveller's Tree," 15*s.* and 1 guinea
REIDIA GLAUCESCENS, 3*s.* 6*d.* and 5*s.*
RHOPALA, of sorts, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
ROGIERA CORDATA (AMŒNA), 3*s.* 6*d.*
GRATISSIMA, 3*s.* 6*d.* and 5*s.*
THYRSIFLORA, 5*s.*
RONDELETIA BREVIFOLIA, 3*s.* 6*d.*
BRILLIANTISSIMA, 5*s.*
SPECIOSA MAJOR, 3*s.* 6*d.*
RONNBERGIA COLOMBIANA, 1 guinea
MORRENIANA, 1 guinea
ROSCOEA PURPUREA, 10*s.* 6*d.*
RUBUS FLEXUOSUS, 5*s.*
RUDGEA MACROPHYLLA, 10*s.* 6*d.* and 15*s.*
RUELLIA ACUTANGULA, 5*s.*
PORTELLÆ, 5*s.*
ROSEA, 3*s.* 6*d.*
RUSSELIA JUNCEA, 5*s.*
SACCHARUM OFFICINARUM "Sugar Cane," 7*s.* 6*d.*
SAMYDA NOBILIS, 1 guinea
SANCHEZIA NOBILIS GLAUCOPHYLLA, 5*s.*
NOBILIS VARIEGATA, 3*s.* 6*d.*
SANSEVIERA GUINEENSIS, 7*s.* 6*d.*
ZEYLANICA (JAVANICA), 3*s.* 6*d.*
SAXO-FRIDERICIA SUBCORDATA, 3 guineas
SCHISMATOGLOTTIS CRISPATA, 5*s.*
LATIFOLIA, 7*s.* 6*d.*
LAVALLEI, 5*s.*

SCHISMATOGLOTTIS DECORA.

A dwarf stove perennial, with very short stems, and ovate acuminate leaves, the upper surface of which is green, decorated with thickly distributed oblong silvery grey blotches, covering fully half the area, the under surface being pale green. It has been imported from Borneo. 7*s.* 6*d.*

SCHISMATOGLOTTIS LONGISPATHA, 5*s.*
SIAMENSIS, 10*s.* 6*d.*
SCHISMATOGLOTTIS VARIEGATA, 3*s.* 6*d.*
SCHISTOCASIA PORTEI, *vide* Alocasia Portei

SCINDAPSUS ARGYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 10*s.* 6*d.*

SCIADOCALYX LUCIANA, 3*s.* 6*d.*
SCINDAPSUS PICTUS, 2*s.* 6*d.* and 3*s.* 6*d.*
SCUTELLARIA MOCINIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SERICOGRAPHIS GHIESBREGHTIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SINNINGIA PUNCTATA, 3*s.* 6*d.*
PURPUREA NIGRA, 3*s.* 6*d.*
SIPHOCAMPYLUS HUMBOLDTIANUS (PULGENS), 5*s.*
SMILAX AURICULATA, *vide* page 70
DISCOLOR, *vide* page 9
LONGIFOLIA VARIEGATA, 5*s.*
SHUTTLEWORTHII, 7*s.* 6*d.*
SOLANDRA GRANDIFLORA, 5*s.*
SONERILA HENDERSONI, 3*s.* 6*d.* and 5*s.*
HENDERSONI ARGENTEA, 3*s.* 6*d.* and 5*s.*
—— MARMORATA, 3*s.* 6*d.* and 5*s.*
—— PICTURATA, 5*s.*
—— SPECIOSA, 5*s.*
MARGARITACEA ALBA, 3*s.* 6*d.* and 5*s.*
—— SUPERBA, 3*s.* 6*d.* and 5*s.*
SPATHIPHYLLUM PICTUM, 5*s.*
SPATHODEA CAMPANULATA, 7*s.* 6*d.*
SPHÆROGYNE LATIFOLIA 5*s.*
SPHÆROSTEMA MARMORATUM, 3*s.* 6*d.* and 5*s.*
STADMANNIA AMABILIS, 10*s.* 6*d.*
JONGHEI, 10*s.* 6*d.*
STENOSPERMATIUM WALLISII, 5*s.*
STEPHANOPHYSUM BAIKIEI, 2*s.* 6*d.* and 3*s.* 6*d.*
LONGIFOLIUM, 5*s.*
STEPHANOTIS FLORIBUNDA, 3*s.* 6*d.*
FLORIBUNDA, "Elvaston" variety, 3*s.* 6*d.* & 5*s.*
STEUDNERA COLOCASIÆFOLIA, 5*s.*
DISCOLOR, 10*s.* 6*d.*
STIGMAPHYLLUM CILIATUM, 5*s.*
STRELITZIA AUGUSTA, 15*s.*
NICOLAI, 2 guineas
REGINÆ, 10*s.* 6*d.*, 15*s.* and 1 guinea
STREPTOCARPUS BIFLORUS, 2*s.* 6*d.* and 3*s.* 6*d.*
POLYANTHUS, 2*s.* 6*d.*
REXII, 2*s.* 6*d.* and 3*s.* 6*d.*

SYNGONIUM ALBO-LINEATUM, 3*s.* 6*d.*
WENDLANDII, 3*s.* 6*d.*
TABERNÆMONTANA CAMASSA, 3*s.* 6*d.*
CORONARIA FLORE PLENO, 3*s.* 6*d.*
WALLICHIANA, 10*s.* 6*d.*
TACCARUM WARMINOIANUM, 1 guinea
TACSONIA BUCHANANI (VITIFOLIA), 3*s.* 6*d.* & 5*s.*
TAPEINOTIS CAROLINÆ, 3*s.* 6*d.*
CAROLINÆ MAJOR, 5*s.*
TECOMA AMBOINENSIS, *vide* page 9
TERMINALIA ELEOANS, 7*s.* 6*d.*
THEOBROMA CACAO, 10*s.* 6*d.*
THROPHRASTA IMPERIALIS, *vide* Chrysophyllum imperiale
THUNBERGIA FRAGRANS, 3*s.* 6*d.*
GRANDIFLORA, 3*s.* 6*d.*
HARRISII, 3*s.* 6*d.*
LAURIFOLIA, 3*s.* 6*d.*
THYRSACANTHUS RUTILANS, 2*s.* 6*d.* and 3*s.* 6*d.*
TILLANDSIA ACAULIS ZEBRINA, *vide* Cryptanthus BIVITTATA, *vide* Cryptanthus
(CARAGUATA) CARDINALIS, 2 guineas

TILLANDSIA HIEROGLYPHICA.

A beautiful Bromeliaceous plant, with very attractive foliage. The leaves are recurved, and at first sight have the appearance of being hieroglyphical inscriptions. The markings are of a pale green colour, traversed transversely by distinct irregular bands of deeper green, repeated on the under surface of a deep chocolate-purple colour. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 15*s.*, 1 and 1½ guinea.

TILLANDSIA (CARAGUATA) MUSAICA, 1½, 2 and 3 guineas
(CARAGUATA) SANGUINEA
TESSELATA, 10*s.* 6*d.*
(CARAGUATA) ZAHNII, 3*s.* 6*d.* and 5*s.*
TORENIA ASIATICA, 1*s.* 6*d.* and 2*s.* 6*d.*
PULCHERRIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
TOXICOPHLÆA (ACOCANTHERA) SPECTABILIS, 3*s.* 6*d.*
THUNBERGII, 5*s.*
TRADESCANTIA, *vide* Cyanotis
TREVESIA EMINENS, 10*s.* 6*d.*
TYDÆA, *vide* Index
URCEOLINA AUREA, 3*s.* 6*d.* and 5*s.*
UROSKINNERA SPECTABILIS, 3*s.* 6*d.*
UTRICULARIA MONTANA, 7*s.* 6*d.* and 10*s.* 6*d.*
VANILLA AROMATICA, 7*s.* 6*d.* and 10*s.* 6*d.*
PLANIFOLIA, 7*s.* 6*d.* and 10*s.* 6*d.*
VINCA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
ALBA OCULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
VITIS CHONTALENSIS, 5*s.*
VRIESIA BRACHYSTACHYA, 7*s.* 6*d.*
FALKENBERGII, 1 guinea
FENESTRALIS, 7*s.* 6*d.*
SPLENDENS (SPECIOSA), 3*s.* 6*d.* and 5*s.*
WORMIA BURBIDOEI, 10*s.* 6*d.*
ZAMIA, *vide* Index
XYLOPHYLLA ANGUSTIFOLIA, 5*s.*
INTERMEDIA, 5*s.*
ZINGIBER OFFICINALE, 3*s.* 6*d.*
ZERUMBET, 3*s.* 6*d.*

NEW, RARE, AND DESIRABLE GREENHOUSE PLANTS.

ABELIA FLORIBUNDA, 2*s.* 6*d.*
ABUTILONS, *vide* pages 75 and 76
ACACIA ARMATA, 1*s.* 6*d.*
DEALBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
LONGIFOLIA MAGNIFICA, 3*s.* 6*d.*
PLATYPTERA, 3*s.* 6*d.*
ACACIA PUBESCENS, 3*s.* 6*d.* and 5*s.*
RICEANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPHÆROCEPHALA, *vide* page 11
TENUIFOLIA, 5*s.*
VERTICILLATA, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 5*s.*
ACROPHYLLUM VENOSUM, 5*s.* and 7*s.* 6*d.*

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite leaves on dark purple petioles, the leaves being of an ovate form. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5*s.*

ADENANDRA FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
AGAPANTHUS UMBELLATUS, 1*s.* 6*d.*
AGAPANTHUS UMBELLATUS ALBUS, *vide* A. umbellatus candidus

AGAPANTHUS UMBELLATUS CANDIDUS.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes; it makes an excellent companion to the blue kinds. 3*s.* 6*d.*

ASPARAGUS PLUMOSUS NANUS

An exeeedingly graceful evergreen plant, very useful for all kinds of decorations, and from its exquisite beauty, particularly well adapted for furnishing cut sprays for intermixing with flowers; it is also charmingly elegant when grown in pots as a table plant. Mr. W. B. having imported a large quantity from South Africa, is enabled to offer good plants at *5s.*, *7s. 6d.* and *10s. 6d.*

AGAPANTHUS UMBELLATUS FLORE-PLENO.

This distinct plant has been introduced from the Cape of Good Hope. It differs materially from the normal type by producing umbels of dark blue double flowers. 10*s.* 6*d.*

AGAPANTHUS UMBELLATUS MAXIMUS, 3*s.* 6*d.*
UMBELLATUS FOLIIS VARIEGATIS, 2*s.*6*d.* & 3*s.*6*d.*
—— MINOR, 3*s.* 6*d.*
—— MOOREANUS, 1*s.* 6*d.* and 2*s.* 6*d.*
AGAVE AMERICANA LONOIFOLIA VARIEGATA, 5*s.*
AMERICANA MEDIO-PICTA, 10*s.* 6*d.*
—— VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
BULBOSA, *vide* Fourcroya
CELSIANA, 3*s.* 6*d.* and 5*s.*
DESERTI, 5*s.*
FILIFERA, 15*s.* and 1 guinea.
SKEMANNI, 1 guinea.
SHAWII, 3*s.* 6*d.* and 5*s.*
AGNOSTUS, *vide* Stenocarpus
ALLAMANDA, *vide* page 11
ALOE FEROX, 3*s.* 6*d.* and 5*s.*
ALOYSIA CITRIODORA (LEMON-SCENTED VERBENA), 1*s.*
AMARYLLIS, *vide* pages 11 and 12
AMORPHOPHALLUS (PROTEINOPHALLUS) RIVIERI, 2*s.* 6*d.* and 3*s.* 6*d.*
ANIGOZANTHUS FLAVIDUS, 5*s.*
ANOPTERUS GLANDULOSA, 5*s.* and 7*s.* 6*d.*
ANTHERICUM VARIEGATUM, *vide* Phalangium argenteo-lineare
AOTUS GRACILLIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
APHELEXIS HUMILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
MACRANTHA PURPUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
RUPESTRIS GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
ARALIA JAPONICA (SIEBOLDII), *vide* Fatsia japonica
PAPYRIFERA, 3*s.* 6*d.*
ARAUCARIA BIDWILLII, 5*s.* and 7*s.* 6*d.*
COOKII, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
CUNNINGHAMII, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

ARAUCARIA EXCELSA.

Mr. W. B. has lately imported a fine lot of this handsome conservatory plant. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Specimens 1, 1½ and 2 guineas and upwards.

ARAUCARIA EXCELSA ALBO-SPICA, 5*s.* and 7*s.* 6*d.*
ARDUINA GRANDIFLORA, 7*s.* 6*d.*
ARISÆMA FIMBRIATUM, *vide* page 16
ARUNDO DONAX VARIEGATA, 3*s.* 6*d.* and 5*s.*
ASPARAGUS DECUMBENS, 3*s.* 6*d.* and 5*s.*
FALCATUS, 7*s.* 6*d.*

ASPARAGUS PLUMOSUS.

An elegant evergreen climber, from South Africa, with slender smooth stems, and numerous spreading branches; the hermaphrodite white flowers are produced from the tip of the branchlets. It is an exceedingly handsome ornamental plant for the greenhouse or conservatory, and its pretty feathery growths are extremely useful for cutting for decoration. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

ASPARAGUS PLUMOSUS NANUS, *vide* page 54
ASPARAGUS TENUISSIMUS, 5*s.*

ASPARAGUS VIRGATUS.

This remarkably elegant feathery-looking plant of fruticose habit has been recently introduced from the Cape of Good Hope. The stems bear at the upper end a corymbose head of erect branches, of which the lowest is the youngest or most recently developed. 3*s.* 6*d.* and 5*s.*

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 30*s.*, 42*s.* and 60*s.* per dozen.
New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* each.

AZALEA BALSAMINÆFLORA, *vide* page 56
BAMBUSA, *vide* page 76.
BEGONIA, *vide* Index
BERBERIDOPSIS CORALLINA, 3*s.* 6*d.*
BIGNONIA CHERERE, 3*s.* 6*d.* and 5*s.*
EXCELSA, 7*s.* 6*d.* and 10*s.* 6*d.*
GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
JASMINOIDES, 2*s.* 6*d.*
BIGNONIA JASMINOIDES ALBA MAGNA, 2*s.*6*d.* to 5*s.*
JASMINOIDES SPLENDIDA, 2*s.* 6*d.* to 5*s.*
MAGNIFICA, *vide* page 17
VENUSTA, 3*s.* 6*d.* and 5*s.*
BLANDFORDIA AUREA, 10*s.* 6*d.*
FLAMMEA, 10*s.* 6*d.*
NOBILIS, 5*s.* and 7*s.* 6*d.*
PRINCEPS, *vide* page 57

BLANDFORDIA CUNNINGHAMII.

The late Dr. Lindley, in describing the previously known species of this genus, thus refers to *Blandfordia Cunninghamii*:—"None of them are to be compared for beauty with the plant of which the late Allan Cunningham gave me a specimen, the flowers of which are fully twice as large as *B. marginata (grandiflora)*." The flowers are of a deep rich red tint, except at the end of the petals, where they are yellow. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

AZALEA BALSAMINÆFLORA.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 10*s.* 6*d.*, 15*s.* and 1 guinea.

BLANDFORDIA PRINCEPS.

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are 2¼ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, tab. 6209. 2 and 3 guineas.

BOMAREA CARDERI.

An extremely handsome climber, sent from the United States of Colombia by one of my collectors. It is a glabrous twining plant, producing large heads of charming pendulous bell-shaped flowers. The individual flowers, in size and shape, remind one somewhat of those of *Lapageria rosea*, but are rather more contracted towards the mouth, and of a lighter rose-pink colour, while the tips of the segments are spotted with purplish brown. 15*s.*; extra strong plants, 2 and 3 guineas.

BOMAREA KALBREYERI.

A new and beautiful species, introduced from South America. The flowers which are borne in terminal umbels, are of an orange-yellow colour, the exterior sepals being bright red. 1½ guinea.

BOMAREA PATACOCENSIS (CONFERTA).

A beautiful new crimson-flowered species from the United States of Colombia, producing immense heads of blossom, composed of from thirty to sixty flowers, each of which is from 2 to 2½ inches long. It is a splendid addition to our greenhouse climbers, its lovely many-flowered bunches of rich crimson Lapageria-like flowers rendering it especially attractive. 15*s.* and 1 guinea.

BOMAREA CARDERI, *vide* page 58
WILLIAMSÆ, 1 guinea
BORONIA DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
MEGASTIGMA, 3*s.* 6*d.* and 5*s.*
BORONIA SERRULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
BOUVARDIAS, *vide* Index
BRACHYSEMA ACUMINATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
UNDULATUM, 5*s.* and 7*s.* 6*d.*

BRACHYCHITON ACERIFOLIUM.

A tree of highly ornamental appearance. From the exceeding brilliancy of its rich red flowers it is called the Flame Tree. It might with great propriety be also called the New South Wales "Lace Bark Tree." The bast furnished by this tree is of the most beautiful lace-like texture, and is considered superior to Cuba Bast; the fibre is suitable for the manufacture of ropes, cordage, mats, &c. 7*s.* 6*d.*

BOWIEA VOLUBILIS, 3*s.* 6*d.*
BRUGMANSIA ARBOREA, 3*s.* 6*d.*
KNIGHTII (flore pleno), 3*s.* 6*d.*
SANGUINEA, 3*s.* 6*d.* & 5*s.*
SUAVEOLENS, 3*s.* 6*d.*
BUPHANE (BRUNSVIGIA) TOXICARIA, 7*s.* 6*d.* & 10*s.* 6*d.*
CALCEOLARIA PAVONI, 3*s.* 6*d.* and 5*s.*
CALLA ÆTHIOPICA, *vide* Richardia africana
CALLICARPA PURPUREA, 3*s.* 6*d.*
CALODENDRON CAPENSE, 5*s.*
CAMPANULA VIDALII, 2*s.* 6*d.*

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 2, 3, 4 and 6 guineas per dozen.
New varieties, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* each.

CAMPHORA OFFICINALIS, 5*s.*
CAMPSIDIUM FILICIFOLIUM, *vide* page 18
CANARINA CAMPANULATA, 1*s.* 6*d.*
CANTUA BICOLOR, 3*s.* 6*d.*
CANTUA CORYMBIFLORA, 3*s.* 6*d.*
DEPENDENS, 3*s.* 6*d.*
CARNATIONS, Tree, of sorts, 30*s.* and 42*s.* per dozen.

CASTANOSPERMUM AUSTRALE.

This interesting plant, a native of Australia, is known as the Moreton Bay Chestnut. 5*s.*

CEPHALOTUS FOLLICULARIS, 7*s.* 6*d.*, 10*s.* 6*d.* 15*s.* and 1 guinea.
CEREUS C. M. HOVEY, 5*s.*
GRANDIFLORUS, (night-blooming), 3*s.* 6*d.* & 5*s.*
M'DONALDII, 3*s.* 6*d.* and 5*s.*
SPECIOSISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
CESTRUM AURANTIACUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CHLIDANTHUS FRAGRANS, 1*s.*
CHOROZEMA CORDATUM SPLENDENS, 2*s.* 6*d.* & 3*s.* 6*d.*
CHOROZEMA HENCHMANNI, 3*s.* 6*d.* and 5*s.*
LAWRENCEANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
VARIUM CHANDLERI, 2*s.* 6*d.* and 3*s.* 6*d.*
CHRYSANTHEMUM FRUTESCENS, *vide* Index
CISSUS ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
CAPENSIS, 3*s.* 6*d.*
RHOMBEA, 3*s.* 6*d.*
CLEMATIS INDIVISA, 3*s.* 6*d.* and 5*s.*
of sorts, *vide* pages 76 & 77.

CLEYERA JAPONICA TRICOLOR.

A handsome variegated plant from Japan. The leaves are leathery in texture, obovate in form, of a dark green colour, with longitudinal and oblique bands of greyish green, the margin creamy white, tinged with bright rose colour, which is very conspicuous in the younger foliage. The five-petalled flowers are yellowish white. 10*s.* 6*d.*

CLIANTHUS PUNICEUS, 3*s.* 6*d.*
PUNICEUS MAGNIFICUS, 3*s.* 6*d.*
CLIVIA NOBILIS. 5*s.* and 7*s.* 6*d.*
COBÆA SCANDENS VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
COLEUS, *vide* Index
COPROSMA BAUERIANA, 1*s.* 6*d.* and 2*s.* 6*d.*
BAUERIANA PICTURATA, 3*s.* 6*d.*
—— VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
CORREAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
CRASSULA EBERLEANA, 3*s.* 6*d.*

CRINUM AUSTRALE.

This bears the name of Botany Bay Lily, and is an ornamental bulbous plant, requiring greenhouse temperature. The flowers are very fragrant, and from ten to fifteen in an umbel, each consisting of a long slender tube, and a spreading or recurved limb of six white segments. 5*s.*

CRINUM, MOOREI, 7*s.* 6*d.*
PEDUNCULATUM PACIFICUM, *vide* page 60.
POWELII, 10*s.* 6*d.*
CRINUM, *vide* also pages 20 and 21.
CROWEA STRICTA, 3*s.* 6*d.* and 5*s.*
CYCADS, *vide* Index

CRINUM PEDUNCULATUM PACIFICUM.

A noble species, known as the Wedding Lily, introduced from Lord Howe's Island, producing immense umbels of deliciously scented, pure white blossoms. The individual flowers are from four to five inches in diameter, and as many as from twenty to thirty are produced in each umbel. The plant is of bold habit, with cylindrical-shaped bulbs. The delightful fragrance of its large and handsome heads of chaste blossoms makes this plant a most desirable acquisition. 10*s.* 6*d.* & 15*s.*



DEYEUXIA ELEGANS VARIEGATA.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, a foot to a foot and a half in length, and about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. This is one of the Twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1881. 7*s.* 6*d.* and 10*s.* 6*d.*

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 3, 4 and 5 guineas each.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 18*s.*, 30*s.* and 42*s.* per dozen.

CYCLAMEN PERSICUM ALBUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PERSICUM RUBRUM, 2*s.* 6*d.* and 3*s.* 6*d.*
—— GRANDIFLORUM, 3*s.* 6*d.* and 5*s.*
—— of various choice sorts, 3*s.* 6*d.* and 5*s.*
CYRTANTHUS OBLIQUUS, 5*s.*
CYTISUS FILIPES, 3*s.* 6*d.* and 5*s.*
RACEMOSUS, 1*s.* and 1*s.* 6*d.*
CYTISUS RACEMOSUS EVERESTIANUS, 3*s.* 6*d.*
DAHLIA IMPERIALIS, 3*s.* 6*d.*
IMPERIALIS ALBA, 3*s.* 6*d.*
—— ARBOREA, 3*s.* 6*d.*
—— ROSEA, 3*s.* 6*d.*
of sorts, *vide* Bedding Plants
DALECHAMPIA, *vide* page 27.

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5*s.*

DAPHNE INDICA RUBRA, 3*s.* 6*d.* and 5*s.*
PAPYRACEA, 5*s.*
DARLINGTONIA CALIFORNICA, 10*s.* 6*d.* and 15*s.*
DARWINIA, *vide* Genetyllis
DASYLIRION GLAUCUM, 1 guinea
LONGIFOLIUM, 5*s.*
DESFONTAINEA SPINOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
DEYEUXIA ELEGANS VARIEGATA, *vide* page 61

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle Islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5*s.* and 7*s.* 6*d.*

DIONÆA MUSCIPULA.

(THE FLY-TRAP PLANT, OR VENUS' FLY-TRAP.)

One of the most wonderful illustrations of vegetable structure and design known among plants, the formation of its leaf organs being singularly adapted for entrapping insects. 2*s.* 6*d.* and 3*s.* 6*d.*

DORYANTHES EXCELSA, 10*s.* 6*d.*
DORYANTHES PALMERI, 3*s.* 6*d.* and 5*s.*

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, where its graceful mode of growth is very effective. 3*s.* 6*d.* to 10*s.* 6*d.*; fine plants, 15*s.*, 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10*s.* 6*d.*, 15*s.* and 1 guinea.

DRACÆNA AUSTRALIS VEITCHII, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea
DRACÆNA ARBOREA, 3*s.* 6*d.* and 5*s.*
DRACOPHYLLUM GRACILE, 3*s.* 6*d.* and 5*s.*

DRACÆNA MADAGASCARIENSIS.

This is a distinct type of Dracæna from Madagascar. It is of graceful habit, having long narrow arching green leaves, terminating in a long narrow point. A free-growing decorative species. 5*s.* and 7*s.* 6*d.*

DROSERA CAPENSIS, 7*s.* 6*d.*
DICHOTOMA, 5*s.*
—— RUBRA, 1 guinea
SPATHULATA, 5*s.*
ECHEVERIA, of sorts, *vide* Index
ELÆOCARPUS RETICULATUS (DENTATUS), 5*s.* and 7*s.* 6*d.*
ENCEPHALARTOS, of sorts, *vide* Index.

EPACRIS ONOSMÆFLORA FLORE-PLENO ALBA.

A most beautiful flowering plant from Australia, producing pretty double blush-white blossoms; with the interior not quite covering up the original corolla lobes, which causes them to look like guard petals surrounding the inner petals. The plant is a charming acquisition, and was awarded a First Class Certificate by the Royal Horticultural Society. 10*s.* 6*d.*, 15*s.* and 1 guinea.

EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 10*s.* 6*d.*, 15*s.* and 1 guinea.

EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS, *vide* page 63
of sorts, 18*s*., 30*s*. and 42*s*. per doz.
EPIPHYLLUM, *vide* page 33
ERICAS, of sorts, 18*s*., 30*s*. and 42*s*. per doz.
ERIOSTEMON BUXIFOLIUS, 3*s*. 6*d*. and 5*s*.
ERIOSTEMON INTERMEDIUS, 3*s*. 6*d*. and 5*s*.
NERIIFOLIUS, 3*s*. 6*d*.
PULCHELLUS, 3*s*. 6*d*. and 5*s*.
SCABER, 3*s*. 6*d*. and 5*s*.
ERYNGIUM EBRACTEATUM, 10*s*. 6*d*.
ERYTHRINA, of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.

ERYTHRINA COMPACTA.

This magnificent variety is the best and most useful in every respect of all the Erythrinas. It is of compact bushy growth, producing most profusely its splendid attractive bunches of coral-like blossoms. It will be found effective for sub-tropical gardening, and is a truly desirable plant for most decorative purposes, as it blooms very freely in quite a small state. 5*s*.

EUCALYPTUS CITRIODORA.

The pleasant fragrance of the foliage of this plant renders it a desirable acquisition. The strong lemon-scent, which is emitted when the leaves are gently rubbed, is equally powerful and agreeable with that of the lemon-scented Verbena (*Aloysia citriodora*). The plant is of slender habit, with oblong leaves, clothed with glandular hairs, which give off the powerful and grateful odour above referred to. It is a native of Australia. 3*s*. 6*d*.

EUCALYPTUS FICIFOLIA.

This beautiful new crimson-flowered Eucalyptus is not a large-growing species like most others of the family, but is of quick growth, and plants of it are soon covered with its magnificent trusses of crimson-coloured flowers; its leaves yield an essential oil which has proved a valuable febrifuge. 5*s*.

EUCALYPTUS AMYGDALINA (Peppermint Gum), 3*s*. 6*d*.
COCCIFERA, 3*s*. 6*d*.
CORDATA, 3*s*. 6*d*.
CORIACEA, 3*s*. 6*d*.
GLOBULUS (Blue Gum), 3*s*. 6*d*.
HETEROPHYLLA, 5*s*.
MARGINATA, 3*s*. 6*d*.
OBLIQUA, 5*s*.
URNIGERA, 3*s*. 6*d*.
EUGENIA AUSTRALIS, 3*s*. 6*d*. and 5*s*.
UGNI, 1*s*. 6*d*. and 2*s*. 6*d*.
EUPATORIUM BERLANDIERI (GRACILE ODORATUM), 1*s*. 6*d*.
RIPARIUM, 2*s*. 6*d*. and 3*s*. 6*d*.
EURYA LATIFOLIA VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
EURYCLES, *vide* page 33
EUTAXIA FLORIBUNDA, 3*s*. 6*d*.
FATSIA (ARALIA) JAPONICA, 2*s*. 6*d*. and 3*s*. 6*d*.
(ARALIA) JAPONICA VARIEGATA, 5*s*. and 7*s*. 6*d*.
FERNS, *vide* Index
FICUS, AUSTRALIS, 3*s*. 6*d*.
ELASTICA, 3*s*. 6*d*.
FICUS ELASTICA VARIEGATA, *vide* page 33.
MACROPHYLLA, 5*s*.
MINIMA, 1*s*. 6*d*. and 2*s*. 6*d*.
RHODODENDRIFOLIA, 3*s*. 6*d*.
STIPULATA (REPENS), 1*s*. 6*d*. and 2*s*. 6*d*.
FOURCROYA (AGAVE) BEDDINGHAUSEI, 5*s*.
BULBOSA, 5*s*.
FREESIA HYBRIDA, LEICHTLINII, REFRACTA ALBA } These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.
FUCHSIAS, *vide* Index
GASTRONEMA SANGUINEUM FLAMMEUM, 5*s*.
GENETYLLIS (HEDAROMA) FUCHSIOIDES, 5*s*. and 7*s*. 6*d*.
TULIPIFERA, 5*s*. and 7*s*. 6*d*.
GONOLOBUS CUNDURANGO, 10*s*. 6*d*.
GREVILLEA PREISSII, 7*s*. 6*d*.
ROBUSTA, 2*s*. 6*d*. and 3*s*. 6*d*.
GREYIA SUTHERLANDI, 3*s*. 6*d*. and 5*s*.
HABROTHAMNUS AUBLETII, 2*s*. 6*d*. and 3*s*. 6*d*.
AURANTIACUS, 2*s*. 6*d*. and 3*s*. 6*d*.
ELEOANS, 2*s*. 6*d*. and 3*s*. 6*d*.
of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.

HABROTHAMNUS NEWELII.

A very ornamental plant of free growth, with neat smooth foliage, freely producing dense terminal clusters of fine large flowers of a bright crimson colour. It will be found extremely useful and effective as a conservatory climber. 2*s*. 6*d*. and 3*s*. 6*d*.

HÆMANTHUS PUNICEUS, 2*s*. 6*d*. and 3*s*. 6*d*.
TIGRINUS, 2*s*. 6*d*.
HARDENBERGIA MONOPHYLLA, 2*s*. 6*d*.
HARDENBERGIA MONOPHYLLA VARIEGATA, 3*s*. 6*d*.
HEDAROMA, *vide* Genetyllis.
HELIOTROPIUM INCANUM, *vide* Index.

HIBISCUS CHRYSANTHUS.

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish sub-trilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5*s*.

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose coloured, with an involucel of about eight linear segments. It has been imported from Natal. 5*s*.

HOVEA Celsi, 3*s.* 6*d.* and 5*s.*
HYDRANGEA hortensis fol. maroinata, 3*s.* 6*d.*
hortensis aureo-variegata, 2*s.* 6*d.* & 3*s.* 6*d.*
—— cyanoclada, 1*s.* 6*d.* and 2*s.* 6*d.*
—— Thomas Hogg, 1*s.* 6*d.* and 2*s.* 6*d.*
japonica elegantissima, 1*s.* 6*d.*
—— foliis tricoloribus, 5*s.*
—— macrocephala, 2*s.* 6*d.*
HYDRANGEA japonica rosalba, 2*s.* 6*d.* & 3*s.* 6*d.*
japonica speciosa, 3*s.* 6*d.* and 5*s.*
Madame von Siebold, 5*s.*
otaksa, 1*s.* 6*d.* and 2*s.* 6*d.*
scandens (Schizophragma hydrangeoides), 1*s.* 6*d.*
stellata prolifera, 3*s.* 6*d.*
IMANTOPHYLLUM cyrtanthiflorum, 5*s.* & 7*s.* 6*d.*

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine plants, 1 and 1½ guinea.

IMANTOPHYLLUM miniatum grandiflorum, 2 guineas
miniatum hybridum, 15*s.*
—— prinoeps, 2 guineas
—— speciosum, 1½ guinea
—— superbum, 1 and 1½ guinea
INDIGOFERA decora, 5*s.*
IRIS Robinsoniana, 1*s.* 6*d.*
ISMENE pedunculata, 1*s.*
ISMENE undulata, 1*s.*
JASMINUM angulare, 5*s.*
grandiflorum, 3*s.* 6*d.*
odoratissimum, 2*s.* 6*d.* and 3*s.* 6*d.*
Poiteau, 3*s.* 6*d.*
JUSSIÆA macrocarpa ciliata, 5*s.*
JUNCUS zebrinus, *vide* Scirpus, page 81
KENNEDYA Marryattæ, 2*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*

KNIPHOFIA QUARTINIANA.

A handsome greenhouse or half-hardy perennial, introduced from Abyssinia. It has an erect simple spike of densely crowded flowers forming a pyramidate raceme terminating the flower scape. The flowers are pendulous and orange-coloured; the leaves are very much recurved. 5*s.*

LACHENALIA Nelsoni, 2*s.* 6*d.*
of sorts, 1*s.* to 2*s.* 6*d.*
LAGERSTRŒMIA indica, 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine specimens, 1, 2 and 3 guineas and upwards.

LAPAGERIA ROSEA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LASIANDRA macrantha, 3*s.* 6*d.*
LASIANDRA macrantha floribunda, 5*s.* & 7*s.* 6*d.*

LATHYRUS SPLENDENS.

A splendid perennial climber, producing a profusion of large and gay scarlet-purple blossoms in clusters of from ten to twelve. The individual flowers are one and a half to two inches in size, the keel almost an inch long, and half as deep, with large banner-like petals. The plant is allied to the common Everlasting Pea, but the blossoms are larger and more abundant, and their colour is much brighter. It is a native of the Mountains of Lower California. 5*s.*

LAURUS Camphora, 5*s.*
LAVATERA arborea variegata, 1*s.* and 1*s.* 6*d.*
LEPTOSPERMUM scoparium (New Zealand Tea Plant), 3*s.* 6*d.*
LESCHENAULTIA biloba splendens (major), 3*s.* 6*d.* and 5*s.*
formosa, 2*s.* 6*d.* and 3*s.* 6*d.*
LEUCOPOGON Cunninghamii, 3*s.* 6*d.*

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. It is a very ornamental plant for the summer flower borders. 5*s.*

LIBONIA floribunda, 1*s.* 6*d.* and 2*s.* 6*d.*
penrhosiensis, 1*s.* 6*d.* and 2*s.* 6*d.*
LILIUM, of sorts, *vide* pages 78 to 80
LINUM trigynum, 2*s.* 6*d.*

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa;* it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3*s.* 6*d.*

LOMATIA FERRUGINEA, 5*s.* and 7*s.* 6*d.*

LUCULIA GRATISSIMA, 5*s.* and 7*s.* 6*d.*

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, tab. 5797. 3*s.* 6*d.* and 5*s.*

MACADAMIA TERNIFOLIA, 5*s.* and 7*s.* 6*d.*
MACROPIPER EXCELSUM, 5*s.*
MACROZAMIA, *vide* Index
MAGNOLIA CAMPBELLII, *vide* page 80
FUSCATA, 3*s.* 6*d.* and 5*s.*
MANDEVILLA SUAVEOLENS, 2*s.* 6*d.* and 3*s.* 6*d.*

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7*s.* 6*d.* and 10*s.* 6*d.*

METROSIDEROS FLORIBUNDA, 2*s.* 6*d.*
ROBUSTA, 3*s.* 6*d.* and 5*s.*
MITRARIA COCCINEA, 2*s.* 6*d.* and 3*s.* 6*d.*
MONOCHÆTUM LEMONIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SERICEUM MULTIFLORUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MUSA SUPERBA, *vide* page 43

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves attain a length of eight to ten feet, and are of a beautiful dark green, the mid-rib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

MYRSIPHYLLUM ASPARAGOIDES, 2*s.* 6*d.* & 3*s.* 6*d.*
MYRTUS, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
NERINE CORUSCA, 2*s.* 6*d.*
CORUSCA MAJOR, 3*s.* 6*d.*
FLEXUOSA, 3*s.* 6*d.*
FOTHERGILLII MAJOR, 5*s.*
ROSEA, 2*s.* 6*d.*
SARNIENSIS (GUERNSEY LILY), 9*d.*
VENUSTA, 2*s.* 6*d.*
NERIUM MADONI ORANDIFLORUM, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
OLEA FRAGRANS, 3*s.* 6*d.* and 5*s.*
OPHIOPOGON JABURAN AUREO-VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
SPICATUS ARGENTEO-MARGINATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ORCHIDS, of sorts, *vide* Index
PALMS, of sorts, *vide* Index
PANCRATIUM COLLINUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PARDANTHUS CHINENSIS, 1*s.* each; 9*s.* per dozen
PASSIFLORA CÆRULEA, *vide* page 80
CÆRULEA ORANDIFLORA, 3*s.* 6*d.*
—— RACEMOSA, 2*s.* 6*d.*
PASSIFLORA CAMPBELLII, 3*s.* 6*d.*
CLOWESII, 3*s.* 6*d.*
COLVILLII, 2*s.* 6*d.*
EDULIS, 3*s.* 6*d.*
IMPERATRICE EUOENIE, 3*s.* 6*d.*
LOUDONI, 3*s.* 6*d.*
MUNROI, 3*s.* 6*d.*
ONYCHINA, 3*s.* 6*d.*
SERRATIFOLIA, 3*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
PELARGONIUM, *vide* Index
PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2*s.* 6*d.* and 3*s.* 6*d.*
LINEARE ELEGANS, 5*s.*
PHILESIA BUXIFOLIA, 7*s.* 6*d.* and 10*s.* 6*d.*
PHÆDRANASSA CHLORACEA, 1*s.* 6*d.* and 2*s.* 6*d.*
PHORMIUM ATROPURPUREUM, 7*s.* 6*d.* & 10*s.* 6*d.*
COLENSOI VARIEGATUM, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea.
TENAX, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
—— NIORO-PICTUM, 10*s.* 6*d.* and 15*s.*
—— VARIEGATUM, 1 and 2 guineas.
—— VEITCHII VARIEGATUM, 5*s.* and 7*s.* 6*d.*

PHORMIUM TENAX NIGRO-LIMBATUM.

A striking form of New Zealand Flax, having erect broadish leaves of a glaucous green colour, the margin having a well-defined bar of blackish-purple. The points of the leaves are split, both sides of each of the divided portions having the blackish-purple margin. 10*s.* 6*d.*

PIMELEA DECUSSATA, 2*s.* 6*d.* and 3*s.* 6*d.*
HENDERSONI, 3*s.* 6*d.* and 5*s.*
NIEPPEROIANA, 3*s.* 6*d.* and 5*s.*
SPECTABILIS, 3*s.* 6*d.* and 5*s.*
PINCINECTITIA TUBERCULATA, 1 guinea.
PINGUICULA CAUDATA, 3*s.* 6*d.* and 5*s.*
CAUDATA RUBRA, 7*s.* 6*d.*
PITTOSPORUM RALPHII, 5*s.*

PITTOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding peduncled umbels; it is a native of New Zealand. 7*s.* 6*d.*

PITTOSPORUM EUGENIOIDES VARIEGATUM.

A slender evergreen plant, with pretty variegated foliage. It is of neat branching habit, with blackish-purple stems and branches, which are furnished with elliptic-oblong leaves of a pale green colour, bordered with white. Introduced from New Zealand. 7*s.* 6*d.* and 10*s.* 6*d.*

PLECTRANTHUS FŒTIDUS, 5*s.*
PLEROMA ELEGANS, 3*s.* 6*d.*
SARMENTOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
POLYGALA CORDIFOLIA, 3*s.* 6*d.*
DALMAISIANA, 3*s.* 6*d.*

POLYGONATUM OPPOSITIFOLIUM.

This species of Solomon's Seal is a fine herbaceous perennial from the Khasya Hills. Its white flowers are produced in axillary umbels; they are nodding, tubulose, and nearly an inch long; it is of graceful growth, and a very desirable half-hardy plant, flowering in the winter months. 5*s.*

PRIMULA FLORIBUNDA.

A pretty greenhouse species, introduced from the lower ranges of the Himalayas. It produces, in a continuous and abundant manner, an abundance of yellow flowers, which are borne in superposed whorls, on erect stems. The leaves are ovate or elliptic, and crenately toothed. 2*s.* 6*d.*

PRIMULA SINENSIS ALBA PLENA, 1*s.* 6*d.* and 2*s.* 6*d.*
SINENSIS FLORE-PLENO, of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
—— —— EMPEROR, 5*s.*
—— —— KING OF PURPLES, 5*s.*
—— —— MAGNIFICA, 5*s.*
—— —— MISS EVA FISH, 7*s.* 6*d.*
—— —— PRINCESS OF WALES, 5*s.*
VERTICILLATA SIMENSIS, 1*s.* 6*d.*
PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus
PUNICA GRANATUM (POMEGRANATE), 3*s.* 6*d.* & 5*s.*
GRANATUM ALBA PLENA, 3*s.* 6*d.* and 5*s.*
—— RUBRA PLENA, 3*s.* 6*d.* and 5*s.*
—— LEGRELLII (Double Buff), 3*s.* 6*d.* & 5*s.*
REINECKIA CARNEA, 1*s.* 6*d.*
CARNEA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
RHODEA JAPONICA, 3*s.* 6*d.* and 5*s.*
JAPONICA AUREOVITTATA, 15*s.*
RHODODENDRONS, *vide* pages 72 to 74
RHODOLEIA CHAMPIONI, 7*s.* 6*d.*
RHOPALA, *vide* page 52
RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum
RICHARDIA AFRICANA *(Calla æthiopica)*, 1*s.* and 1*s.* 6*d.*
ALBO-MACULATA, 3*s.* 6*d.*
RUBUS ROSÆFOLIUS CORONARIUS, 1*s.* 6*d.* and 2*s.* 6*d.*
SALVIAS, *vide* Bedding Plants
SANDERSONIA AURANTIACA, 3*s.* 6*d.*

SARRACENIA ATKINSONIANA.

A distinct hybrid raised between *S. flava maxima* and *S. purpurea*, and partaking most of the characters of the former parent. The pitchers are long, narrow and erect, green, with slight red ribs and reticulations. The lid is broad, cordate, green, and marked with red ribs and veins. 10*s.* 6*d.*

SARRACENIA ATROSANGUINEA, 1 guinea
CRISPATA, 5*s.* and 7*s.* 6*d.*
CHELSONI, 1 guinea
SARRACENIA DRUMMONDII, *vide* page 68
EXCELLENS, 10*s.* 6*d.*
EXORNATA, 10*s.* 6*d.*

SARRACENIA EXCULTA.

An erect-growing hybrid from *S. atropurpurea* crossed by *S. Drummondii*. The pitchers are erect and have rather a narrow wing. The upper end, as well as the roundish incurved undulated lid, is strongly blotched with white and reticulated with crimson veins. 10*s.* 6*d.*

SARRACENIA ILLUSTRATA.

This very striking hybrid was raised from *S. flava picta* crossed with *S. Stevensii*. It is a handsome erect-growing sort, with the habit of *S. flava*, and having long funnel-shaped pitchers strongly marked with crimson ribs united by veins of a similar colour. The lid is distinctly marked by strong red curved veins, the throat being prettily veined. 10*s.* 6*d.*

SARRACENIA FLAVA, 5*s.*
FLAVA ORNATA, *vide* page 71
SARRACENIA FLAVA PICTA, 10*s.* 6*d.*
MOOREANA, 10*s.* 6*d.*

SARRACENIA MADDISONIANA.

A hybrid between *S. variolaris* and *S. psittacina*, dwarf in habit, with erectish, incurving, short broad pitchers, which are green with dull red veins externally. The lid is large, incurved over the tube, ovate and wavy, strongly ribbed with deep purple red veins. 10*s.* 6*d.*



SARRACENIA DRUMMONDII.

A very beautiful plant, belonging to the family of the Side-saddle flowers, and inhabiting the marshes of Florida. The leaves or pitchers grow from 1½ to 2½ feet high, the upper expanded end being variegated with white, red and green, the hood or lid being similarly marked. The flowers are handsome and attractive, of a rich crimson purple colour. 10*s.* 6*d.*, 15*s.* and 1 guinea.

SARRACENIA SWANIANA.
SARRACENIA MITCHELLIANA.

For description and prices, *vide* page 70.

SARRACENIA MITCHELLIANA.

An elegant hybrid between *S. Drummondii rubra* and *S. purpurea*. It is graceful in its aspect, the pitchers traversed by a profuse network of fine red veins, the whole changing later on to reddish-crimson. The lid is undulated, with a bold reticulation of deep crimson-red. For Illustration, *vide* page 69. 10*s*. 6*d*.

SARRACENIA PSITTACINA, 1 guinea.
PURPUREA, 3*s*. 6*d*. and 5*s*.
SARRACENIA RUBRA, 5*s*. and 7*s*. 6*d*.
RUBRA-ACUMINATA, 10*s*. 6*d*.

SARRACENIA SWANIANA.

A very handsome hybrid between *S. variolaris* and *S. purpurea*. Awarded a First Class Certificate by the Royal Horticultural Society. It partakes most of the aspect of *S. purpurea*, but is more erect. The pitchers are slightly incurved and greenish purple, the lid and the inside of the tube being reticulated with crimson veins. For Illustration *vide* page 69. 10*s*. 6*d*.

SARRACENIA STEVENSII, 7*s*. 6*d*.
SARRACENIA VARIOLARIS, 7*s*. 6*d*.

SARRACENIA TOLLIANA.

A very handsome hybrid raised between *S. Drummondii alba* and *S. flava*. It is remarkable for its long, slender, funnel-shaped pitchers and very broad wing. The funnel is either wholly deep purple-red with darker ribs and veins, or greenish with dark purple ribs and veins. The lid is broad and reticulated with reddish purple. 10*s*. 6*d*.

SARRACENIA WILSONIANA.

A very distinct and striking plant, a hybrid between *S. purpurea* and *S. flava*, so distinct and pleasing as to have won a First Class Certificate from the Royal Horticultural Society. The pitchers are erect, with deep purple-crimson ribs, more or less united by cross-veins. The wing and lid, are veined and closely reticulated with deep purple-crimson. 10*s*. 6*d*.

SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea scandens
SENECIO MACROGLOSSUS (The Cape Ivy), 3*s*. 6*d*.
SPECIOSUS 3*s*. 6*d*.

SMILAX AURICULATA.

An elegant evergreen climber of a half-hardy character, well suited for covering walls and pillars in conservatories and corridors, being a native of the Southern States of America. It is furnished with glossy green leaves, widened at the base so as to become subhastate. 5*s*.

SOLANUM JASMINOIDES, 2*s*. 6*d*.
SOLLYA LINEARIS, 3*s*. 6*d*. and 5*s*.
SPARMANNIA AFRICANA FLORE-PLENO, 3*s*. 6*d*. and 5*s*.
SPIGELIA SPLENDENS, 2*s*. 6*d*. and 3*s*. 6*d*.
STATICE HOLFORDII, 3*s*. 6*d*. and 5*s*.
MACROPHYLLA, 5*s*.
STATICE PROFUSA (RATTRAYANA), 3*s*. 6*d*. & 5*s*.
STENOCARPUS CUNNINGHAMII, 5*s*. to 10*s*. 6*d*.
STRELITZIA REGINÆ, *vide* page 52
STREPTOSOLEN (BROWALLIA) JAMESONI, 1*s*. 6*d*.
TACSONIA BUCHANANI, *vide* pape 53
ERIANTHA, 3*s*. 6*d*.
EXONIENSIS, 3*s*. 6*d*.
INSIONIS, 5*s*.
MANICATA, 3*s*. 6*d*.

TACSONIA JAMESONI.

A new species from Ecuador, producing beautiful flowers of a bright rich rose colour. 7*s*. 6*d*.

TACSONIA MOLLISSIMA, 3*s*. 6*d*.
PINNATISTIPULA, 3*s*. 6*d*.
TACSONIA TOMENTOSA SPECIOSA, 5*s*.
VAN VOLXEMI, 2*s*. 6*d*. and 3*s*. 6*d*.

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

TECOMA, *vide* Bignonia
TESTUDINARIA ELEPHANTIPES, 1 guinea; fine specimens, price on application
THAMNOCALAMUS SPATHIFLORUS, 5*s*.
THEA BOHEA, 3*s*. 6*d*. and 5*s*.
THIBAUDIA ACUMINATA, 3*s*. 6*d*.
THUNBERGIA, *vide* page 53
TRACHELOSPERMUM (RHYNCHOSPERMUM) JASMINOIDES, 3*s*. 6*d*. and 5*s*.
(RHYNCHOSPERMUM) JASMINOIDES ALBO-VARIEGATUM, 3*s*. 6*d*. and 5*s*.
TRACHELOSPERMUM (RHYNCHOSPERMUM) JASMINOIDES LUTEO-VARIEGATUM, 3*s*. 6*d*. and 5*s*.
TREMANDRA ERICÆFOLIA, 2*s*. 6*d*. and 3*s*. 6*d*.
HIRSUTA, 2*s*. 6*d*. and 3*s*. 6*d*.
VERTICILLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
TROPÆOLUM BRACHYCERAS, 3*s*. 6*d*.
JARRATTII, 2*s*. 6*d*. and 3*s*. 6*d*.
of sorts, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
TUBEROSES BEST DOUBLE
AFRICAN
AMERICAN
THE PEARL
} These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.



SARRACENIA FLAVA ORNATA.

This is a very distinct and handsome plant, remarkable for its bold and strongly-pronounced venation. The upper part of the pitcher is strongly marked with well-defined reticulations of dark purplish red, which are continued over the lid. It is a very handsome form, the contrast between its clear green and the bold red venation being striking and effective. The flowers are large and very attractive, of a bright yellow colour. Introduced from North America. 10*s.* 6*d.*

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 7*s.* 6*d.* and 10*s.* 6*d.*

VALLOTA PURPUREA, 2*s.* 6*d.*
PURPUREA MAJOR, 3*s.* 6*d.* and 5*s.*
VITIS HETEROPHYLLA HUMULIFOLIA, 2*s.* 6*d.*
HETEROPHYLLA VARIEGATA, 2*s.* 6*d.* & 3*s.* 6*d.*
WITSENIA CORYMNOSA, 3*s.* 6*d.*
XYLOMELUM PYRIFORME, 10*s.* 6*d.*
YUCCA ALOIFOLIA VARIEGATA, 5*s.* and 7*s.* 6*d.*
FILAMENTOSA VARIEGATA, 10*s.* 6*d.*
QUADRICOLOR, 1½ and 2 guineas.
ZAMIA, *vide* Index.
ZEPHYRANTHES CARINATA, 12*s.* per dozen.
TUBISPATHA, 9*s.* per dozen.

VERONICAS.

ANNETTE, pale bluish-purple, with distinct white eye. 1*s.* 6*d.*
BELLE FIANCEE, very long spikes of large pure rose flowers, dark carmine eye, very floriferous, 2*s.* 6*d.*
BLUE GEM, a variety of neat habit, producing spikes of beautiful blue flowers. 1*s.*
CAROLINE, light lilac-blue, with small white eye; exceedingly free-flowering. 1*s.* 6*d.*
DISPLAY, rosy-crimson, with small white eye; free, and of good habit. 1*s.* 6*d.*
EVA, a compact growing variety, producing fine spikes of pretty pink flowers. 1*s.* 6*d.*
FLEUR D'AUTOMNE, long spikes of rosy-violet flowers, dark rose centres. 2*s.* 6*d.*
IMPERIALE, brilliant amaranth-red, changing to carmine-magenta. 1*s.* 6*d.*
JARDIN FLEURI, long spikes of dark carmine red flowers. 2*s.* 6*d.*
LA FÉE AUX ROSES, very long spike of bright rose flowers, very floriferous. 2*s.* 6*d.*
MADAME MOULINS, lavender violet, large carmine centre, shaded with amaranth, a remarkable variety. 2*s.* 6*d.*
M. J. MOULINS, immense spikes of pure rose flowers, edged with white; dark carmine rose centre. 2*s.* 6*d.*
THÉOPHILE ROQUES, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 2*s.* 6*d.*
REINE DES BLEUES, immense spike of very bright blue flowers, very free. 2*s.* 6*d.*
RUBENS, flowers large and fine, of a beautiful magenta colour. 1*s.* 6*d.*
VESTA, exceedingly floriferous; beautiful light blue, with attractive white centre. 1*s.* 6*d.*

GREENHOUSE RHODODENDRONS.

ÆRUGINOSUM, 3*s.* 6*d.* and 5*s.*
ANDERSONI, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3*s.* 6*d.* and 5*s.*
ASSAMICUM, a free-growing evergreen species, with narrow lanceolate densely-set leaves. The flowers are about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. This distinct, free-flowering and handsome Rhododendron, as its name indicates, has been imported from Assam. 5*s.*
BARBATUM, bright scarlet flowers, distinct and effective. 5*s.*
BLANDFORDIÆFLORUM. 3*s.* 6*d.* and 5*s.*
CALOPHYLLUM, a handsome species, producing large funnel-shaped pure white flowers. 5*s.*
CILIATUM, blush white; very free flowering. 2*s.* 6*d.*
CINNABARINUM. 3*s.* 6*d.* and 5*s.*
CINNAMOMEUM, the under surface of the leaves of this variety is covered with a very thick woolly tomentum of an intense cinnamon colour. 5*s.*
COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7*s.* 6*d.*
COUNTESS OF HADDINGTON, large blush-white flowers; exceedingly beautiful. 5*s.* and 7*s.* 6*d.*
DALHOUSIANUM. 5*s.*
DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 10*s.* 6*d.*, 15*s.* and 1 guinea.
DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance; compact truss. 15*s.* and 1 guinea.
DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 15*s.* and 1 guinea.
DUCHESS OF SUTHERLAND, a robust growing variety, producing pure white sweet-scented flowers, with a beautifully fringed margin. 5*s.*
DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. 15*s.* and 1 guinea.
EDGWORTHII, a handsome free-flowering species, with large pure white spreading cup-shaped fragrant flowers. 3*s.* 6*d.* and 5*s.*
EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5*s.* & 7*s.* 6*d.*
FORMOSUM GRANDIFLORUM, a free-blooming variety, with finely formed pure white flowers; a neat growing kind, and very useful for conservatory decoration. 3*s.* 6*d.* and 5*s.*

GREENHOUSE RHODODENDRONS—continued.

FRAGRANTISSIMUM, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. *5s.* and *7s. 6d.*

FULGENS, rich fiery crimson; extremely showy and effective; compact habit. *3s. 6d.* and *5s.*

GIBSONI, *3s. 6d.*

HIMALAICUM, this variety produces fine large handsome trusses of bright carmine flowers. *3s. 6d.*

HODGSONI, a splendid species, producing superb bouquets of rose-coloured flowers. *10s. 6d.*

JAMESONI, this variety produces large terminal trusses of handsome bright red flowers. *3s. 6d.* & *5s.*

JASMINIFLORUM, an elegant free-blooming species, with fragrant white flowers, borne successionally in clusters. *3s. 6d.* and *5s.*

JAVANICUM, a beautifully golden-yellow flowering species. *5s.*

JENKINSII, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. *5s.*

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. *2s. 6d.*, *3s. 6d.* and *5s.*

LADY SKELMERSDALE, pure white trumpet-shaped fragrant flowers; very handsome *5s.*

MRS. JAMES SHAWE, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. *5s.*

MULTIFLORUM, bears a profusion of beautiful white flowers; of dwarf habit, *2s. 6d.* and *3s. 6d.*

NILAGIRICUM, a splendid species from the Neilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, of a beautiful blush colour, blended with deep rich rose and shaded with soft rose; light throat. *3s. 6d.* and *5s.*

NIVEUM, beautiful flowers of a pale lilac colour, spotted with darker lilac on the upper lobe; tube of the corolla yellowish; foliage shining green, the under surface white. *5s.*

NUTTALLII, a magnificent species; flowers pure white, the largest of the genus. *5s.*

OCHRACEUM, the under surface of the foliage of this variety is ochre-coloured. *5s.*

PINK BEAUTY, *vide* page 72

PRINCE LEOPOLD, a beautiful flower; fawn and rose with rose centre. *15s.* and 1 guinea.

PRINCE OF WALES, a fine variety producing reddish orange flowers. *7s. 6d.* and *10s. 6d.*

PRINCESS ALEXANDRA, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. *5s.* and *7s. 6d.*

PRINCESS ALICE, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. *3s. 6d.* and *5s.*

PRINCESS HELENA, this pretty hybrid form, with *R. Princess Alexandra*, was obtained from a cross with *R. jasminiflorum*, but is readily distinguished from it by its much longer tubed flowers, of a delicately tinted soft pink colour, streaked with dark shades. *5s.* and *7s. 6d.*

PRINCESS ROYAL, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose coloured, funnel-shaped flower tubes. *5s.* and *7s. 6d.*

RETUSUM, this distinct species produces clusters of tubular orange-coloured flowers. *5s.* and *7s. 6d.*

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. *7s. 6d.*, *10s. 6d.* and *15s.*

ROSY GEM, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. *7s. 6d.*, *10s. 6d.* and *15s.*

SESTERIANUM, fine large fragrant white flowers. *3s. 6d.* and *5s.*

TAYLORI, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. *10s. 6d.* and *15s.*

THIBAUDIENSE, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the Correas and Thibaudias, and having the same alabaster-like translucent lustre, hence its name. *3s. 6d.* and *5s.*

THOMSONI, bright scarlet cup-like flowers of good form. *5s.*

TUBULATUM, a fine variety, with large tubular pure white flowers; it is a most useful plant for the decoration of the greenhouse or conservatory. *5s.*

VEITCHIANUM, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. *5s.* and *7s. 6d.*

VIRGATUM, tube of the corolla short and obconical, with the limb segments spreading; in the different plants that have been raised from seed, the flowers vary in hue from blush to white. *5s.*

VIRGATUM HYBRIDUM, a neat-habited bushy-growing variety, producing fine trusses of beautiful pure white flowers of good form. *5s.*

VIRGINALE, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. *5s.*

RHODODENDRON PINK BEAUTY.

RHODODENDRON PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. *7s. 6d.*, *10s. 6d.* and *15s.*

ABUTILONS.

ALBERT DÉLAUX, very dwarf variety, large rosy mauve flowers, with dark rose nervations; suitable for growing in pots. 3*s.* 6*d.*

AMARANTINA, fine well-formed flowers, brilliant purple amaranth; very floriferous. 3*s.*6*d.*

ARMAND CAUVY, large, well-made, clear golden yellow flowers, veined with violet; dwarf, and very free flowering. 7*s.* 6*d.*

AURELIA, bright golden yellow. 1*s.* 6*d.*

BLANDII, deep yellow, veined dark crimson, and reticulated light crimson. 1*s.* 6*d.*

BOULE DE NEIGE, white. 1*s.*

BOULE D'OR, golden yellow, 1*s.* 6*d.*

CERISE UNIQUE, immense bright cerise flowers, of perfect shape, with purplish crimson nervations at the base of petals. 3*s.* 6*d.*

CLOCHETTE FLEURIE, dark violet-amaranth, with purple centre and veins. 2*s.* 6*d.*

CLOTH OF GOLD, fine smooth golden flowers of great substance. First Class Certificate from the Royal Horticultural Society. 1*s.* 6*d.*

CONQUETE, a beautiful and very dwarf growing variety, whitish rose, throat dark carmine, with bright rose nervations. 3*s.* 6*d.*

COURONNE D'OR, downy leaves, large bell-shaped flowers of a beautiful deep sulphur-yellow colour. 1*s.* 6*d.*

DARWINII, 1*s.*

—— **SUPERBUM**, 1*s.*

DESBOISI, bright rose colour. 1*s.* 6*d.*

ECLIPSE, a fine large round flower of a rich orange-scarlet colour, shaded crimson, and veined purple. 1*s.*

EDOUARD LAYEILLON, deep rich golden yellow, flushed with rose. 1*s.* 6*d.*

ELEPHANTA, freely produces on dwarf, compact plants, brilliant chamois yellow flowers, shaded with rose, and veined with violet red. 7*s.* 6*d.*

EMPEROR, fine large dark crimson flowers. Received First Class Certificate. 1*s.* 6*d.*

EVELINE, blush, shaded with pink, and beautifully veined with deep rose. 1*s.* 6*d.*

FLEUR DE NEIGE, a very large brilliant snow white flower, veined with rose; described by the raiser as the most remarkable variety known in the genus; very free and dwarf. 7*s.* 6*d.*

FUTURE FAME, deep rose shaded crimson. 1*s.* 6*d.*

G. DÉLAUX, rich reddish carmine, shaded with violet. 1*s.* 6*d.*

GLOIRE DE SAINT-MARTIN, a large globular flower of a bright chamois-salmon colour, veined with violet-rose. 2*s.* 6*d.*

HIBISCUS, canary yellow flowers, the exterior shaded with dark rosy violet; dwarf and distinct. 7*s.* 6*d.*

KING OF CRIMSONS, deep rich crimson flowers of great substance, extra fine. 1*s.* 6*d.*

KING OF ROSES, flowers rich deep rose, of great substance. 1*s.* 6*d.*

LA CANDEUR, a large well-formed pure white flower of globular shape. 1*s.* 6*d.*

LA LORRAINE, bright red. 1*s.* 6*d.*

LE GRELOT, delicate rose colour. 1*s.* 6*d.*

LOUISE DÉLAUX, an extremely dwarf and very floriferous variety, with beautiful white flowers of good shape. 3*s.* 6*d.*

LUSTROUS, freely produces fine-shaped bright red flowers. 1*s.*

L. VAN HOUTTE, mauve-purple. 1*s.* 6*d.*

LYDIA, light yellow, flushed crimson, and reticulated with bright crimson. 1*s.* 6*d.*

MDLLE. ANNA DÉLAUX, rose, marked with white, and veined dark rose. 1*s.* 6*d.*

MARSHAL, reddish cinnamon, shaded with orange, and veined with crimson. 1*s.* 6*d.*

MEGAPOTAMICUM VARIEGATUM. 1*s.* 6*d.*

MISS TERRY, deep yellow, with rose veins, very distinct. 1*s.* 6*d.*

MR. IRVING, deep scarlet, shaded crimson, a very attractive colour. 1*s.* 6*d.*

MODIOLA, bright rosy crimson, veined with dark crimson. 1*s.* 6*d.*

M. B. MODESTE, rich bright crimson-red, veined with dark crimson; showy and attractive. 1*s.* 6*d.*

M. ED. PYNAERT VAN GEERT, amaranth-purple, veined with very dark brownish carmine, pure white throat. 2*s.* 6*d.*

M. J. B. LEVIS, a dwarf vigorous variety, produces a multitude of dark chamois flowers, veined with violet cerise; small foliage. 7*s.* 6*d.*

M. LOUIS MARIGNAC, rose; reverse of petals of a silvery hue. 1*s.* 6*d.*

M. MOULINS, cream colour, distinctly veined with violet-rose; throat reddish chocolate; dwarf and free. 1*s.*

M. PERPIGNAN, fine large flower of a bright reddish orange colour, veined yellow and crimson, with yellow throat. 2*s.* 6*d.*

M. PETIT, rich reddish crimson colour, shaded with crimson-violet, and veined with dark crimson. 1*s.* 6*d.*

M. VIVIAND-MOREL, a very large fine flower of a violet-colour, shaded with amaranth, and darkly veined. 2*s.* 6*d.*

PHYLLIS, a large round flower, of a very pale lemon-yellow colour. 1*s.* 6*d.*

PROGNE, a large well-formed flower of a rich magenta-rose colour. 1*s.* 6*d.*

PURPUREUM, very fine purple-coloured flowers, shaded with magenta. 1*s.*

RICHESSE, bright rose, marked with silvery white, and veined with dark rose; very fine. 1*s.* 6*d.*

ROSEUM ALBUM, silver-white, shaded with rose; flowers of perfect shape, very dwarf, and most floriferous. 7*s.* 6*d.*

ROSEUM COMPACTUM, deep rose, very dwarf and compact. 1*s.* 6*d.*

ROSY MORN, a beautiful flower of a bright rose colour. 1*s.* 6*d.*

ROYAL SCARLET, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1*s.* 6*d.*

SCARLET GEM, very distinct, produces its brilliant red flowers when only a few inches high. 1*s.*

SELLOWIANUM VARIEGATUM, 2*s.* 6*d.*

SERAPH, pure white. 1*s.* 6*d.*

SILVER BELL, French white, with deep red veins, very distinct and pretty. 1*s.* 6*d.*

STRIATUM SPLENDIDUM, bright orange, striped with rich crimson. 1*s.*

ABUTILONS—continued.

THE PREMIER, very large rosy purple flowers of intense brightness. 1*s.* 6*d.*
THOMSONI PLENUM, fine double deep rich orange flowers, shaded and streaked with crimson. 1*s.*
TRIBUTE, blush pink, veined with rose, and flushed with lilac. 1*s.* 6*d.*
TROPHY, yellow, veined with carmine. 1*s.* 6*d.*
VENOSUM ROSEUM, soft rose. 1*s.* 6*d.*
VILLE SOLEIL, a very floriferous dwarf variety; dark carmine cerise flowers, shaded and darkly veined with rich orange brown. 7*s.*6*d.*
VEXILLARIUM GRANDIFLORUM, a hybrid variety, producing a profusion of dark cerise flowers with crimson throat, very distinct. 7*s.* 6*d.*
VIVID COMPACTUM, large bright scarlet flowers, compact habit. 1*s.* 6*d.*
ZARA, clear lemon-yellow. 1*s.* 6*d.*

NEW, RARE, AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES PURPUREA, remarkable for its large dark purple leaves and vigorous growth, making one of the largest trees with purple leaves. 2*s.* 6*d.*
ACER PLATANOIDES SCHWEDLERI, 3*s.* 6*d.*
POLYMORPHUM ATROPURPUREUM, 3*s.* 6*d.*
ACIPHYLLA SQUARROSA, 2*s.* 6*d.* and 3*s.* 6*d.*
ACORUS JAPONICUS SIEBOLDII STRIATUS, 2*s.* 6*d.*

AGAVE UTAHENSE.

A distinct hardy species from the Rocky Mountains, with narrow silvery leaves, radiating, and as it were, forming a star. 3*s.* 6*d.*

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9*s.* and 12*s.* per dozen.

AKEBIA QUINATA, 1*s.* 6*d.*
ALSTROMERIA CHILENSIS, 1*s.*
ALTHÆA FRUTEX, *vide* Hibiscus syriacus
AMARYLLIS BELLADONNA, 9*d.* and 1*s.* each; 6*s.* and 9*s.* per dozen
AMPELOPSIS SEMPERVIRENS, 5*s.*
TRICUSPIDATA, *(Vitis japonica)*, 1*s.* 6*d.* & 2*s.* 6*d.*
AMYGDALUS PERSICA FOLIIS PURPUREIS, 2*s.* 6*d.*& 3*s.* 6*d.*
PERSICA, other sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
ANDROMEDA JAPONICA, 5*s.*
ARALIA MAXIMOWICZII, now and distinct, 3*s.* 6*d.*
ARISÆMA CORNUTUM *(Sauromatum guttatum)*, 3*s.* 6*d.*
ARUNDO CONSPICUA, 1*s.* 6*d.* and 2*s.* 6*d.*
ASCLEPIAS TUBEROSA, 1*s.*
ASPIDISTRA LURIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
LURIDA VARIEGATA, 3*s.* 6*d.*
ASTILBE BARBATA *(Hoteia japonica, Spiræa barbata)*, 1*s.*
AUCUBA JAPONICA FŒMINA, various sorts, 3*s.* 6*d.* and 5*s.*
JAPONICA LUTEO-PICTA, 7*s.* 6*d.*
—— MASCULA, various sorts, 3*s.* 6*d.* and 5*s.*
AZALEA LINEARIFOLIA, 5*s.*

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*

AZALEAS, hardy varieties, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen
AZARA MICROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
BAMBUSA AUREA,
FORTUNEI VARIEGATA, 1*s.* 6*d.*
MAXIMOWICZII, 3*s.* 6*d.* and 5*s.*
METAKE, 2*s.* 6*d.* and 3*s.* 6*d.*
NIGRA, 3*s.* 6*d.*
NANA, 3*s.* 6*d.* and 5*s.*
SIMONII, 3*s.* 6*d.*
TRICOLOR, 7*s.* 6*d.*
BERBERIS AMURENSIS, 5*s.*
CORDIFORMIS, 5*s.*
BERBERIS HETEROPONA, 5*s.*
STENOPHYLLA, 1*s.* 6*d.* and 2*s.* 6*d.*
THUNBERGII, 5*s.*
of sorts, 3*s.* 6*d.* and 5*s.*
BETULA ALBA FOLIIS ATROPURPUREIS, 3*s.* 6*d.*
BIGNONIA GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
RADICANS MAJOR, 1*s.* 6*d.* and 2*s.* 6*d.*
BOCCONIA JAPONICA, 3*s.* 6*d.*
CALOCHORTUS, of sorts, 12*s.* per dozen
CALYCANTHUS FLORIDUS (ALLSPICE TREE) 1*s.* 6*d.* and 2*s.* 6*d.*
PRÆCOX, *vide* Chimonanthus fragrans
CAMPANULA TURBINATA, 1*s.*

CARPENTARIA CALIFORNICA.

A new Californian shrub, producing large terminal bunches of white flowers, which have a similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 3*s.* 6*d.*

CEANOTHUS ARNOULDII, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
CHOISYA TERNATA, 2*s.* 6*d.*
CHIMONANTHUS FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
CHRYSANTHEMUMS, *vide* Index.
CINNAMOMUM SERICEUM, 5*s.*

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18*s.* and 30*s.* per dozen. New varieties 42*s.* per dozen.

CLEMATIS COCCINEA, 3*s.* 6*d.*
CLEMATIS JACKMANNI ALBA, 7*s.* 6*d.* and 10*s.* 6*d.*

CLEMATIS PANICULATA.

A hardy climbing plant, furnished with pinnately decompound leaves. The flowers are white, in axillary panicles, numerous, sweet-scented, and resembling those of *C. Flammula*. It is a native of Japan, where it is found in the neighbourhood of Nagasaki. 3*s*. 6*d*.

CORNUS BRACHYPODA, 1*s*. 6*d*.
MASCULA AUREO-ELEGANTISSIMA, 2*s*. 6*d*.
CORYLOPSIS SPICATA, 2*s*. 6*d*.
CORYLUS AVELLANA AUREA, 7*s*. 6*d*.
COTONEASTER FONTANESII, *vide* page 7
CRATÆGUS CARRIÈRI, large white flowers, turning to rose, fruit as large as a cherry. 5*s*.
CYPRIPEDIUM ACAULE, 3*s*. 6*d*. and 5*s*.
SPECTABILE, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]
DELPHINIUMS, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.
DESMODIUM PENDULIFLORUM, 1*s*. 6*d*. and 2*s*. 6*d*.
DEUTZIA CRENATA CANDIDISSIMA PLENA, 2*s*. 6*d*.
DEUTZIA, PRIDE OF ROCHESTER, a handsome flowering new double variety, *vide* illustration. 1*s*. 6*d*. each; 12*s*. per dozen.
DIELYTRA SPECTABILIS, 1*s*. and 1*s*. 6*d*.
DIMORPHANTHUS MANDCHURICUS, 1*s*. 6*d*.
EREMURUS ROBUSTUS, 5*s*.
ERIGERON AURANTIACUM, 2*s*. 6*d*.
ERYTHRINA, *vide* pages 33 and 64
ESCALLONIA MACRANTHA, 2*s*. 6*d*.
EUCRYPHIA PINNATIFOLIA, 10*s*. 6*d*.
EUGENIA UGNI, 1*s*. 6*d*. and 2*s*. 6*d*.
EULALIA JAPONICA ALBO-LINEATA, 2*s*. 6*d*. and 3*s*. 6*d*.
JAPONICA ZEBRINA, 2*s*. 6*d*. and 3*s*. 6*d*.
FRAXINUS MANDCHURICUS, 3*s*. 6*d*.
POTAMOPHILA, 3*s*. 6*d*.
FREESIA HYBRIDA, LEICHTLINII, REFRACTA, —— ALBA } *vide* page 64
GEUM STRICTUM, 1*s*. 6*d*.
GLADIOLUS PURPUREO-AURATUS, 1*s*. 6*d*. and 2*s*. 6*d*.
GUNNERA SCABRA, 3*s*. 6*d*.

CRATÆGUS LÆLANDII, 1*s*.
ORIENTALIS SANGUINEA, 2*s*. 6*d*.
CRINUM CAPENSE ALBUM, 1*s*. 6*d*.
CAPENSE ROSEUM, 1*s*. 6*d*.
MOOREI, *vide* page 59
CROCOSMA AUREA, 1*s*. 6*d*.
CYCLAMEN EUROPÆUM, 6*s*. per dozen.
CYDONIA JAPONICA, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.

DEUTZIA PRIDE OF ROCHESTER.

HALESIA (PTEROSTYRAX) HISPIDA.

The leaves of this hardy shrub are as large as those of a deciduous Magnolia; it gives in spring large bunches of white flowers. 3*s*. 6*d*.

HEDERA HELIX AURANTIACA, this is the scarlet berried Ivy, 3*s*. 6*d*.
HELIX HIBERNICA VARIEGATA, 2*s*. 6*d*.
HEDERA AMURENSIS, 3*s*. 6*d*.
ATROPURPUREA, 3*s*. 6*d*.
HEMEROCALLIS, of sorts, 9*d*. and 1*s*.

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 9*s*. and 12*s*. per dozen.

HIBISCUS SYRIACUS (ALTILÆA FRUTEX), 1*s*.
SYRIACUS AMPLISSIMUS, 1*s*. 6*d*.
—— ALBO-PLENUS, 1*s*. 6*d*.
—— AMARANTHE, 1*s*. 6*d*.
—— ARDENS, 1*s*. 6*d*.
—— BICOLOR HYBRIDUS, 1*s*. 6*d*.
—— BOULE DE FEU, 1*s*. 6*d*.
—— CARNEUS PLENUS, 1*s*. 6*d*.
—— COMTE DE FLANDRE, 1*s*. 6*d*.
—— —— DE HAINAULT, 1*s*. 6*d*.
—— CÆLESTIS, 1*s*. 6*d*.
—— DE LA VEUNE, 1*s*. 6*d*.
—— ELEGANTISSIMUS, 1*s*. 6*d*.
—— FASTUOSUS, 1*s*. 6*d*.

HIBISCUS SYRIACUS GRANDIFLORUS SUPERBUS, 1*s*. 6*d*.
SYRIACUS LADY STANLEY, 1*s*. 6*d*.
—— MONSTROSUS, 1*s*. 6*d*.
—— PÆONIÆFLORUS, 1*s*. 6*d*.
—— PULCHERRIMUS PLENUS, 1*s*. 6*d*.
—— PUNICEUS PLENUS, 1*s*. 6*d*.
—— PURPUREUS RUBER FL. PLENISSIMO, 1*s*. 6*d*.
—— —— VARIEGATUS, 1*s*. 6*d*.
—— ROSEO PLENUS, 1*s*. 6*d*.
—— SPECIOSUS, 1*s*. 6*d*.
—— —— RUBER, 1*s*. 6*d*.
—— SPECTABILIS FL. PL., 1*s*. 6*d*.
—— TOTUS ALBUS, 1*s*. 6*d*.

HIBISCUS SYRIACUS VARIEGATUS PLENUS, 1*s.* 6*d.*
SYRIACUS VIOLACEUS ATROPURPUREUS FLORE-PLENISSIMO, 1*s.* 6*d.*
—— VIOLACEUS VARIEGATUS, 1*s.* 6*d.*
See also pages 36 and 64
HOTEIA JAPONICA, *vide* Astilbe barbata
HYACINTHUS CANDICANS, 9*s.* and 12*s.* per doz.
HYDRANGEA PANICULATA GRANDIFLORA, 1*s.* and 1*s.* 6*d.*
HYPERICUM PATULUM, 1*s.* 6*d.*
IDESIA POLYCARPA (POLYCARPA MAXIMOWICZII), 2*s.* 6*d.*
IRIS CRISTATA, 1*s.* 6*d.*
ILEXAGONA, 1*s.* 6*d.*
IBERICA, 1*s.* and 1*s.* 6*d.*

IRIS GERMANICA.

The handsome hybrids of this beautiful section, are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 6*s.*, 9*s.*, and 12*s.* per dozen; choice mixed varieties, 3*s.* and 4*s.* per dozen.

IRIS KÆMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore be most highly recommended. 2*s.* 6*d.* and 3*s.* 6*d.*; choice varieties, 5*s.* and 7*s.* 6*d.*

IRIS PUMILA, 1*s.*
ROBINSONIANA, *vide* page 65
SIBIRICA, 1*s.*
SUSIANA, 1*s.*
TECTORUM, 3*s.* 6*d.*
JUNCUS LÆTEVIRENS, 3*s.* 6*d.*
ZEBRINUS, *vide* Scirpus Tabernæmontani
KOLREUTERIA PANICULATA, 1*s.* 6*d.*
LARDIZABALA BITERNATA, 3*s.* 6*d.*
LAVATERA ARBOREA VARIEGATA, *vide* page 65.
LIATRIS PYCNOSTACHYA (Kansas Gay Feather), 1*s.* 6*d.* each; 12*s.* per dozen.
LIBERTIA FORMOSA, 6*d.*
IXIOIDES, 6*d.*

LILIUMS.

LILIUM AURATUM.

AURATUM, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
Dormant bulbs at the proper season, 9*d.*, 1*s.*, and 1*s.* 6*d.* each.
—— **CANDIDUM**, 10*s.* 6*d.*
—— **PLATYPHYLLUM**, a handsome new variety giving gigantic flowers with large and very broad segments, much greater in substance than the ordinary variety, 10*s.* 6*d.*
—— **RUBRO-VITTATUM**, 31*s.* 6*d.* and 42*s.*
—— **VIRGINALE**, 31*s.* 6*d.* and 42*s.*
BATEMANÆ, 2*s.* 6*d.*
BLOOMERIANUM, 3*s.* 6*d.* and 5*s.*
BROWNII, very handsome large flowers, trumpet-shaped, internally white, externally purplish brown. 5*s.*
BULBIFERUM, 1*s.* 6*d.*
BYZANTINUM, *vide* chalcedonicum
CALIFORNICUM, 3*s.* 6*d.* and 5*s.*
CALLOSUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CANADENSE, 1*s.* 6*d.* and 2*s.* 6*d.*
—— **RUBRUM**, 2*s.* 6*d.*
CANDIDUM, 4*d.* and 6*d.*
—— **FLORE-PLENO**, 1*s.*
CHALCEDONICUM (BYZANTINUM), an effective and showy Lily, with brilliant scarlet flowers. 2*s.* 6*d.*
COLUMBIANUM, 2*s.* 6*d.* and 3*s.* 6*d*
CONCOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
—— **CORIDION**, 2*s.* 6*d.* and 3*s.* 6*d.*
CORDIFOLIUM, a rare Japanese Lily. 5*s.* & 7*s.*6*d.*
CROCEUM (AURANTIACUM), 4*d.*
DALMATICUM, *vide* Martagon dalmaticum
DAVURICUM, the true species from Siberia. 2*s.* 6*d.*
—— **ERECTUM**, 6*d.*
—— **FULGIDUM** (SAPPHO), 6*d.*
—— **GRANDIFLORUM**, 6*d.*
—— **IMMACULATUM**, 6*d.*
—— **INCOMPARABILE**, 6*d.*
ELEGANS (THUNBERGIANUM), 1*s.* 6*d.*
—— (——) **ALUTACEUM**, 6*d.*
—— ( ) **ATROSANGUINEUM FULGENS**, 9*d.*

ELEGANS (BICOLOR) THUNBERGIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
—— (——) **FORMOSUM**, 3*s.* 6*d.*
—— (——) **HÆMATOCHROUM**, 7*s.* 6*d.*
—— (——) **LATERITIUM** (BILIGULATUM), 1*s.*
—— (——) **MACULATUM**, 2*s.* 6*d.*
—— (——) **PRINCE OF ORANGE**, 1*s.* 6*d.*
—— (——) **SCINTILLANS**, 7*s.* 6*d.*
—— (——) **STAMINOSUM**, 2*s.* 6*d.*
EXCELSUM, *vide* testaceum
EXIMIUM, *vide* longiflorum eximium
GIGANTEUM, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
HANSONI, bright golden yellow, spotted with crimson, 7*s.* 6*d.*
HUMBOLDTII, a splendid species from Humboldt county, California; quite hardy, and produces fine spikes, of from 6 to 20 large golden yellow flowers, spotted with purple. 2*s.* 6*d.* and 3*s.* 6*d.*
KAMSCHATICUM (SARANA), 3*s.* 6*d.*
KRAMERI, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 2*s.* 6*d.* & 3*s.* 6*d.*
LANCIFOLIUM, *vide* speciosum
LEICHTLINI, very rare, 7*s.* 6*d.*

LONGIFLORUM FLORIBUNDUM. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide* illustration. 2*s.* 6*d.* & 3*s.* 6*d.* Gigantic bulbs, 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*

LONGIFLORUM, 9*d.* and 1*s.*
—— **EXIMIUM**, 2*s.* 6*d.* and 3*s.* 6*d.*
—— **FOL. ALBO-MARGINATIS**, 2*s.* 6*d.* & 3*s.* 6*d.*
—— **HARRISII**, 1*s.* 6*d.* and 2*s.* 6*d.*
—— **WILSONI**, one of the handsomest white Lilies known. 2*s.* 6*d.* and 3*s.* 6*d.*
MARTAGON (Turk's Cap Lily). 6*d.*
—— **ALBUM**, 5*s.*
—— **AURANTIACUM**, *vide* pyrenaicum
—— **COCCINEUM**, *vide* chalcedonicum
—— **DALMATICUM**, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish purple colour. 2*s.* 6*d.* and 3*s.* 6*d.*
—— **DALMATICUM CATTANIÆ**, purple, 2*s.* 6*d.* and 3*s.* 6*d.*
MONADELPHUM SZOVITZIANUM, rich citron colour, spotted with black; anthers of a rich chocolate brown; flowers most deliciously fragrant; one of the best of the Lilies; when established, the flower stems grow from 3 to 4 feet high and produce as many as twenty of its attractive blossoms. 1*s.* 6*d.* and 2*s.* 6*d.*
NEILGHERRENSE, 5*s.* and 7*s.* 6*d.*
PARDALINUM, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden orange colour, attractively spotted with maroon-purple. 2*s.* 6*d.* and 3*s.* 6*d.*
BOURGÆI, 3*s.* 6*d.*
PARRYI, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3*s.* 6*d.* and 5*s.*
PHILADELPHICUM, 1*s.* 6*d.* and 2*s.* 6*d.*
POMPONIUM, an elegant species with bright scarlet flowers. 1*s.* 6*d.* and 2*s.* 6*d.*
extra strong English grown bulbs, 3*s.* 6*d.*
PUBERULUM, 3*s.* 6*d.* and 5*s.*
PULCHELLUM, a pretty neat growing Lily, with brilliant vermilion flowers, spotted with black, 2*s.* 6*d.* and 3*s.* 6*d.*
PURPUREUM (RUBESCENS), 3*s.* 6*d.* and 5*s.*
PYRENAICUM, 9*d.* and 1*s.*
RUBESCENS, *vide* purpureum.
SPECIOSUM (LANCIFOLIUM) ALBUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— **(LANCIFOLIUM) ALBUM CORYMBIFLORUM**, 1*s.*
—— (——) **CRUENTUM**, 3*s.* 6*d.*
—— (——) **KRÆTZERI**, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 2*s.* 6*d.* and 3*s.* 6*d.*
—— (——) **MELPOMENE**, 5*s.*
—— (——) **PUNCTATUM**, 2*s.* 6*d.* and 3*s.* 6*d.*
—— (——) **PURPURATUM**, 3*s.* 6*d.*
—— (——) **ROSEUM**, 9*d.* and 1*s.*
—— (——) **RUBRUM**, 9*d* and 1*s.*.
—— (——) —— **CORYMBIFLORUM**, 1*s.* 6*d.*
—— (——) —— **MAGNIFICUM**, 7*s.* 6*d.*
—— (——) —— **SUPERBUM**, 2*s.* 6*d.* and 3*s.* 6*d.*
—— (——) **SCHRYMAKERSI**, 3*s.* 6*d.*
SUPERBUM, 1*s.* and 1*s.* 6*d.*
—— **PYRAMIDALE**, 2*s.* 6*d.* and 3*s.* 6*d.*

LILIUMS.—continued.

SZOVITZIANUM, *vide* monadelphum Szovitzianum

TENUIFOLIUM, bright scarlet, of neat growth; a charming Lily, 1*s.* 6*d.* and 2*s.* 6*d.*

TESTACEUM (EXOELSUM), nankeen coloured flowers, 1*s.* 6*d.* and 2*s.* 6*d.*

THUNBERGIANUM, *vide* elegans.

TIGRINUM, 4*d.* and 6*d.*

—— **FLORE-PLENO**, 9*d.* and 1*s.*

—— **FORTUNEI**, 6*d.* and 9*d.*

TIGRINUM LEOPOLDII, bright orange-scarlet; large dark spots; exceedingly attractive; this and the double-flowered variety are the most handsome of the *tigrinum* section, 2*s.* 6*d.*

—— **SPLENDENS**, 1*s.*

VENUSTUM, 1*s.* 6*d.*

WALLICHIANUM, 7*s.* 6*d.* and 10*s.* 6*d.*

WASHINGTONIANUM, this noble Lily inhabits the Western slope of the Californian Sierra Nevada; the flowers are white, slightly flushed with lilac, and sweet-scented, 2*s.* 6*d.* and 3*s.* 6*d.*

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3*s.* 6*d.*

MAGNOLIA CAMPBELLII, 10*s.* 6*d.* and 15*s.*

CONSPICUA, 3*s.* 6*d.*

LENNEI, 5*s.*

PURPUREA, 2*s.* 6*d.*

SOULANGEANA, 3*s.* 6*d.*

of sorts, 3*s.* 6*d.* and 5*s.* to 10*s.* 6*d.*

MALUS FLORIBUNDUS, 1*s.* 6*d.*

HALLEANUS, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2*s.* 6*d.*

MAXIMOWICZIA CHINENSIS, 1*s.* 6*d.*

MILLA BIFLORA, 5*s.* per dozen.

MONTBRETIA CROCOSMÆFLORA, 1*s.* 6*d.*

CROCOSMÆFLORA BOUQUET PARFAIT, spikes of very large flowers, centre dark orange yellow, the upper part bright vermilion, 7*s.* 6*d.*

MONTBRETIA CROCOSMÆFLORA ETOILE DE FEU, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow, 7*s.* 6*d.*

CROCOSMÆFLORA GERBE D'OR, a dwarf and proliferous variety, producing magnificent golden yellow flowers, 7*s.* 6*d.*

POTTSII, 1*s.* 6*d.*

NEVIUSIA ALABAMENSIS, 3*s.* 6*d.*

NYMPHÆA ALBA, 3*s.* 6*d.* and 5*s.*

OPUNTIA RAFINESQUIANA, 2*s.* 6*d.*

PANAX SESSILIFLORUM, 5*s.*

PÆONIA ARBOREA (Tree Pæony), choice sorts, 5*s.* each, 42*s.* per dozen.

PASSIFLORA CÆRULEA, 1*s.* 6*d.* and 2*s.* 6*d.*

PHELLODENDRON AMURENSE, "The Cork Tree of the Amoor," 3*s.* 6*d.*

PASSIFLORA "CONSTANCE ELIOTT."

This charming Passiflora has been awarded a first-class certificate by the Royal Horticultural Society. It is hardy, a free grower, and produces in the greatest profusion sweet scented, pure ivory-white flowers, almost without a trace of the bluish tinge peculiar to the type. The inner surface of the sepals and the petals is white; the coronal rays being ivory-white, tinged with yellow towards the tips. 3*s.* 6*d.*

PHILADELPHUS GRANDIFLORUS SPECIOSISSIMUS PLENUS.

An extremely beautiful and ornamental hardy shrub, producing very large white flowers, which have a full double centre, and are deliciously scented. 5*s.*

PHILADELPHUS KETELEERI FLORE-PLENO, 2*s.* 6*d.*

PHILADELPHUS MULTIFLORUS PLENUS, 1*s.* 6*d.*

PRIMULÆFLORUS, 3*s.* 6*d.*

PHILADELPHUS MICROPHYLLUS.

A small-leaved species of dwarf and compact habit, introduced from California, freely produces large white flowers, most deliciously scented. 2*s.* 6*d.*

PHILADELPHUS ROSÆFLORUS PLENUS.

A splendid variety, producing fine large flowers which are very full and double, composed of large imbricated pure white petals. 3*s.* 6*d.*

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s.* and 18*s.* per doz.

PIERIS OVALIFOLIA DENSIFLORA.

An evergreen shrub of elegant character and vigorous constitution, introduced from Assam. The leaves are acuminate, of firm texture, and slightly scabrous. The flowers are white, and grow in racemes at the ends of the branches. 3*s.* 6*d.* and 5*s.*

PIPER FUTOKADSURA, 3*s.* 6*d.* and 5*s.*

POLYCARPA MAXIMOWICZII, *vide* Idesia polycarpa

POLYGONUM MULTIFLORUM.

A free-growing climbing or trailing plant, of slender habit, with a tuberous root and terete stems, bearing on slender purplish petioles, cordate-ovate acuminate glabrous leaves of a shining satiny green colour, tinted with purple beneath. The flowers are small but very numerous, whitish, and borne in loose spreading panicles. The plant is a native both of China and Japan, but although the young shoots die down in winter, the rootstock has proved quite hardy. 2*s.* 6*d.* and 3*s.* 6*d.*

POLYGONUM SACHALINENSE.

A free-growing perennial herbaceous plant, producing stout erect branched stems, furnished with large ovate oblong leaves, cordate at the base, having red footstalks, and traversed by a red mid-rib. The flowers grow in small compound racemes. It will form a distinct plant for the herbaceous border, and coming from the Amoor country is perfectly hardy. 1*s.* 6*d.* and 2*s.* 6*d.*

POPULUS CANADENSIS AUREUS VAN GEERTII, foliage of an attractive golden hue. 2*s.* 6*d.*
POTENTILLA, handsome double-flowered kinds. 1*s.* 6*d.* and 2*s.* 6*d.*
PRIMULA AMŒNA, *vide* P. Sieboldii
CARNIOLICA, 2*s.* 6*d.*
CASHMERIANA, 1*s.*
CORTUSOIDES ALBA, 2*s.* 6*d.*
—— HYBRIDA, 2*s.* 6*d.*
INTERMEDIA, 3*s.* 6*d.*
—— MINSTREL, 3*s.* 6*d.*
JAPONICA, 1*s.* and 1*s.* 6*d.*
—— of sorts, 3*s.* 6*d.*
SIEBOLDII, 1*s.* 6*d.*
PRIMULA SIEBOLDII ALBA, 3*s.* 6*d.*
SIEBOLDII CLARKIÆFLORA, 3*s.* 6*d.*
—— CERULEA ALBA, 3*s.* 6*d.*
—— FIMBRIATA OCULATA, 3*s.* 6*d.*
—— HERMIA, 3*s.* 6*d.*
—— LACINIATA, 3*s.* 6*d.*
—— —— PERFECTA, 3*s.* 6*d.*
—— —— ROSEA, 3*s.* 6*d.*
—— LAVATERA, 3*s.* 6*d.*
—— LILACINA MARGINATA, 3*s.* 6*d.*
—— OPHELIA, 3*s.* 6*d.*
—— PINK BEAUTY, 3*s.* 6*d.*
—— VENUS, 3*s.* 6*d.*
—— VIOLACEA, 3*s.* 6*d.*

PRUNUS PISSARDII.

A remarkably ornamental novelty, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found a most effective plant for out-door decoration, the rich hue of its foliage being particularly attractive. 2*s.* 6*d.* and 3*s.* 6*d.*

PRUNUS DOMESTICA FOLIIS VARIEGATIS, 3*s.* 6*d.*
SINENSIS ALBO-PLENA, 2*s.* 6*d.*
PRUNUS SINENSIS RUBRO-PLENA, 2*s.* 6*d.*
TRILOBA, 1*s.* 6*d.*

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven-lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading, and densely packed with spike-like greenish flowers. 2*s.* 6*d.*

RHODODENDRONS, choice hybrids of sorts, to name, 3*s.* 6*d.* and 5*s.*
RHUS GLABRA LACINIATA, 1*s.* and 1*s.* 6*d.*
RIBES ALPINUM PUMILUM AUREUM, 5*s.*
RICHARDIA AFRICANA, 1*s.* and 1*s.* 6*d.*
RICHARDIA ALBO-MACULATA, 1*s.* and 1*s.* 6*d.*
ROSA RUGOSA ALBA, 1*s.* 6*d.* and 2*s.* 6*d.*
RUGOSA REGELIANA, 1*s.* 6*d.* and 2*s.* 6*d.*
RUBUS ARCTICUS FRUTICOSUS, 3*s.* 6*d.*

RUBUS CRATÆGIFOLIUS.

Introduced from Mandchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1*s.* 6*d.* each. 12*s.* per dozen.

RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple and furnished with red thorns; the leaves are small, trifoliolate, with the leaflets deeply incised-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3*s.* 6*d.*

RUBUS FRUTICOSUS KITTATINNY, 2*s.* 6*d.*,
FRUTICOSUS MAMMOTH, 2*s.* 6*d.*
—— NEW ROCHELLE, 2*s.* 6*d.*
—— SNYDER, 2*s.* 6*d.*
—— WILSON'S EARLY, 2*s.* 6*d.*
} highly esteemed American Blackberries.
PARVIFOLIUS, the crimson fruited Bramble, 3*s.* 6*d.*
PHŒNICOLASIUS, 5*s.*

SALIX BABYLONICA MASCULA, 2*s.* 6*d.*
SALIX PENTANDRA, 1*s.* 6*d.*
SAUROMATUM, *vid* Arisæma.
SAXIFRAGA CILIATA, 1*s.* 6*d.*
McNABIANA, 3*s.* 6*d.*

SAXIFRAGA PELTATA.

This remarkable and attractive plant is of robust growth, and has immense roundly lobed dark green leaves, about fifteen to eighteen inches in diameter. The flowers which are of a beautiful rose colour, are most abundantly borne on a tall erect spike, upwards of a foot in height. 1*s.* 6*d.*

SCIRPUS (JUNCUS) TABERNÆMONTANI ZEBRINUS, 3*s.* 6*d.* and 5*s.*
SEDUM MAXIMOWICZII, 1*s.* 6*d.*
SPURIUM SPLENDENS, 1*s.* 6*d.*
SENECIO PULCHER, 1*s.* 6*d.*
See also page 70

SKIMMIA OBLATA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPIRÆA AMURENSIS, 1*s.* 6*d.*
ASTILBOIDES, *vide* page 82
BARBATA, *vide* Astilbe barbata.
PALMATA, 1*s.* and 1*s.* 6*d.*
—— ALBA, 5*s.* and 7*s.* 6*d.*



SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which has been certificated both by the Royal Horticultural and Royal Botanic Societies on account of its great merit. The stems grow from two to three feet high, and are terminated by compound feathery branches of elegant white flowers, produced in the greatest profusion. A charming plant for pot culture. This is one of the Twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington, in 1882. 10*s.* 6*d.*

SPIRÆA PALMATA ELEGANS.

A very distinct and pretty variety, in habit and foliage similar to *Spiræa palmata*, but with white flowers and conspicuous red stamens, which render it extremely effective. 2*s*. 6*d*.

STAPHYLEA COLCHICA, 2*s*. 6*d*. and 3*s*. 6*d*.
STATICE LATIFOLIA, 1*s*.
STAUNTONIA LATIFOLIA, 2*s*. 6*d*.
STYRAX OALIFORNICA, 7*s*. 6*d*.
STYRAX JAPONICA, 3*s*. 6*d*.
SYRINGA HYBRIDA HYACINTHIFLORA PLENA, 1*s*. 6*d*.
VULGARIS FLORE-PLENO LEMOINEI, *vide* page 84

SYRINGA VULGARIS FLORE-PLENO ALPHONSE LAVALLEE.

A very handsome and attractive variety bearing enormous thyrses of double flowers, much branched the shape of the bunch being all that could be desired. The buds are purple, opening a beautiful sky blue shaded with violet. 10*s*. 6*d*.

SYRINGA VULGARIS FLORE-PLENO LE GAULOIS.

An extremely attractive variety producing large close thyrses of very double flowers, of a dark peach colour, light centres. 5*s*.

SYRINGA VULGARIS FLORE-PLENO MATHIEU DE DOMBASLE.

A splendid double-flowered variety, producing immense thyrses nearly a foot long and from seven to nine inches broad; the expanded flowers of a beautiful reddish mauve colour. 3*s*. 6*d*.

SYRINGA VULGARIS FLORE-PLENO MICHEL BUCHNER.

A grand variety, producing fine erect pyramidal shaped thyrses of beautiful double flowers. The petals are prettily imbricated, pale lilac margined with rose; a vigorous grower of superior merit. 10*s*. 6*d*.

SYRINGA VULGARIS FLORE-PLENO RENONCULE.

A fine variety, giving long erect thyrses of very full double flowers, which are of an azure-mauve colour and have a very strong perfume. 2*s*. 6*d*.

SYRINGA VULGARIS RUBELLA PLENA.

An extremely floriferous variety, producing long erect thyrses of full double flowers, of a clear reddish violet colour; the buds are purple. 2*s*. 6*d*.

TIGRIDIA CONCHIFLORA, 3*s*. per dozen.
GRANDIFLORA, 4*s*. per dozen.
—— ALBA, 4*s*. per dozen.
—— AURANTIACA, 4*s*. per dozen.
These can be supplied, when dormant, by the dozen or hundred at the proper season.

TRICYRTIS HIRTA, 1*s*.
HIRTA FLORE-NIGRO, 1*s*.
TRITOMA BURCHELLII, 1*s*.
GRANDIS, 2*s*. 6*d*.
ROOPERI, 1*s*. 6*d*.
TRITOMA UVARIA GLAUCESCENS, 1*s*. 6*d*.
UVARIA GRANDIFLORA, 2*s*. 6*d*.
TRITONIA AUREA, *vide* CROCOSMIA AUREA.
UMBILICUS LIEVENII, 2*s*. 6*d*.

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *Vide* page 72.

VIBURNUM SIEBOLDII.

A bold and effective evergreen shrub, with dark brown warted branches, and opposite dark green flat leaves, which are thick, coriaceous, and laurel-like in character. The leaf-stalks are about an inch long, the blades broadly oblong oval, entire in the lower half, and obscurely and bluntly serrated towards the apex. It is a native of Japan. 5*s*.

VITIS JAPONICA, *vide* Ampelopsis tricuspidata
VINIFERA PURPUREA, 5*s*.
WEIGELA ABEL CARRIERE, 1*s*. 6*d*.
AMABILIS LOOYMANSII AUREA, 1*s*. 6*d*.
WEIGELA AUG. WILHELM, 2*s*. 6*d*.
BERANGER, 2*s*. 6*d*.
DOCTEUR BAILLON, 1*s*. 6*d*.
EDOUARD ANDRÉ, 1*s*. 6*d*.

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1*s*. 6*d*. each; 12*s*. per dozen.

WEIGELA DIDEROT.

A very attractive and free-blooming variety, with large brilliant red flowers. 5*s*.

WEIGELA EMILE GALLÈ, 2*s*. 6*d*.
GLOIRE DES BOSQUETS, 3*s*. 6*d*.
WEIGELA GRATISSIMA, 2*s*. 6*d*.
HORTENSIS NIVEA, 1*s*. 6*d*.

SYRINGA VULGARIS FLORE-PLENO LEMOINEI.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 3*s*. 6*d*. each; 30*s*. per dozen.

WEIGELA JEAN MACE.

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 3*s.* 6*d.*

WEIGELA MONTESQUIEU.

Fine reddish crimson flowers of perfect shape; a very handsome and distinct variety. 5*s.*

WEIGELA LAVALLEI, 1*s.* 6*d.*
PECHEUR FILS, 2*s.* 6*d.*
PURPUREA, 2*s.* 6*d.*
WISTARIA FRUTESCENS MAGNIFICA, 2*s.* 6*d.*
MULTIJUGA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, 2*s.* 6*d.*
—— ALBA, 5*s.*
SINENSIS, 2*s.* 6*d.*
WISTARIA SINENSIS ALBA, 2*s.* 6*d.*
SINENSIS FLORE-PLENO, 3*s.* 6*d.*
XANTHOCERAS SORBIFOLIA, 3*s.* 6*d.*
YUCCA ANGUSTIFOLIA, 5*s.*
BREVIFOLIA, 5*s.*
MACROCARPA, 5*s.*
RECURVA, 3*s.* 6*d.* and 5*s.*
—— VARIEGATA, 7*s.* 6*d.*

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Selections left to W. B. at 2, 3 and 4 guineas per dozen; collections made at 5, 7 and 10 guineas.

Abyssinian Banana	Músa Ensète	*Abyssinia*
African Mangosteen	Garcinia Livingstóni	*Africa*
African Rubber	Landolphia Watsonii	*Africa*
Allspice	Eugenia Pimenta	*W. Indies*
Arabian Coffee	Coffèa arábica	*Yemen*
Arrowroot	Maránta arundinácea	*S. America*
Arnotto Dye Plant	Bixa Orellána	*Tropical America*
Australian Banyan	Ficus macrophylla	*Australia*
Avocado Pear	Persea gratissima	*West Indies*
Balsam of Peru	Myróxylon Pereira	*Peru*
Banyan Tree	Ficus indica	*E. Indies*
Bark of Commerce	Cinchóna officinális	*Tropical America*
Bengal Quince	Ægle Marmelos	*E. Indies*
Betle Pepper	Piper Bétlo	*E. Indies*
Bitter Quassia	Quássia amára	*Guiana*
Black Pepper	Piper nigrum	*E. Indies*
Brazil Nut	Bertholléția excélsa	*Brazil*
Butter Tree	Bássia butyrácea	*E. Indies*
Cabbage Palm	Eutérpe edúlis	*Brazil*
Camphor	Cámphora officinális	*Japan*
Candle Tree	Parmentiéra cereifera	*Panama*
Cannon Ball Tree	Couroupita guianensis	*British Guiana*
Caoutchouc	Castillóa elástica	*Honduras*
Capo Chestnut	Calodendron capense	*Cape Colony*
Captain Cook's Tea Plant	Leptospérmum scopárium	*New Zealand*
Cardamon	Amómum Cardamómum	*E. Indies*
Cascarilla Bark	Croton Elutéria	*Bahama Islands*
Cassia	Cinnamomum Cassia	*East Indies*
Ceara Rubber	Manihot Glaziovii	*Brazil*
Chinese Plantain Tree	Músa Cavendishii	*China*
Cinnamon	Cinnamómum zeylanicum	*Ceylon*
Clove Tree	Caryophyllus aromáticus	*E. Indies*
Coca	Erythróxylon Cóca	*Peru*

Cocoa	Theobróma Cacáo	*Tropical America*
Coffee	Coffèa arábica	*Yemen*
Contrayerva Root	Dorsténia Contrayérva	*S. America*
Cuba Bast	Paritium elátum	*W. Indies*
Cubeb Pepper	Piper Cubéba	*Java*
Cundurango	Gonólobus Cundurángo	*S. America*
Date	Phœnix dactylifera	*Levant*
Durian	Durio zibethínus	*India*
Edible-fruited Passion Flower	Passiflóra edúlis	*Brazil*
Edible Vanguéria	Vanguéria edúlis	*Madagascar*
Elephant Apple	Feronia elephantum	*E. Indies*
Fiddle Wood	Citharéxylon quadrangulâro	*Jamaica*
Fig, Sacred	Ficus religiosa	*E. Indies*
Flame Tree	Brachychiton acerifólium	*New South Wales*
Fustick Wood	Maclúra tinctória	*W. Indies*
Gambogo	Zanthóchymus pictórius	*E. Indies*
Gigantic Granadilla	Passiflóra macrocárpa	*Rio Negro*
Ginger	Zingiber officinálo	*E. Indies*
Granadilla	Passiflóra quadranguláris	*W. Indies*
Guarana Tea Plant	Paullinia sórbilis	*Brazil*
Guava	Psídium Cattleyanum	*Brazil*
Gum Arabic Tree	Acacia arabica	*Arabia*
Ipecacuanha	Cephaëlis Ipecacuànha	*Brazil*
Ivory Nut Palm	Phytelophas macrocárpa	*Peru*
Jack Fruit	Artocarpus integrifolia	*W. Indies*
Jalap	Exogónium púrga	*Mexican Andes*
Japau Cinnamon	Cinnamómum sericoum	*Japan*
Japanese Pepper	Piper Futokadsura	*Japan*
Kokum Oil	Garcinia indica	*E. Indies*
Kola Nut	Cola acuminata	*Niger*
Latanier Palm	Latánia borbónica	*Bourbon*
Ledger's Bark	Cinchóna Ledgeriana	*S. America*
Lemon Grass	Cymbopógon Schœnánthus	*E. Indies*
Liberian Coffee	Coffèa libérica	*Africa*
Logwood Tree	Hæmatoxylon campechianum	*S. America*
Loquat	Eriobótrya japónica	*Japan*
Mahogany Tree	Swietenia Mahágoni	*W. Indies*
Malabar Silk Cotton Tree	Bombax malabaricum	*Malabar*
Mango	Mangifera indica	*E. Indies*
Mangosteen	Garcinia Mangostána	*Java*
Manilla Hemp	Músa textilis	*Philippine Isles*
Matico	Artánthe elongáta	*Peru*
Milk Tree	Galactodendron utile	*S. America*
Moreton Bay Chestnut	Castanospermum australe	*Australia*
Mustard Tree of Scripture	Salvadôra pérsica	*Persia*
Nardoo	Marsilea macrópus	*Australia*
Natal Plum	Arduina grandiflora	*Natal*
Netted-leaved Custard Apple	Anona reticulata	*S. America*
New Caledonian Apple	Eugénia magnifica	*New Caledonia*
New Zealand Tea Plant	Leptospérmum scopárium	*New Zealand*
Nutmeg	Myristica moschàta	*E. Indies*
Palissander Wood	Machærium firmum	*S. America*
Para Rubber	Hévea brasiliénsis	*Brazil*
Patchouli Scent Plant	Pogostémon Pátchouli	*E. Indies*
Poison Bulb	Buphâne (Brunsvigia) toxicaria	*Natal*
Poison Nut	Thevetia neriifolia	*W. Indies*
Queensland Nut	Macadámia ternifólia	*Queensland*
Queensland Plum	Davidsonia prurions	*Queensland*
Rhea Fibre Plant	Böhmeria nivea	*India*
Rhubarb	Rhéum officinâle	*China*
Sand Box Tree	Hura crepitans	*S. America*
Sandal Wood	Santalum album	*E. Indies.*
Sarsaparilla	Smilax Sarsaparilla	*N. America*
Satin Wood	Chloróxylon Switénia	*E. Indies*
Snake Wood	Cecrópia palmáta	*S. America*
Soap Berry	Quillaja Saponaria	*S. America*
Sour Sop	Anóna muricáta	*W. Indies*
South American Papaw	Cárica cundinamarcénsis	*Colombia*
Star Apple	Chrysophyllum Cainito	*W. Indies*
Sugar Cane	Sáccharum officinárum	*India*
Sweet Sop	Anona squamosa	*S. America.*

Sycamore Tree of Scripture	Ficus Sycomórus	*Egypt*
Tamarind Tree	Tamarindus indica	*E. Indies*
Tea	Théa Bohéa	*China*
Telegraph or Moving Plant	Desmódium gyrans	*E. Indies*
Tonga	Epipremnum mirábile	*South Sea Islands*
Tonquin Bean	Dipterix odorata	*Guiana*
Traveller's Tree	Ravenála madagascariénsis	*Madagascar*
Turpentine Tree	Pistácia Terebinthus	*S. Europe*
Vanilla	Vanilla aromática	*S. America*
Zerumbet Ginger	Zingiber Zerumbet	*E. Indies*

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have selections of living specimens made by W. B. from the preceding at 2, 3 and 4 guineas per dozen; or collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to any-one interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers to purchase good, established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 5, 10, 15 and 20 guineas each, and upwards.

S, distinguishes the stove kinds; I, intermediate house; C, cool house.

Those marked thus (*) are winter-blooming kinds.

I	**ACANTHEPHIPPIUM** JAVANICUM	Java	10*s.* 6*d.* and 15*s.*
I	STRIATUM	Assam	7*s.* 6*d.*
I	**ACINETA** BARKERI	Mexico	10*s.* 6*d.* and 15*s.*
I	ERYTHROXANTHA	South America	
I	HUMBOLDTII (superba)	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACROPERA** LODDIGESII	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	LUTEOLA	Mexico	10*s.* 6*d.* and 15*s.*
**C*	**ADA** AURANTIACA	Pamplona	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	**AËRANTHUS** LEONIS, *vide* Angræcum Leonis.		
I	**AËRIDES** AFFINE	Sylhet	5*s.*, 7*s.* 6*d.* to 21*s.*
I	AFFINE ROSEUM	Sylhet	10*s.* 6*d.* and 15*s.*
I	—— SUPERBUM	Sylhet	31*s.* 6*d.* and 42*s.*
S	CRASSIFOLIUM	Burmah	3*s.* 6*d.*, 5*s.* to 21*s.*
I	CRISPUM (Brookei)	Bombay	3*s.* 6*d.*, 5*s.* to 10*s.* 6*d.*
S	CYLINDRICUM (Vandarum)	East Indies	63*s.* and 84*s.*
S	EMERICII	Andaman Islands	63*s.* and 84*s.*
I	FIELDINOII (Fox Brush)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	FIELDINOII RUBRUM	East Indies	
S	HOULLETIANUM	Cochin China	63*s.* and 84*s.*
S	HUTTONI	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	JAPONICUM	Japan	7*s.* 6*d.* and 10*s.* 6*d.*
S	LARPENTÆ	East Indies	
S	LAWRENCEÆ	East Indies	
S	LEEANUM, *vide* A. HUTTONI		
I	LINDLEYANUM	Coonoor	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	LOBBII	Moulmein	10*s.* 6*d.* 15*s.* and 21*s.*
S	—— RUBRUM	Moulmein	
S	MACULOSUM	Bombay	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— SUPERBUM	Bombay	
S	NOBILE	India	21*s.* and 31*s.* 6*d.*
S	ODORATUM (cornutum)	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— MAJUS	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— PURPURASCENS	East Indies	15*s.* and 21*s.*

S	**AËRIDES** ORNITHORRHYNCHUM	East Indies	21*s.* and 31*s.* 6*d.*
S	QUINQUEVULNERUM	Philippine Islands	5*s.*, 7*s.* 6*d.* to 21*s.*
S	REGNIERI	Cochin China	
S	ROHANIANUM	East Indies	
S	RUBRUM	Bombay	63*s.* and 84*s.*
S	SANDERIANUM	East Indies	
S	SUAVISSIMUM	East Indies	15*s.* and 21*s.*
S	THIBAUTIANUM	East Indies	
S	VANDARUM, *vide* CYLINDRICUM		
S	VEITCHII	East Indies	105*s.*
S	VIRENS	Java	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— DAYANUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	—— SUPERBUM	East Indies	15*s.* and 21*s.*
I	WARNERI	Bombay	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**AGANISA** CÆRULEA	Brazil	
S	**ANŒCTOCHILUS** DAWSONIANUS, *vide* GOODYERA		
S	LOWII	Borneo	21*s.* and 31*s.* 6*d.*
S	SETACEUS CORDATUS	East Indies	21*s.* and 31*s.* 6*d.*
S	**ANGRÆCUM** ARCUATUM	Africa	
S	ARTICULATUM	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	BILOBUM	Cape Coast Castle	
S	CHAILLUANUM	West Coast of Africa	
S	CITRATUM	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s*
S	—— MAJUS	Madagascar	
S	DISTICHUM	West Coast of Africa	10*s.* 6*d.*, 15*s.* and 21*s.*
**S*	EBURNEUM (SUPERBUM)	Madagascar	21*s.* and 31*s.* 6*d.*
S	ELLISII	Madagascar	31*s.* 6*d.*, 42*s.* and 63*s.*
I	FALCATUM	Japan	10*s.* 6*d.* and 15*s.*
S	GRANDIFLORUM	Madagascar	105*s.*
S	LEONIS	Comoro Island	31*s.* 6*d.*, 42*s.* and 63*s.*
S	PERTUSUM	West Coast of Africa	
**S*	SESQUIPEDALE	Madagascar	42*s.*, 63*s.* and 84*s.*
**S*	—— MAJUS	Madagascar	
**S*	VIRENS (BRONGNIARTIANUM)	Madagascar	21*s.* and 31*s.* 6*d.*
I	**ANGULOA** CLOWESII	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	EBURNEA	Peru	
I	RUCKERII	South America	63*s.*
I	UNIFLORA	Colombia	15*s.* and 21*s.*
I	—— SUPERBA	Colombia	42*s.*
**S*	**ANSELLIA** AFRICANA	Sierra Leone	
I	**ARPOPHYLLUM** GIGANTEUM	Mexico	21*s.* and 31*s.* 6*d.*
I	SPICATUM	Mexico	10*s.* 6*d.* and 15*s.*
C	**BARKERIA** ELEGANS	Mexico	21*s.* and 31*s.* 6*d.*
C	CYCLOTELLA	Mexico	31*s.* 6*d.*
**C*	LINDLEYANA	Mexico	31*s.* 6*d.*
**C*	SKINNERI	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
C	SPECTABILIS	Mexico	
I	**BATEMANNIA** BURTII	South America	
I	COLLEYI	Demerara	21*s.*
I	**BIFRENARIA** AURANTIACA	Brazil	15*s.* and 21*s.*
C	**BLETIA** HYACINTHINA	China	5*s.* and 7*s.* 6*d.*
I	SHEPHERDII	West Indies	21*s.*
I	SHERRATTIANA	Colombia	10*s.* 6*d.* and 15*s.*
**I*	TANKERVILLÆ, *vide* PHAIUS GRANDIFOLIUS		
I	**BOLLEA** CÆLESTIS	Colombia	
I	**BRASAVOLA** CUCULLATA	Mexico	15*s.*
S	DIGBYANA	Honduras	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	GLAUCA	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— OCULATA	Mexico	
I	NODOSA	South America	10*s.* 6*d.* and 15*s.*
I	RHOPALORRHACHIS	Mexico	21*s.*
I	**BRASSIA** BRACHIATA	Guatemala	63*s.* and 84*s.*
I	CAUDATA	South America	10*s.* 6*d.* and 15*s.*
C	CINNABARINA	Colombia	21*s.* and 31*s.* 6*d.*
I	GIREOUDIANA	Costa Rica	31*s.* 6*d.*
I	KEILIANA	South America	
S	LAWRENCEANA	Demerara	
S	MACULATA	West Indies	10*s.* 6*d.* and 15*s.*
I	SIGNATA	South America	31*s.* 6*d.*
I	VENOSA	South America	31*s.* 6*d.* and 42*s.*
C	VERRUCOSA	Guatemala	10*s.* 6*d.* and 15*s.*

I	**BRASSIA** WRAYÆ	South America	42*s.* and 63*s.*
S	**BROUGHTONIA** SANGUINEA	Jamaica	10*s.* 6*d.* to 21*s.*
S	**BULBOPHYLLUM** LOBBII, *vide* SARCOPODIUM LOBBII		
I	**BURLINGTONIA** CANDIDA	Demerara	
I	DECORA	Brazil	15*s.* and 21*s.*
I	FRAGRANS	Brazil	15*s.* and 21*s.*
I	VENUSTA	Brazil	15*s.* and 21*s.*
C	**CALANTHE** CURTISII	Japan	
S	DOMINII	Hybrid	21*s.* and 31*s.* 6*d.*
I	MASUCA	Nepal, Sikkim	31*s.* 6*d.*
I	NATALENSIS	Natal	
**I*	NIVALIS	Tavoy, Java	15*s.* and 21*s.*
C	PLEIOCHROMA	Japan	21*s.*
C	—— BREVIOR	Japan	21*s.*
**I*	REGNIERI	Cochin China	21*s.* and 31*s.* 6*d.*

A new and attractive species, in growth and habit similar to *C. vestita*, but with different flowers, these are about two inches across, white, with large bright carmine centre.

**I*	REGNIERI PURPUREA	Cochin China	
C	SIEBOLDII	Japan	10*s.* 6*d.* and 15*s.*
**I*	TURNERI	India	15*s.* and 21*s.*
I	VEITCHII	Hybrid	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	VERATRIFOLIA	East Indies	
**I*	VESTITA INTERMEDIA	Tavoy, Java	21*s.*
**I*	—— LUTEO-OCULATA	Tavoy, Java	5*s.* and 7*s.* 6*d.*
**I*	—— OCULATA GIGANTEA	Tavoy, Java	31*s.* 6*d.*
**I*	—— RUBRO-OCULATA	Tavoy, Java	5*s.* and 7*s.* 6*d.*
S	**CAMAROTIS** PURPUREA	Sylhet	21*s.* and 31*s.* 6*d.*
I	**CATASETUM** CALLOSUM	South America	42*s.*
I	GLAUCOGLOSSUM	Mexico	10*s.* 6*d.*
I	GNOMUS	South America	21*s.*
I	MACROCARPUM	Brazil	21*s.*
I	MACULATUM	Mexico	10*s.* 6*d.*
I	MEDIUM	Brazil	
I	SANGUINEUM	Brazil	
I	**CATTLEYA** ACKLANDIÆ	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	AMABILIS	Colombia	31*s.* 6*d.* and 42*s.*
I	AMETHYSTINA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	AMETHYSTOGLOSSA	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	AUREA	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
I	BASSETTII, *vide* SPECIOSISSIMA		
I	BICOLOR	Brazil	31*s.* 6*d.* and 42*s.*
**I*	BOGOTENSIS	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	BOOTHIANA, *vide* LOBATA		
I	BULBOSA, *vide* WALKERIANA		
I	CHOCOENSIS	Colombia	15*s.* and 21*s.*
C	CITRINA	Oaxaca	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	CRISPA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— SUPERBA	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	DOLOSA	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	DORMANIANA	Brazil	21*s.* and 31*s.* 6*d.*
S	DOWIANA	Costa Rica	21*s.*, 31*s.* 6*d.* and 42*s.*
I	ELDORADO	Rio Negro	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— AUREA	Rio Negro	63*s.* and 84*s.*
I	—— CARNEA	Rio Negro	
I	—— ROSEA	Rio Negro	
I	—— SPLENDENS	Rio Negro	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— SUPERBA	Rio Negro	
I	—— WALLISII (ALBA)	Rio Negro	
I	ELEGANS, *vide* LÆLIA ELEGANS		
I	EXONIENSIS	Hybrid	
I	FORBESII	Brazil	10*s.* 6*d.*
I	GASKELLIANA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— CARNEA	Brazil	
I	—— PICTA	Brazil	
I	—— ROSEA	Brazil	
I	—— SUPERBA	Brazil	
I	GIGAS (Warscewiczii)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ATROPURPUREA	Colombia	
I	—— CHELSONI	Colombia	
I	—— FORMOSA	Colombia	
I	—— IMPERIALIS	Colombia	
I	—— MAGNIFICA	Colombia	

I	**CATTLEYA** GIGAS MARGINATA	Colombia	
I	GIGAS NORMANII	Colombia	
I	—— PICTURATA	Colombia	
I	—— REGINÆ	Colombia	
I	—— ROSEA	Colombia	
I	—— SANDERIANA	Colombia	
I	—— SPLENDENS	Colombia	
I	—— TYRIANTHINA	Colombia	
I	GRANDIS, *vide* LÆLIA GRANDIS		
I	GUTTATA	Brazil	21*s.* and 31*s.* 6*d.*
I	HARRISONIANA	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	HOLFORDI, *vide* C. LUTEOLA		
I	INTERMEDIA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LABIATA, *vide* C. WARNERII		
I	LAWRENCEANA	Roraima	63*s.* and 84*s.*
I	LEMONIANA, *vide* C. SPECIOSISSIMA		
I	LEOPOLDII	Brazil	10*s.* 6*d.* and 15*s.*
I	LOBATA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LODDIGESII	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LÜDDEMANNIANA, *vide* C. SPECIOSISSIMA		
I	LUTEOLA	South America	31*s.* 6*d.* and 42*s.*
**I*	MARGINATA, *vide* LÆLIA MARGINATA		
I	MAXIMA (Quindos)	Ecuador, Popayan	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— PULCHERRIMA	Ecuador, Popayan	
I	—— SUPERBA	Ecuador, Popayan	42*s.* and 63*s.*
I	MENDELII	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ALEXANDRÆ	South America	
I	—— AMPLIATA	South America	
I	—— DELICATA	South America	
I	—— EXCELLENS	South America	
I	—— GIGANTEA	South America	
I	—— MACULATA	South America	
I	—— MAGNIFICA	South America	
I	—— OCULATA	South America	
I	—— ORNATA	South America	
I	—— PICTA	South America	
I	—— PRINCEPS	South America	
I	—— REX	South America	
I	—— SUPERBA	South America	
I	—— SUPERBISSIMA	South America	
I	MOSSLÆ	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
		fine plants,	21*s.*, 31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— ALBA	Venezuela	
I	—— ALBO-MARGINATA	Venezuela	63*s.* and 84*s.*
I	—— AURANTIACA	Venezuela	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— CHELSONI	Venezuela	
I	—— DELICATA	Venezuela	
I	—— FLAMMEA	Venezuela	
I	—— GIGANTEA	Venezuela	
I	—— GRANDIFLORA	Venezuela	42*s.* and 63*s.*
I	—— GRANDIS	Venezuela	
I	—— INSIGNIS	Venezuela	
I	—— LAWRENCEANA	Venezuela	105*s.* and 147*s.*
I	—— MARGINATA	Venezuela	
I	—— PICTA	Venezuela	
I	—— PICTURATA	Venezuela	63*s.* and 84*s.*
I	—— PULCHERRIMA	Venezuela	63*s.* and 84*s.*
I	—— ROSEA	Venezuela	63*s.* and 84*s.*
I	—— RUBRA	Venezuela	105*s.* and 147*s.*
I	—— SPECIOSA	Venezuela	
I	—— SPLENDENS	Venezuela	42*s.* and 63*s.*
I	—— SUPERBA	Venezuela	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— VENOSA	Venezuela	
I	NOBILIOR	Brazil	42*s.* and 63*s.*
I	PERCIVALIANA	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— MARGINATA	South America	
I	—— NIGRA	South America	
I	—— PICTA	South America	
I	—— SPLENDENS	South America	
I	PERRINII, *vide* LÆLIA PERRINII		
**I*	PINELII, *vide* LÆLIA PINELII		

I	**CATTLEYA** SCHILLERIANA (REGNELLII)	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	SKINNERI	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ALBA	Mexico	
I	SPECIOSISSIMA (Bassettii, Lemoniana, Lüddemanniana)	Caracas	10*s.* 6*d.*, 15*s.* and 21*s.*
	STELZNERIANA *vide* LÆLIA		
S	SUPERBA	Essequibo	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— SPLENDENS	Essequibo	
**I*	TRIANÆ	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	—— ALBA	Colombia	
**I*	—— ATALANTA	Colombia	42*s.* and 63*s.*
**I*	—— BELLA	Colombia	105*s.*
**I*	—— CLEOPATRA	Colombia	63*s.* and 84*s.*
**I*	—— CONSPICUA	Colombia	
**I*	—— DELICATA	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	—— ELEGANS	Colombia	63*s.* and 84*s.*
**I*	—— EXCELLENS	Colombia	
**I*	—— FIMBRIATA	Colombia	
**I*	—— GEMMA	Colombia	
**I*	—— GRANDIS	Colombia	42*s.* and 63*s.*
**I*	—— MAGNIFICA	Colombia	105*s.* and 147*s.*
**I*	—— MARGINATA	Colombia	42*s.* and 63*s.*
**I*	—— NIVEA	Colombia	
**I*	—— PICTA	Colombia	63*s* and 84*s.*
**I*	—— QUADRICOLOR	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— ROSALIND	Colombia	
**I*	—— ROSEA	Colombia	42*s.* and 63*s.*
**I*	—— —— SUPERBA	Colombia	84*s.* and 105*s.*
**I*	—— RUBRA	Colombia	42*s.*
**I*	—— SPECIOSA	Colombia	63*s.* and 84*s.*
**I*	—— SPLENDENS	Colombia	42*s.* and 63*s.*
**I*	—— SUPERBA	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— TYRIANTHINA	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— VENUS	Colombia	63*s.* and 84*s.*
**I*	—— VESTA	Colombia	63*s.* to 105*s.*
**I*	—— VICTORIA	Colombia	
**I*	—— VIRGINALIS	Colombia	63*s.* and 84*s.*
I	WALKERIANA (bulbosa)	Brazil	
I	WARNERII (labiata)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— MAGNIFICA	Brazil	
I	—— PICTA	Brazil	
I	—— SPLENDENS	Brazil	
I	WARSCEWICZII, *vide* C. GIGAS.		
I	XANTHINA		
I	**CHYSIS** AUREA	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	BRACTESCENS	Peru	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LÆVIS	Mexico	15*s.* and 21*s.*
I	LIMMINGHEI	Mexico	42*s.* and 63*s.*
S	**CIRRHÆA** TRISTIS	East Indies	15*s.* and 21*s.*
I	**CIRRHOPETALUM** ORNATISSIMUM	East Indies	
I	PICTURATUM	East Indies	
S	THOUARSII	Manilla	
S	**CŒLOGYNE** ASPERATA (Lowii)	Borneo	21*s.* and 31*s.* 6*d.*
**I*	BARBATA	Assam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CORRUGATA	Khasya	10*s.* 6*d.* and 15*s.*
I	CORYMBOSA	Assam	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	CRISTATA	Nepal, Sylhet	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— Chatsworth variety	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	—— HOLOLEUCA (alba)	East Indies	
**C*	—— LEMONIANA	East Indies	31*s.* 6*d.* and 42*s.*
**C*	—— MAXIMA	East Indies	
I	ELATIOR	Assam	21*s.* and 31*s.* 6*d.*
**I*	FLACCIDA	Assam	10*s.* 6*d.* and 15*s.*
I	FULIGINOSA	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	GARDNERIANA	East Indies	21*s.*
I	MASSANGEANA	Assam	84*s.* and 105*s.*
I	OCELLATA	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
S	PANDURATA	Borneo	31*s.* 6*d.* and 42*s.*
I	PARISHII	Burmah	15*s.* and 21*s.*
I	SPECIOSA	Java	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— MAJOR	Java	

I	**COMPARETTIA** MACROPLECTRON	South America	15*s.* and 21*s.*
C	**COLAX** JUGOSUS	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	VIRIDIS	Brazil	10*s.* 6*d.* and 15*s.*
S	**CORYANTHES** MACRANTHA	Caracas	
C	**CRYPTOCHILUS** SANGUINEUS	Assam	21*s.*
S	**CYCNOCHES** CHLOROCHILON	South America	31*s.* 6*d.* and 42*s.*
I	**CYMBIDIUM** AFFINE	East Indies	
I	ALOIFOLIUM	East Indies	5*s.* and 7*s.* 6*d.*
S	CANALICULATUM	Queensland	10*s.* 6*d.* and 15*s.*
I	DEVONIANUM	Assam	15*s.* and 21*s.*
**C*	EBURNEUM, *vide* page 93	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— DAYANUM	East Indies	
**C*	—— MACULATUM	East Indies	
**C*	—— PICTUM	East Indies	
**C*	GIGANTEUM	Assam	21*s.* and 31*s.* 6*d.*
C	HOOKERIANUM	Sikkim, Himalaya	42*s.* and 63*s.*
C	LOWIANUM	Burmah	
C	—— ATROPURPUREUM	Burmah	
I	MADIDUM	Queensland	
**C*	MASTERSII	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	PENDULUM ATROPURPUREUM	Java	
I	TIGRINUM	East Indies	21*s.* and 31*s.* 6*d.*
I	**CYPRIPEDIUM** ALBO-PURPUREUM	Hybrid	84*s.* and 105*s*
**I*	ARGUS	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	ASHBURTONIÆ	Hybrid	31*s.* 6*d.* and 42*s.*
I	BARBATUM	Mount Ophir	5*s.*
I	—— BIFLORUM	Mount Ophir	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— GRANDIFLORUM	Java	21*s.* and 31*s.* 6*d.*
I	—— —— NANUM	Java	42*s.*
I	—— NIGRUM	Mount Ophir	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— PICTUM	Mount Ophir	15*s.*
I	—— PLUMOSUM	Mount Ophir	21*s.* and 31*s.* 6*d.*
I	—— PULCHERRIMUM	Mount Ophir	15*s.* and 21*s.*
I	—— PURPUREUM	Mount Ophir	10*s.* 6*d.* and 15*s.*
I	—— SUPERBUM	Mount Ophir	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— VIOLACEUM	Mount Ophir	
**I*	—— WARNERII	East Indies	42*s.* and 63*s.*
C	BOXALLII	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
**I*	BULLENI	Borneo	3*s.* 6*d.* and 5*s.*
I	CALURUM	Hybrid	42*s.* and 63*s.*
**I*	CARICINUM, *vide* C. PEARCEI		
I	CAUDATUM	Panama	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— ROSEUM	Panama	21*s.*, 31*s.* 6*d.* and 42*s.*
I	CILIOLARE	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	CONCOLOR	Moulmein	21*s.* and 31*s.* 6*d.*
**I*	CROSSIANUM	Hybrid	31*s.* 6*d.* and 42*s.*
C	DAUTHIERII	Hybrid	21*s.* and 31*s.* 6*d.*
I	DAYANUM	Borneo	31*s.* 6*d.* and 42*s.*
I	—— SUPERBUM	Borneo	
I	DOMINII	Hybrid	21*s.* and 31*s.* 6*d.*
I	DRURYI	East Indies	42*s.* and 63*s.*
S	EURYANDRUM	Hybrid	63*s.* and 84*s.*
S	GODEFROYÆ	Siam	
S	GRANDE	Hybrid	84*s.* and 105*s.*
C	HARRISIANUM	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	HAYNALDIANUM	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	HIRSUTISSIMUM	Assam	21*s.* and 31*s.* 6*d.*
S	HOOKERÆ	Borneo	7*s.* 6*d.* and 10*s.* 6*d.*
I	HYBRIDUM	Hybrid	15*s.* and 21*s.*
**C*	INSIGNE	Nepal	3*s.* 6*d.* and 5*s.*
**C*	—— ALBO-MARGINATUM	Nepal	15*s.* and 21*s.*
**C*	—— FUSCATUM	Nepal	10*s.* 6*d.* and 15*s.*
**C*	—— MAULEI	Nepal	31*s.* 6*d.* and 42*s.*
**C*	—— —— CHANTINII	Nepal	42*s.* and 63*s.*
**C*	—— MAXIMUM	Nepal	10*s.* 6*d.*
**C*	—— PICTURATUM	Nepal	15*s.* and 21*s.*
**C*	—— PUNCTATUM VIOLACEUM	Nepal	63*s.*
I	JAVANICUM	Java	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	LÆVIGATUM (philippinense)	Philippine Islands	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	LAWRENCEANUM	Borneo	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— MAJUS	Borneo	

CYMBIDIUM EBURNEUM.

The large and attractive ivory-white flowers of this handsome species are always charming, and, being deliciously fragrant, it is a universal favourite. 10*s.* 6*d.*, 15*s.* and 21*s.*

I	**CYPRIPEDIUM** Leeanum	Hybrid	84*s.* and 105*s.*
I	longifolium	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
S	Lowii	Borneo	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
**S*	niveum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	œnanthum superbum	Hybrid	
S	Parishii	East Indies	15*s.* and 21*s.*
I	Pearcei (caricinum)	Peru	10*s.* 6*d.* and 15*s.*
S	philippinense, *vide* lævioatum		
I	purpuratum	Hong Kong	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Rœbelenii	Malay Archipelago	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Roezlii	South America	10*s.* 6*d.* and 15*s.*
C	Schlimii	Colombia	21*s.* and 31*s.* 6*d.*
C	—— album	Colombia	42*s.* and 63*s.*
C	Sedeni	Hybrid	10*s.* 6*d.* 15*s.* and 21*s.*
C	—— superbum	Hybrid	21*s.* and 31*s.* 6*d.*
I	sellioerum	Hybrid	31*s.* 6*d.*
**I*	Spicerianum	East Indies	15*s.* 21*s.* and 31*s.* 6*d.*
**I*	—— grandiflorum	East Indies	
**I*	—— magnificum	East Indies	
**I*	—— nigrescens	East Indies	
S	Stonei	Borneo	10*s.* 6*d.* and 15*s.*
I	superbiens (Veitchii)	Java	21*s.*, 31*s.* 6*d.* and 42*s.*
I	superciliare	Hybrid	42*s.* and 63*s.*
**C*	venustum	Nepal	5*s.* and 7*s.* 6*d.*
**C*	—— pardinum	Assam	5*s.* and 7*s.* 6*d.*
I	vernixium	Hybrid	42*s.* and 63*s.*
I	vexillarium	Hybrid	
C	villosum	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**S*	virens	Borneo	15*s.* and 21*s.*
I	**CYRTOPODIUM** Andersoni	Brazil	21*s.* and 31*s.* 6*d.*
I	punctatum	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**DENDROBIUM** aggreoatum	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	aggreoatum majus	East Indies	10*s.* 6*d.* and 15*s.*
I	Ainsworthii	Hybrid	63*s.* and 84*s.*
I	—— roseum	Hybrid	
I	albo-sanguineum	Moulmein	10*s.* 6*d.*, 15*s.* and 21*s.*
I	album	East Indies	21*s.* and 31*s.* 6*d.*
S	angulare	North Australia	21*s.*
S	anosmum (Dayanum)	Manilla	31*s.* 6*d.* and 42*s.*
I	aureum (heterocarpum)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Bensoniæ	Arracan Hills	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— album	Arracan Hills	
S	bicameratum	Burmah	42*s.* and 63*s.*
S	bigibbum	Torres Straits	10*s.* 6*d.* and 15*s.*
S	Boxallii	Burmah	15*s.* and 21*s.*
I	brisbanense	North Australia	21*s.*
S	Brymerianum	Burmah	
I	Calceolaria	East Indies	10*s.* 6*d.* and 15*s.*
I	Cambridgeanum	Chittagong	7*s.* 6*d.* and 10*s.* 6*d.*
I	canaliculatum (Tattonianum)	Queensland	10*s.* 6*d.* and 15*s.*
I	cariniferum	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	chrysanthum	Nepal	5*s.*, 7*s.* 6*d.*, and 10*s.* 6*d.*
**I*	—— micropithalmum	Khasya Hills	10*s.* 6*d.* and 15*s.*
I	chrysotis, *vide* D. Hookerianum		
S	chrysotoxum	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— superbum	East Indies	10*s.* 6*d.* and 15*s.*
I	clavatum	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
**S*	crassinode	Arracan&SiamMountains	7*s.* 6*d.* and 10*s.* 6*d.*
**S*	—— album	Arracan&SiamMountains	
**S*	—— Barberianum	Arracan&SiamMountains	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	crepidatum	East Indies	5*s.* and 7*s.* 6*d.*
S	cretaceum	Burmah	5*s.* and 7*s.* 6*d.*
S	cucullatum, *vide* D. Pierardii		
S	crystallinum	Arracan Mountains	7*s.* 6*d.* and 10*s.* 6*d.*
I	cupreum	East Indies	
S	Dalhousianum	East Indies	10*s.* 6*d.*, 15*s.*, and 21*s.*
S	Dayanum, *vide* D. anosmum		
S	Dearei	Philippine Islands	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	densiflorum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— album, *vide* D. Schröderi		
I	Devonianum	Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

I	**DENDROBIUM** DIXANTHUM	East Indies	10*s.* 6*d.* and 15*s.*
S	DRACONIS (eburneum)	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
I	FALCONERI	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	FARMERI	India	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— ALBUM	India	
S	—— AUREUM	India	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	FIMBRIATUM	Nepal	10*s.* 6*d.* and 15*s.*
I	—— OCULATUM	Nepal	10*s.* 6*d.* and 15*s.*
S	FINDLEYANUM	Moulmein	15*s.*, 21*s.* and 31*s.* 6*d.*
S	FORMOSUM BERKELEYI	Andaman Islands	21*s.* and 31*s.* 6*d.*
I	—— OIOANTEUM	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	FREEMANI	Assam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	FYTCHIANUM	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
I	GIBSONI	Tenasserim	21*s.* and 31*s.* 6*d.*
I	GRIFFITHIANUM	East Indies	
I	GUIBERTIANUM	East Indies	
S	HEDYOSMUM	East Indies	15*s.* and 21*s.*
I	HETEROCARPUM, *vide* AUREUM		
**C*	HILLII, *vide* SPECIOSUM HILLII		
I	HOOKERIANUM (chrysotis)	Assam and Sikkim	10*s.* 6*d.*, 15*s.* and 21*s.*
C	INFUNDIBULUM	Moulmein	10*s.* 6*d.*, 15*s.* and 21*s.*
C	JAMESIANUM	Moulmein	10*s.* 6*d.*, 15*s.* and 21*s.*
C	JAPONICUM, *vide* MONILIFORME		
S	JENKINSII	Gnalpara	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	KINOIANUM	Australia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	LEUCOLOPHOTUM	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	LINAWIANUM (moniliforme, HORT.)	China and Japan	31*s.* 6*d.* and 42*s.*
I	LITUIFLORUM	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LONOICORNE	Khasya Hills	21*s.* and 31*s.* 6*d.*
S	LOWII	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LUTEOLUM	Moulmein	10*s.* 6*d.* and 15*s.*
S	MACROPHYLLUM (superbum)	Manilla	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	MCCARTHIÆ	Ceylon	
I	MARMORATUM	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
C	MONILIFORME (japonicum)	Japan	5*s.* and 7*s.* 6*d.*
S	MORTII	North Australia	
I	MOSCHATUM	East Indies	10*s.* 6*d.* and 15*s.*
**I*	NOBILE	Assam	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— CÆRULESCENS	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— ELEOANS	Assam	21*s.*
**I*	—— GRANDIFLORUM	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— HYACINTHINUM	Assam	
**I*	—— INSIONIS	Assam	
**I*	—— NOBILIUS	Assam	
**I*	—— PENDULUM	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— PULCHERRIMUM	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— RUBELLUM	Assam	31*s.* 6*d.* and 42*s.*
**I*	—— SPLENDENS	Assam	
**I*	—— WALLICHII	Assam	21*s.* and 31*s.* 6*d.*
I	NODATUM	Moulmein	7*s.* 6*d.* and 10*s.* 6*d.*
I	PARISHII	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	PARTHENIUM, *vide* page 7		
I	PAXTONI	Khasya	10*s.* 6*d.* and 15*s.*
I	PHILIPPINENSE	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	PIERARDI	Delta of Ganges	5*s.* and 7*s.* 6*d.*
**I*	—— LATIFOLIUM	Delta of Ganges	21*s.*
I	PRIMULINUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— GIGANTEUM	East Indies	21*s.* and 31*s.* 6*d.*
I	PULCHELLUM	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
S	SANGUINOLENTUM	East Indies	10*s.* 6*d.* and 15*s.*
I	SCHRÖDERI (densiflorum album)	East Indies	
I	SECUNDUM	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	SMILLIÆ	Torres Straits	
**C*	SPECIOSUM	Australia	10*s.* 6*d.* and 15*s.*
**C*	—— HILLII	Australia	31*s.* 6*d.* and 42*s.*
S	SUAVISSIMUM	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	SULCATUM	Assam	15*s.* and 21*s.*
S	SUPERBIENS	Torres Straits	42*s.* and 63*s.*
S	SUPERBUM, *vide* MACROPHYLLUM		
I	TATTONIANUM, *vide* CANALICULATUM		
S	TAURINUM	East Indies	21*s.* and 31*s.* 6*d.*

S	**DENDROBIUM** TETRAGONUM	North Australia	21*s.*
I	TERETIFOLIUM	Australia	10*s.* 6*d.*, 15*s.* & 21*s.*
I	THYRSIFLORUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— CARNEUM	East Indies	
I	—— WALKERIANUM	East Indies	
S	TORTILE	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— ROSEUM	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	TRANSPARENS	Nepal	7*s.* 6*d.* and 10*s.* 6*d.*
I	VEITCHIANUM	Java	21*s.* and 31*s.* 6*d.*
**I*	WARDIANUM	Assam	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— ALBUM	Assam	
**I*	—— SUPERBUM	Assam	
I	**DENDROCHILUM** ARACHNITES	East Indies	15*s.* and 21*s.*
I	COBBIANUM	East Indies	10*s.* 6*d.* and 15*s.*
I	—— GIGANTEUM	East Indies	
I	CONVALLARIOIDES	East Indies	15*s.*
I	CUCUMERINUM	East Indies	21*s.*
S	FILIFORME	Manilla	21*s.* and 31*s.* 6*d.*
**S*	GLUMACEUM	Philippine Islands	10*s.* 6*d.*, 15*s.* and 21*s.*
S	UNCATUM	East Indies	
S	**DICHÆA** VAGINATA	Mexico	10*s.* 6*d.*
C	**DISA** GRANDIFLORA	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
C	GRANDIFLORA MINIATA	Cape of Good Hope	21*s.* and 31*s.* 6*d.*
C	—— SUPERBA	Cape of Good Hope	21*s.* and 31*s.* 6*d.*
C	**EPIDENDRUM** ATROPURPUREUM, *vide* MACROCHILUM		
I	AURANTIACUM	South America	10*s.* 6*d.* and 15*s.*
S	BICORNUTUM	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	BRASAVOLE	Guatemala	63*s.*
I	CHRISTII	South America	
C	CNEMIDOPHORUM	Guatemala	42*s.*
I	COCHLEATUM	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	COOPERIANUM CALCEOLUM	South America	
I	CUSPIDATUM	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
I	CRASSIFOLIUM	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	DICHROMUM	Bahia	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	DIOTUM	South America	
I	FIMBRIATUM	South America	10*s.* 6*d.* and 15*s.*
I	FALCATUM Parkinsonianum	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
I	FALLOQUUM	South America	42*s.*, 63*s.* and 84*s.*
I	FREDERICI GUILIELMI	South America	
I	GLUMACEUM	South America	
I	IBAGUENSE	Columbia	
I	IONOSMUM	Mexico	21*s.*
I	LEUCOCHILUM	South America	
C	MACROCHILUM (atropurpureum)	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— ALBUM	South America	
I	MYRIANTHUM	Guatemala	84*s.* and 105*s.*
I	NEMORALE	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
I	PANICULATUM	South America	21*s.* and 31*s.* 6*d.*
I	PRISMATOCARPUM	Chiriqui	10*s.* 6*d.*, 15*s.* and 21*s.*
I	PSEUDO-EPIDENDRUM AURATUM	South America	
I	RANIFERUM	Mexico	
I	RHIZOPHORUM (radicans)	Mexico	21*s.* and 31*s.* 6*d.*
I	SCEPTRUM	Colombia	15*s.* and 21*s.*
I	STAMFORDIANUM	South America	21*s.* and 31*s.* 6*d.*
I	SYRINGOTHYRSUS	South America	
I	TOVARENSE	Venezuela	15*s.* and 21*s.*
I	WALLISII	Colombia	
C	VITELLINUM MAJUS	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	XANTHINA	South America	
I	**ERIA** CLAVICAULIS	Assam	21*s.* and 31*s.* 6*d.*
I	**ERIOPSIS** BILOBA	Colombia	
S	**EULOPHIA** SCRIPTA	Madagascar	21*s.* and 31*s.* 6*d.*
S	**GALEANDRA** DEVONIANA	Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
S	DIVES	South America	31*s.* 6*d.* and 42*s.*
I	**GONGORA** PORTENTOSA	South America	15*s.* and 21*s.*
I	SCAPHIPHORUS	South America	
C	**GOODYERA** CALIFORNICA	California	10*s.* 6*d.*
S	(ANŒCTOCHILUS) DAWSONIANA	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	(——) DAWSONIANA SUPERBA	East Indies	10*s.* 6*d.* and 15*s.*
I	DISCOLOR	South America	5*s.* and 7*s.* 6*d.*

C	**GOODYERA** MENZIESII	North America	5*s.* and 7*s.* 6*d.*
C	PUBESCENS	North America	3*s.* 6*d.*
C	**GOVENIA** DELICIOSA	Mexico	5*s.* and 7*s.* 6*d.*
S	**GRAMMATOPHYLLUM** ELLISII	Madagascar	
S	**GYMNADENIA** MACRANTHA, *vide* page 8		
I	**HARTWEGIA** PURPUREA	Mexico	31*s.* 6*d.*
C	**HELCIA** SANGUINOLENTA	Andes of Guayaquil	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	**HOULLETIA** BROCKLEHURSTIANA	Brazil	15*s.* and 21*s.*
I	CHRYSANTHA	South America	31*s.* 6*d.* and 42*s.*
C	ODORATISSIMA	Colombia	
I	**HUNTLEYA** CERINA, *vide* PESCATORIA CERINA		
I	**IONOPSIS** UTRICULARIOIDES	West Indies	10*s.* 6*d.* and 15*s.*
S	**IPSEA** SPECIOSA	Ceylon	10*s.* 6*d.* and 15*s.*
*C	**LÆLIA** ACUMINATA	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
*C	ACUMINATA ROSEA	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
*C	ALBIDA	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— BELLA	Guatemala	
*C	—— MARIANÆ	Guatemala	21*s.* and 31*s.* 6*d.*
I	AMANDA	Brazil	
*C	ANCEPS	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— ALBA	Mexico	
*C	—— BARKERI	Mexico	
*C	—— DAWSONI	Mexico	
*C	—— HILLII	Mexico	
*C	—— LEUCOPHÆUS	Mexico	
*C	—— NIVALIS	Mexico	
*C	—— OCULATA	Mexico	31*s.* 6*d.* and 42*s.*
*C	—— SANDERIANA	Mexico	
*C	—— SCHRÖDERIANA	Mexico	
*C	—— STELLA	Mexico	
*C	—— ROSEA	Mexico	
*C	—— RUBRA	Mexico	
*C	—— VENUSTA	Mexico	
*C	AUTUMNALIS	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
*C	—— ATRORUBENS	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
I	BOOTHIANA, *vide* CATTLEYA LOBATA		
I	CINNABARINA	Brazil	10*s.* 6*d.* and 15*s.*
I	CRISPA, *vide* CATTLEYA CRISPA		
I	CRISPILABIA (LAWRENCEANA)	Brazil	31*s.* 6*d.* and 42*s.*
*I	DAYANA	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
*I	—— SUPERBA	Brazil	21*s.*
I	ELEOANS	Brazil	
I	—— ALBA	Brazil	
I	—— CARNEA	Brazil	
I	—— DAYANA	Brazil	
I	—— IRRORATA	Brazil	
I	—— MACROLOBA	Brazil	
I	—— PRASIATA	Brazil	
I	—— SCHILLERIANA	Brazil	
I	—— TURNERI	Brazil	
I	—— STELZNERIANA	Brazil	
I	—— —— SPLENDENS	Brazil	
I	FLAVA	Brazil	
I	GRANDIS	Brazil	
I	HARPOPHYLLA	Brazil	10*s.* 6*d.* and 15*s.*
I	LINDLEYANA	Brazil	
I	LOBATA, *vide* CATTLEYA LOBATA		
C	MAJALIS or FLOR DE MAIO	Oaxaca	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— RUBRA	Oaxaca	21*s.* and 31*s.* 6*d.*
*I	MARGINATA	Oaxaca	10*s.* 6*d.*, 15*s.* and 21*s.*
I	PERRINII	Brazil	21*s.* and 31*s.* 6*d.*
I	—— SUPERBA	Brazil	31*s.* 6*d.* and 42*s.*
*I	PINELII (prestans, pumila)	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	PURPURATA	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ALBA	Brazil	
I	—— —— GLORIOSA	Brazil	
I	—— ATROSANGUINEA	Brazil	
I	—— BRYSIANA	Brazil	
I	—— CHELSONI	Brazil	
I	—— GRANDIS	Brazil	
I	—— NELISII	Brazil	
I	—— MAXIMA	Brazil	

I	**LÆLIA** PURPURATA SPLENDENS	Brazil	
I	SCHILLERIANA, *vide* L. ELEGANS		
I	SUPERBIENS	Malacatan	31*s.* 6*d.* and 42*s.*
S	**LÆLIOPSIS** DOMINGENSIS	West Indies	
I	**LEPTOTES** BICOLOR	South America	10*s.* 6*d.* and 15*s.*
**I*	**LIMATODIS** ROSEA	Moulmein	5*s.* and 7*s.* 6*d.*
S	**LUISIA** PLATYGLOSSA	East Indies	10*s.* 6*d.*
S	PSYCHE	East Indies	
C	**LYCASTE** ARGMATICA	Mexico	10*s.* 6*d.* and 15*s.*
I	BARRINGTONIÆ	West Indies	21*s.* and 31*s.* 6*d.*
C	COSTATA	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	CRUENTA	Guatemala	10*s.* 6*d.* and 15*s.*
C	DEPPEI	Mexico	10*s.* 6*d.* and 15*s.*
C	GIGANTEA	South America	15*s.* and 21*s.*
C	(MAXILLARIA) HARRISONIÆ	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	(——) HARRISONIÆ EBURNEA	South America	42*s.*
C	LANIPES	Guayaquil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LAWRENCEANA	South America	21*s.* and 31*s.* 6*d.*
**C*	MESOCHLÆNA	Guayaquil	21*s.* and 31*s.* 6*d.*
I	SCHILLERIANA	South America	21*s.* and 31*s.* 6*d.*
**C*	SKINNERI	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**C*	—— ALBA	Guatemala	
**C*	—— —— MARGINATA	Guatemala	
**C*	—— DELICATA	Guatemala	63*s.*
**C*	—— GRANDIS	Guatemala	63*s.*
**C*	—— MACULATA	Guatemala	31*s.* 6*d.*
**C*	—— MAGNIFICA	Guatemala	
**C*	—— MARGINATA	Guatemala	
**C*	—— MARMORATA	Guatemala	
**C*	—— PICTA	Guatemala	42*s.* and 63*s.*
**C*	—— PURPURATA	Guatemala	63*s.*
**C*	—— ROSEA	Guatemala	21*s.*
**C*	—— —— SUPERBA	Guatemala	
**C*	—— RUBELLA	Guatemala	31*s.* 6*d.* and 42*s.*
**C*	—— —— PICTA	Gnatemala	
**C*	—— SPLENDENS	Guatemala	63*s.*
**C*	—— SUPERBA	Guatemala	21*s.*
**C*	—— TINCTUM	Guatemala	
C	**MASDEVALLIA** ABBREVIATA	Colombia	7*s.* 6*d.*
C	AMABILIS	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— LINEATA	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	ARMINI	Colombia	
C	ATTENUATA	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	BACKHOUSIANA, *vide* CHIMÆRA BACKHOUSIANA		
C	BELLA	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	BENEDICTII, *vide* PSITTACINA		
C	BONPLANDII	Colombia	7*s.* 6*d.*
I	CANDIDA, *vide* TOVARENSIS		
C	CHELSONI	Hybrid	42*s.* and 63*s.*
C	CHIMÆRA	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— BACKHOUSIANA	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— WALLISII	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— WINNIANA	Colombia	42*s.* and 63*s.*
C	CIVILIS	Colombia	7*s.* 6*d.*
C	COCCINEA	Colombia	
C	COLIBRI, *vide* TROCHILUS		
C	CORIACEA	Colombia	5*s.*
C	CORNICULATA	Colombia	15*s.* and 21*s.*
C	CROSSII, *vide* RACEMOSA		
C	DAVISII	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	DAYANA	Colombia	84*s.*
C	ELEPHANTICEPS	Colombia	
C	EPHIPPIUM, *vide* TROCHILUS		
C	ERYTHROCHLÆTE	Colombia	21*s.* and 31*s.* 6*d.*
C	ESTRADÆ	South America	21*s.* and 31*s.* 6*d.*
C	—— DELICATA	South America	21*s.* and 31*s.* 6*d.*
C	FENESTRATA	Colombia	31*s.* 6*d.* and 42*s.*
C	GEMMATA	Colombia	
C	GORGONA, *vide* NYCTERINA		
C	HARRYANA	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— CÆRULESCENS	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

C **MASDEVALLIA** HARRYANA CÆRULESCENS ATROVIOLACEA ..... Colombia .....
C HARRYANA CÆRULESCENS CONCOLOR ..... Colombia .....
C —— —— OIOANTEA ..... Colombia .....
C —— —— ORANDIFLORA ..... Colombia .....
C —— —— MAONIFICA ..... Colombia .....
C —— —— MAXIMA ..... Colombia .....
C —— —— SUPERBA ..... Colombia .....
C —— ACANTHIFOLIA.—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet rose colour; the very bright glossy texture of the blooms renders them remarkably attractive.
C —— ACUMINATA ..... Colombia .....
C —— ATROPURPUREA ..... Colombia .....
C —— ATROSANGUINEA ..... Colombia .....
C —— AURANTIACA ..... Colombia .....
C —— BRILLIANTISSIMA ..... Colombia .....
C —— CHELSONI ..... Colombia .....
C —— COCCINEA ..... Colombia .....
C —— COMET ..... Colombia .....
C —— CONCHIFLORA.—This fine variety produces splendid blossoms of a rich rosy lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance.
C —— DECORA ..... Colombia .....
C —— DELICATA ..... Colombia .....
C —— DENISONIANA ..... Colombia .....
C —— ELEGANS ..... Colombia .....
C —— FORMOSA ..... Colombia .....
C —— GEMMA ..... Colombia .....
C —— GLORIOSA ..... Colombia .....
C —— ILLUSTRIS ..... Colombia .....
C —— INSIGNIS ..... Colombia .....
C —— LILACINA ..... Colombia .....
C —— LUTEO-OCULATA ..... Colombia .....
C —— MAGNIFICA ..... Colombia .....
C —— MINIATA ..... Colombia .....
C —— MIRABILIS ..... Colombia .....
C —— OCULATA ..... Colombia .....
C —— ORNATA ..... Colombia .....
C —— PATENS ..... Colombia .....
C —— PRINCEPS ..... Colombia .....
C —— PURPUREA ..... Colombia .....
C —— —— MAGNIFICA ..... Colombia .....
C —— REGALIS.—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson
C —— REGINÆ ..... Colombia .....
C —— ROSEA ..... Colombia .....
C —— SALMONEA ..... Colombia .....
C —— SANGUINEA ..... Colombia .....
C —— —— AURANTIACA ..... Colombia .....
C —— SPLENDENS ..... Colombia .....
C —— SUPERBA ..... Colombia .....
C —— TRIUMPHANS ..... Colombia .....
C —— VIOLACEA ..... Colombia .....
C —— —— MAGNIFICA ..... Colombia .....
C —— —— OCULATA ..... Colombia .....
C —— —— SUPERBA ..... Colombia .....
C —— VERSICOLOR ..... Colombia .....
C —— VIVICANS ..... Colombia .....

These are all rare and magnificent varieties; an inspection at their blooming season is invited. Prices on application.

C HOUTTEANA, *vide* PSITTACINA.
C IONEA ..... Colombia .....7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C —— AURANTIACA ..... Colombia .....
C —— CITRINA ..... Colombia .....
C —— MASSANGEANA ..... Colombia .....
C —— —— SUPERBA ..... Colombia .....
C —— MILITARIS ..... Colombia .....
C —— —— PURPUREA ..... Colombia .....
C —— —— SPLENDENS ..... Colombia .....
C —— STOBARTIANA ..... Colombia .....
C INFLATA ..... Colombia .....

C	**MASDEVALLIA** INFRACTA	Colombia	15*s.* and 21*s.*
C	LINDENI	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	MACRURA	Colombia	
C	MACULATA	South America	3*s.* 6*d.* and 5*s.*
C	—— FLAVA	South America	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— SUPERBA	South America	
C	MELANOPUS	Colombia	10*s.* 6*d.*
C	NYCTERINA (GOROONA)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	PERISTERIA	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	POLYSTICTA	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— BREVIOR	Colombia	15*s.* and 21*s.*
C	—— CAUDATA	Colombia	21*s.*
C	PSITTACINA (BENEDICTII, HOUTTEANA)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	RACEMOSA	Colombia	63*s.* and 84*s.*
C	RADIOSA	Colombia	42*s.* and 63*s.*
C	REICHENBACHIANA	South America	15*s.* and 21*s.*
C	ROSEA	Ecuador	21*s.* and 31*s.* 6*d.*
C	SCHLIMII	Colombia	
C	SEVERA	Colombia	
C	SHUTTLEWORTHII	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	SWERTICIFOLIA	Colombia	21*s.* and 31*s.* 6*d.*
C	TORTA	Colombia	
I	TOVARENSIS (CANDIDA)	Venezuela	5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
C	TRIADACTYLITES	South America	31*s.* 6*d.* and 42*s.*
I	TRIANGULARIS	Venezuela	10*s.* 6*d.* and 15*s.*
C	TRICHÆTE	Colombia	31*s.* 6*d.* and 42*s.*
C	TROCHILUS (Colibri, Ephippium)	Colombia	42*s.* and 63*s.*
C	VEITCHIANA	Peru	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	—— GRANDIFLORA	Peru	21*s.*, 31*s.* 6*d.* & 42*s.*
I	WAGNERIANA	Venezuela	10*s.* 6*d.*, 15*s.* & 21*s.*
C	WALLISII, *vide* M. CHIMÆRA WALLISII		
C	XANTHINA	Colombia	42*s.* and 63*s.*
C	**MAXILLARIA** GRANDIFLORA	South America	10*s.* 6*d.*, 15*s.* & 21*s.*
C	HARRISONIÆ, *vide* LYCASTE HARRISONIÆ		
I	LEONTOGLOSSA	South America	10*s.* 6*d.* and 15*s.*
**C*	LUTEO-ALBA	Colombia	10*s.* 6*d.* and 15*s.*
C	—— GRANDIFLORA	Colombia	21*s.*
C	—— PURPUREA	Colombia	21*s.*
C	NIGRESCENS	Merida	10*s.* 6*d.* and 15*s.*
C	PICTA	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	TENUIFOLIA	Mexico	10*s.* 6*d.* and 15*s.*
C	TURNERI	Mexico	21*s.*
C	VENUSTA	Colombia	15*s.* and 21*s.*
**C*	**MESOSPINIDIUM** SANGUINEUM	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	VULCANICUM	Ecuador	15*s.* and 21*s.*
S	**MICROSTYLIS** CALOPHYLLA	East Indies	10*s.* 6*d.* and 15*s.*
S	CHLOROPHRYS	Borneo	7*s.* 6*d.* and 10*s.* 6*d.*
S	LUGUBRIS	Borneo	21*s.*
S	METALLICA	Borneo	7*s.* 6*d.* and 10*s.* 6*d.*
S	RHEEDII	Borneo	10*s.* 6*d.* and 15*s.*
I	**MILTONIA** CANDIDA	Brazil	21*s.* and 31*s.* 6*d.*
I	CANDIDA GRANDIFLORA	Brazil	42*s.* and 63*s.*
I	CLOWESII	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CUNEATA	Brazil	10*s.* 6*d.* and 15*s.*
I	FESTIVA	Brazil	21*s.*
I	FLAVESCENS (stellata)	Brazil	10*s.* 6*d.* and 15*s.*
I	MORELIANA	Brazil	31*s.* 6*d.* and 42*s.*
I	—— ATROPURPUREA	Brazil	
I	—— ATRORUBENS	Brazil	
I	REGNELLII (cercola)	Brazil	31*s.* 6*d.* and 42*s.*
I	—— PURPUREA	Brazil	42*s.* and 63*s.*
I	SPECTABILIS	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— BICOLOR	Brazil	31*s.* 6*d.* and 42*s.*
I	—— INTERMEDIA	Brazil	31*s.* 6*d.*
I	—— MARGINATA	Brazil	
I	—— VIRGINALIS	St. Catherine's	31*s.* 6*d.*
I	WARSCEWICZII, *vide* ONCIDIUM WELTONI		
I	**MORMODES** LUXATUM	Mexico	21*s.* and 31*s.* 6*d.*
I	LUXATUM EBURNEUM	Mexico	21*s.* and 31*s.* 6*d.*
I	PARDINUM	Mexico	21*s.* and 31*s.* 6*d.*
I	—— UNICOLOR	Mexico	21*s.* and 31*s.* 6*d.*

I	**NANODES** MEDUSÆ	South America	31*s.* 6*d.* and 42*s.*
**C*	**ODONTOGLOSSUM** ALEXANDRÆ, *vide* O. CRISPUM		
C	ANDERSONIANUM	Bogota	42*s.* and 63*s.*
C	—— LOBATUM	Bogota	
C	ANGUSTATUM	Colombia	42*s.*
C	ASTRANTHUM	Colombia	
C	BAPHICANTHUM (*hybrid*)	Colombia	42*s.* and 63*s.*
**C*	BIOTONENSE	Guatemala	10*s.* 6*d.* and 15*s.*
**C*	—— ALBUM	Guatemala	
C	BLANDUM	Colombia	63*s.* and 84*s.*
I	BLEPHARICANTHUM	Venezuela	42*s.* and 63*s.*
**C*	BLUNTII, *vide* O. CRISPUM		
C	CARINIFERUM	South America	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	CERVANTESII	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
**C.*	—— DECORUM	Mexico	
C	CHESTERTONI (*hybrid*)	Colombia	63*s.* and 84*s.*
C	CIRRHOSUM	Ecuador	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— GEMMATUM	Ecuador	63*s.*
C	—— KLABOCHORUM	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	CITROSMUM (PENDULUM)	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	—— ALBUM	Mexico	
C	—— CARNEUM	Mexico	
C	—— PUNCTATUM	Mexico	
C	—— MAXIMUM	Mexico	
C	—— ROSEUM	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	CONCINNUM	Colombia	
C	CONSTRICTUM	South America	7*s.* 6*d.* and 10*s.* 6*d.*
C	CORADINEI	Colombia	42*s.* and 63*s.*
C	—— HEMILEUCUM	Colombia	
C	—— MACULATUM	Colombia	
**C*	CORDATUM	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
C	—— AUREUM	Mexico	
C	—— NIGRUM	Mexico	
C	—— SUPERBUM	Mexico	
C	CORONARIUM	Colombia	42*s.* and 63*s.*
C	—— MINIATUM	Colombia	63*s.* and 84*s.*
**C*	CRISPUM (ALEXANDRÆ, BLUNTII)	Colombia	3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*, and various sizes from 21*s.* upwards.
**C*	—— ALBUM	Colombia	
**C*	—— AUREO-PURPUREUM	Colombia	
**C*	—— AMŒNUM	Colombia	63*s.* and 84*s.*
**C*	—— DENISONIÆ	Colombia	
**C*	—— FLAVEOLUM	Colombia	
**C*	—— GRANDIFLORUM	Colombia	84*s.* and 105*s.*
**C*	—— GUTTATUM	Colombia	84*s.* and 105*s.*
**C*	—— INTERMEDIUM	Colombia	
**C*	—— LEHMANNI	Colombia	
**C*	—— MARGINATUM	Colombia	
**C*	—— NIVALE	Colombia	42*s.* and 63*s.*
**C*	—— PICTUM	Colombia	
C	—— PICTURATUM	Colombia	
**C*	—— PURPUREUM	Colombia	
**C*	—— ROSEUM	Colombia	
**C*	—— SPECIOSUM	Colombia	84*s.* and 105*s.*
**C*	—— SPLENDENS	Colombia	
**C*	—— SUPERBUM	Colombia	63*s.* and 84*s.*
**C*	—— TRIANÆ	Colombia	63*s.* and 84*s.*
C	CRISTATELLUM	Colombia	
C	CRISTATUM	Peru	21*s.* and 31*s.* 6*d.*
C	CROCATUM	Colombia	
C	CROCIDIPTERUM	South America	15*s.* and 21*s.*
C	DECORUM (*hybrid*)	Colombia	
C	DELTOOLOSSUM (*hybrid*)	Colombia	
C	DIADEMA (*hybrid*)	Colombia	
C	EDOUARDII	Ecuador	42*s.* and 63*s.*
C	EXIMIUM (*hybrid*)	Colombia	
C	FACETUM	Colombia	42*s.* and 63*s.*
C	FLAVEOLUM (*hybrid*)	Colombia	
C	GLORIOSUM	Ocaña	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— ALBUM (NÆVIUM MAJUS)	Ocaña	
C	—— AUREUM	Ocaña	

C	**ODONTOGLOSSUM** GLORIOSUM NIGRUM	Ocaña	
C	GLORIOSUM PICTUM	Ocaña	42*s.* and 63*s.*
C	—— SUPERBUM	Ocaña	21*s.*, 31*s.* 6*d.* and 42*s.*
C	GRANDE	Guatemala	5*s.*, 7*s.* 6*d.* to 21*s.*
C	HALLII	Ecuador	10*s.* 6*d.*, 15*s.* & 21*s.*
C	—— LEUCOGLOSSUM	Ecuador	42*s.* and 63*s.*
C	—— MARGINATUM	Ecuador	
C	—— NIGRUM	Ecuador	
C	—— XANTHOGLOSSUM	Ecuador	31*s.* 6*d.* and 42*s.*
C	HASTILABIUM	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
C	HEBRAICUM (*hybrid*)	Colombia	
C	—— ALBENS (*hybrid*)	Colombia	
C	HYSTRIX (RADIATUM)	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
C	IMPERATOR (*hybrid*)	Colombia	
C	IOPLOCON	Colombia	
**C*	INSLEAYI	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— LEOPARDINUM	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
I	KARWINSKII	South America	15*s.* and 21*s.*
I	KRAMERI	Costa Rica	
C	LIGULARE	South America	
C	LINDENI	Colombia	10*s.* 6*d.* and 15*s.*
C	LINDLEYANUM	Colombia	3*s.* 6*d.* and 5*s.*
C	—— SPECIOSUM	Colombia	15*s.* and 21*s.*
**C*	LONDESBOROUGHIANUM	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
C	LUTEO-PURPUREUM	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
**C*	MACULATUM	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— ANCEPS	Mexico	
**C*	—— EROSUM	Mexico	31*s.* 6*d.* and 42*s.*
**C*	—— STENANTHUM	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— SUPERBUM	Mexico	21*s.* and 31*s.* 6*d.*
C	MADRENSE (MAXILLARE)	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
C	—— MAJUS	Mexico	42*s.* and 63*s.*
C	MEMBRANACEUM	Mexico	15*s.* and 21*s.*
C	MIRABILE (*hybrid*)	Colombia	
C	MIRANDUM	Colombia	
C	MULUS	Colombia	
C	—— CROCATUS	Colombia	
C	—— CUSPIDATUS	Colombia	
C	NÆVIUM	Ocaña	63*s.* and 84*s.*
C	—— MAJUS, *vide* O. GLORIOSUM ALBUM		
C	NEBULOSUM	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
C	—— CANDIDUM	Mexico	15*s.* and 21*s.*
C	—— GRANDIFLORUM	Mexico	
C	—— GUTTATUM	Mexico	
C	—— PARDINUM	Mexico	42*s.* and 63*s.*
C	ODORATUM	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
C	—— GIGANTEUM	Colombia	
C	ŒRSTEDII	Costa Rica	5*s.* and 7*s.* 6*d.*
C	—— MAJUS	Costa Rica	
C	PARDINUM	South America	21*s.* and 31*s.* 6*d.*
C	PENDULUM, *vide* O. CITROSMUM		
C	PESCATOREI	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— AURANTIACUM	Colombia	
C	—— GRANDIFLORUM	Colombia	63*s.* and 84*s.*
C	—— LIMBOSUM	Colombia	
C	—— OCULATUM	Colombia	
C	—— NIVALE	Colombia	63*s.* and 84*s.*
C	—— SPLENDENS	Colombia	42*s.* and 63*s.*
I	PHALÆNOPSIS	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	POLYXANTHUM	Ecuador	
C	PRETIOSUM, *vide* O. SCHLEIPERIANUM		
C	PRINCEPS (*hybrid*)	Colombia	
**C*	PULCHELLUM	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— EOERTONI	Mexico	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— MAJUS	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	RADIATUM, *vide* O. HYSTRIX		
C	RAMOSISSIMUM	Colombia	
C	—— ALBUM	Colombia	
C	RAMULOSUM	Ocaña	15*s.* and 21*s.*
C	REICHENHEIMII	Mexico	31*s.* 6*d.* and 42*s.*
I	ROEZLII	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*

ODONTOGLOSSUM VEXILLARIUM INSIGNE.

A splendid variety of this popular Orchid. The flowers are of a deep rosy blush colour, with a prominent transverse band of bright yellow across the base of the lip, above the yellow band are two parallel crimson lines, and below the band on the white basal part of the lip is a broad transverse semicircular blotch of deep purplish red. Price on application.

I	**ODONTOGLOSSUM** ROEZLII ALBUM	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	ROEZLII DELICATUM	Colombia	15*s.* and 21*s.*
I	—— SPLENDENS	Colombia	63*s.* and 84*s.*
C	ROSEUM	Mexico	10*s.* 6*d.* and 15*s.*
**C*	ROSSII	Mexico	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**C*	—— MAJUS	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	—— —— MUSAICUM	Mexico	
C	—— —— PICTUM	Mexico	
C	—— —— RUBESCENS	Mexico	
C	—— —— SPLENDENS	Mexico	
C	RUBESCENS (*hybrid*)	South America	
C	RUCKERIANUM (*hybrid*)	Colombia	
C	—— GIGANTEUM (*hybrid*)	Colombia	
C	SANDERIANUM	Colombia	21*s.* and 31*s.* 6*d.*
C	SCEPTRUM	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	SCHLEIPERIANUM (PRETIOSUM)	Costa Rica	15*s.* and 21*s.*
C	—— FLAVIDUM	South America	
C	SPECTABILIS (*hybrid*)	Colombia	
**C*	TRIPUDIANS	Peru	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
**C*	—— GRANDIFLORUM	Peru	
**C*	—— XANTHOGLOSSUM	Peru	
C	TRIUMPHANS	Ocaña	10*s.* 6*d.*, 15*s.* and 21*s.*
C	UROSKINNERI	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	VEXILLARIUM	Colombia	10*s.* 6*d.*, 15*s.*, 21*s.* and various sizes from 42*s.* upwards
I	—— ALBESCENS	Colombia	
I	—— AMABILE	Colombia	
I	—— AMŒNUM	Colombia	
I	—— BICOLOR	Colombia	
I	—— CHELSONIENSE	Colombia	
I	—— COBBIANUM	Colombia	
I	—— GIGANTEUM	Colombia	
I	—— GRANDIFLORUM	Colombia	
I	—— INSIGNE, *vide* page 103		
I	—— KLABOCHIORUM	Colombia	
I	—— MARGINATUM	Colombia	
I	—— MARMORATUM	Colombia	
I	—— PICTUM	Colombia	
I	—— PICTURATUM	Colombia	
I	—— PULCHERRIMUM	Colombia	
I	—— PURPUREUM	Colombia	
I	—— RADIATUM	Colombia	
I	—— ROSEUM	Colombia	42*s.*, 63*s.* and 84*s.*
I	—— RUBELLUM (Autumn-flowering)	Colombia	21*s.*, 42*s.* and 63*s.*
I	—— RUBRUM	Colombia	
I	—— SUPERBUM	Colombia	
I	—— VENOSUM	Colombia	
C	VICTOR (*hybrid*)	Colombia	
C	WALLISII	Colombia	
C	WILCKEANUM (*hybrid*)	Colombia	
C	—— ALBENS (*hybrid*)	Colombia	
C	—— PALLENS (*hybrid*)	Colombia	
I	WARSCEWICZII		
C	**ONCIDIUM** ÆMULUM, *vide* O. SUPERBIENS		
S	ALTISSIMUM	West Indies	10*s.* 6*d.* and 15*s.*
S	AMPLIATUM	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— MAJUS	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*
C	ANCIFERUM	South America	42*s.*
I	ARMILLARE	South America	21*s.* and 31*s.* 6*d.*
I	ASCENDENS	South America	15*s.* and 21*s.*
C	AUROSUM (EXOAVATUM)	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	BALDERRAMÆ	Colombia	
I	BARBATUM	Brazil	10*s.* 6*d.* and 15*s.*
**C*	BARKERI, *vide* O. TIGRINUM		
C	BATEMANNIANUM	Brazil	15*s.* and 21*s.*
I	BICALLOSUM	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	BICOLOR	Brazil	21*s.* and 31*s.* 6*d.*
I	CARTHAGINENSE	Mexico	10*s.* 6*d.* and 15*s.*
I	CAVENDISHIANUM	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CEBOLLETA	Brazil	10*s.* 6*d.* and 15*s.*
**C*	CHEIROPHORUM	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*

I	**ONCIDIUM** CHRYSOMORPHUM	South America	21*s.* and 31*s.* 6*d.*
C	CONCOLOR	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	CORNIGERUM	Brazil	15*s.* and 21*s.*
C	CRISPUM	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— ORANDIFLORUM	Brazil	15*s.* and 21*s.*
I	CROCODILICEPS	South America	
C	CRUENTUM (PELICANUM)	Mexico	15*s.* and 21*s.*
*C	CUCULLATUM	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— ORANDIFLORUM	South America	
*C	—— MACULOSUM	South America	21*s.* and 31*s.* 6*d.*
*C	—— PUNCTATUM	South America	21*s.* and 31*s.* 6*d.*
*C	—— PURPUREUM	South America	42*s.* and 63*s.*
C	CURTUM	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
C	DASYTYLE	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	DIADEMA, *vide* SERRATUM		
I	DIVARICATUM	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	EXCAVATUM, *vide* AUROSUM		
C	FLEXUOSUM	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	FORBESII	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— ORANDIFLORUM	Brazil	42*s.* and 63*s.*
I	FUSCATUM	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
C	GARDNERI	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
C	ORANDIFLORUM	Colombia	
C	HARRISONIANUM	Mexico	21*s.*
C	HASTATUM, *vide* STELLIGERUM		
I	HYPHÆMATICUM (LEOPARDINUM)	South America	
C	INCURVUM	Oaxaca	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	JANEIRENSE, *vide* LONOIPES		
I	JONESIANUM	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	JUNCIFOLIUM	South America	15*s.* and 21*s.*
S	KRAMERIANUM	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LANCEANUM	Surinam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— SUPERBUM	Surinam	21*s.* and 31*s.* 6*d.*
C	LEUCOCHILUM	Mexico	21*s.* and 31*s.* 6*d.*
C	—— DAWSONIANUM	Mexico	
C	—— SPLENDENS	Mexico	63*s.* and 84*s.*
C	LONOIPES (JANEIRENSE)	Brazil	21*s.* and 31*s.* 6*d.*
S	LURIDUM (OUTTATUM)	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
C	MACRANTHUM	Ecuador	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— ORANDIFLORUM	Ecuador	
C	—— HASTIFERUM	Ecuador	63*s.* and 84*s.*
C	MARSHALLIANUM	Brazil	15*s.*, 21*s.* and 42*s.*
I	MELIOSMUM	Brazil	21*s.* and 31*s.* 6*d.*
I	NIGRATUM	British Guiana	15*s.*, 21*s.* and 31*s.* 6*d.*
C	NUBIGENUM (PHALÆNOPSIS)	Ecuador	
C	OBRYZATUM	Colombia	21*s.* and 31*s.* 6*d.*
C	OCHTHODES	Colombia	21*s.*
*C	ORNITHORRHYNCHUM	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— MAJUS	Guatemala	
*C	—— RUBRUM	Guatemala	
S	PAPILIO	Panama	10*s.* 6*d.* and 15*s.*
S	—— MAJUS	Panama	15*s.* and 21*s.*
I	PELICANUM, *vide* CRUENTUM		
C	PHALÆNOPSIS, *vide* NUBIGENUM		
I	PHILIPSIANUM	South America	10*s.* 6*d.* and 15*s.*
I	PHYLLOGLOSSUM	South America	
C	PHYMATOCHILUM	Brazil	21*s.* and 31*s.* 6*d.*
C	PLAOIANTHUM	Colombia	
C	PRÆTEXTUM	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— MACULOSUM	Brazil	
C	—— SUPERBUM	Brazil	
I	PUBES	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
I	PULVINATUM	Brazil	10*s.* 6*d.* and 15*s.*
I	PUMILUM	Brazil	42*s.*
I	REFLEXUM	Mexico	10*s.* 6*d.* and 15*s.*
C	REICHENBACHII	Colombia	15*s.* and 21*s.*
I	ROSEUM	Mexico	10*s.* 6*d.* and 15*s.*
I	SARCODES	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	SCHILLERIANUM	South America	15*s.* and 21*s.*
I	SCHLIMII	South America	15*s.* and 21*s.*
C	SERRATUM (DIADEMA)	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*

I	**ONCIDIUM** SESSILE	Santa Martha	21*s.*, 31*s.* 6*d.* and 42*s.*
I	SPHACELATUM	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	SPHEGIFERUM	South America	15*s.* and 21*s.*
C	STELLIGERUM (HASTATUM)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— PICTUM	Mexico	42*s.* and 63*s.*
C	SUPERBIENS (ÆMULUM)	Colombia	
I	SUTTONI	South America	15*s.* and 21*s.*
I	TECTUM	South America	15*s.*
C	TETRACOPIS	Colombia	
S	TETRAPETALUM	West Indies	21*s.*
I	TIORATUM	South America	15*s.* and 21*s.*
**C*	TIORINUM (BARKERI)	Mechoacan	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	TRILINGUE	Colombia	15*s.* and 21*s.*
I	TRIQUETRUM	West Indies	10*s.* 6*d.*
I	TRULLIFERUM	South America	15*s.* and 21*s.*
**I*	UNGUICULATUM	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	UNICORNE	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
C	VARICOSUM	Brazil	10*s.* 6*d.*, 15*s.* & 21*s.*
C	—— ROGERSII	Brazil	
I	VIRGULATUM	South America	15*s.* and 21*s.*
I	WARNERI	South America	21*s.* and 31*s.* 6*d.*
I	WELTONI (MILTONIA WARSCEWICZII)	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
C	WENTWORTHIANUM	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	ZEBRINUM	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**PALUMBINA** CANDIDA	Mexico	15*s.* & 21*s.*
S	**PAPHINIA** CRISTATA	West Indies	21*s.* and 31*s.* 6*d.*
S	CRISTATA GRANDIS	West Indies	42*s.* and 63*s.*
S	**PERISTERIA** ELATA (The Dove Flower)	Panama	10*s.* 6*d.*, 15*s.* & 21*s.*

El Spirito Santo (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.

I	**PESCATORIA** (HUNTLEYA) CERINA	South America	31*s.* 6*d.* and 42*s.*
I	DAYANA	South America	
I	KLABOCHORUM	South America	
I	ROEZLII	Ecuador	
I	**PHAIUS** ALBUS, *vide* THUNIA ALBA		
S	BENSONIÆ, *vide* THUNIA BENSONIÆ		
I	BLUMEI	Assam	
**I*	ORANDIFOLIUS (BLETIA TANKERVILLIÆ)	Hong Kong	7*s.* 6*d.* and 10*s.* 6*d.*
S	HUMBLOTII	Madagascar	
I	MACULATUS	East Indies	10*s.* 6*d.* and 15*s.*
S	MARSHALLIANUS, *vide* THUNIA MARSHALLIANA		
I	WALLICHII	Sylhet	21*s.* and 31*s.* 6*d.*
I	WOODFORDII	East Indies	10*s.* 6*d.* and 15*s.*
S	**PHALÆNOPSIS** AMABILIS	Sunda Islands	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	AMABILIS DAYANA	Sunda Islands	
S	ESMERALDA	Cochin China	15*s.* and 21*s.*
S	GRANDIFLORA	Borneo	10*s.* 6*d.* and 15*s.*
S	LÜDDEMANNIANA	Philippino Islands	21*s.* and 31*s.* 6*d.*
S	ROSEA	East Indies	21*s.*
S	SANDERIANA	East Indies	21*s.*, 42*s.* and 63*s.*
**S*	SCHILLERIANA	Manilla	10*s.* 6*d.* and 15*s.*
**S*	—— SUPERBA	Manilla	
S	STUARTIANA	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	TETRASPIS	East Indies	84*s.* and 105*s.*
S	VIOLACEA	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**PHOLIDOTA** IMBRICATA	East Indies	5*s.* and 7*s.* 6*d.*
C	**PILUMNA** (TRICHOPILIA) FRAGRANS	Merida	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	NOBILIS	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	**PLEIONE** HOOKERI	East Indies	21*s.*
**C*	HUMILIS	East Indies	10*s.* 6*d.* and 15*s.*
**C*	—— TRICOLOR	Assam	31*s.* 6*d.*
**C*	LAGENARIA	Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	MACULATA	Assam, Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d*
C	PRÆCOX TENERA	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
**C*	REICHENBACHIANA	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
**C*	WALLICHIANA	Arracan Mountains	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**PLEUROTHALLIS** INCOMPTA	South America	15*s.*
I	SCAPHA	South America	105*s.*
S	**PROMENÆA** CITRINA	Brazil	
S	STAPELIOIDES	Brazil	
S	**RENANTHERA** COCCINEA	Cochin China	21*s.* and 31*s.* 6*d.*

S	**RENANTHERA** Lowii, *vide* Vanda Lowii		
C	**RESTREPIA** antennifera	Colombia	31*s.* 6*d.* and 42*s.*
C	elegans	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	leopardina	Colombia	
I	ophiocephala	Mexico	15*s.* and 21*s.*
S	**RODRIGUEZIA** planifolia	South America	7*s.* 6*d.* and 10*s.* 6*d.*
S	secunda	West Indies	10*s.* 6*d.* and 15*s.*
S	**SACCOLABIUM** ampullaceum	Rangoon	7*s.* 6*d.* and 10*s.* 6*d.*
S	bellinum	East Indies	
S	Blumei	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	—— Dayi	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— javanense	Java	31*s.* 6*d.* and 42*s.*
S	—— lonoiracemosum	East Indies	31*s.* 6*d.* and 42*s.*
S	—— majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	—— pulchrum	East Indies	21*s.* and 31*s.* 6*d.*
S	—— roseum	East Indies	
S	—— splendens	East Indies	42*s.* and 63*s.*
S	curvifolium	Nepal, Ceylon	10*s.* 6*d.*, 15*s.* and 21*s.*
**S*	giganteum (Vanda densiflora)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
**S*	—— excellens	East Indies	
**S*	—— illustre	East Indies	
S	guttatum	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	—— gigantеum	East Indies	
S	—— superbum	Ceylon	63*s.* and 84*s.*
S	Harrisonianum	Pulo, Copang	31*s.* 6*d.* and 42*s.*
S	Hendersonianum	Borneo	63*s.* and 84*s.*
S	miniatum citrinum	Cochin China	
S	præmorsum	Java	42*s.* and 63*s.*
S	retusum	Java	42*s.* and 63*s.*
S	rinoens		
S	violaceum	Manilla	31*s.* 6*d.* and 42*s.*
S	**SARCANTHUS** laxus	East Indies	21*s.* and 31*s.* 6*d.*
I	**SARCOCHILUS** Hartmanni	Australia	
S	unguiculatus	East Indies	21*s.* and 31*s.* 6*d.*
S	**SARCOPODIUM** Dearei	East Indies	
S	Lobbii	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**SCHOMBURGKIA** carinata	West Indies	
I	crispa	Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
I	gloriosa	South America	42*s.* and 63*s.*
S	Lyonsii	West Indies	
I	tibicina	Mexico	21*s.* and 31*s.* 6*d.*
I	undulata	La Guayra	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	**SCUTICARIA** Hadwenii	Brazil	21*s.* and 31*s.* 6*d.*
I	Steelii	Brazil	21*s.* and 31*s.* 6*d.*
	SELENIPEDIUM, *vide* Cypripedium.		
I	**SOBRALIA** macrantha	Guatemala	21*s.* and 31*s.* 6*d.*
I	macrantha maonifica	Guatemala	
I	—— nana	Guatemala	42*s.* and 63*s.*
I	—— rosea	Guatemala	
I	—— rubra	Guatemala	
I	—— splendens	Guatemala	42*s.* and 63*s.*
C	**SOPHRONITIS** cernua	Brazil	10*s.* 6*d.* and 15*s.*
**C*	grandiflora	Organ Mountains	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
**C*	—— coccinea	Organ Mountains	
**C*	—— superba	Brazil	
C	violacea	Brazil	
S	**SPATHOGLOTTIS** Fortunei	Hong Kong	21*s.* and 31*s.* 6*d.*
S	Lobbii	Borneo	84*s.* and 105*s*
S	pacifica	Pacific Islands	
I	**STANHOPEA** aurea	South America	10*s.* 6*d.* and 15*s.*
I	Bucephalus	South America	10*s.* 6*d.* and 15*s.*
I	ecornuta	South America	
I	grandiflora (eburnea)	South America	
I	graveolens	South America	10*s.* 6*d.*
I	guttulata	South America	10*s.* 6*d.* and 15*s.*
I	insignis	Brazil	10*s.* 6*d.* and 15*s.*
C	Martiana	Mexico	10*s.* 6*d.* and 15*s.*
C	oculata	Xalapa	10*s.* 6*d.* and 15*s.*
I	punctata	South America	10*s.* 6*d.*
I	Shuttleworthii	Colombia	10*s.* 6*d.* and 15*s.*
C	tigrina	Xalapa	10*s.* 6*d.* and 15*s*

C	**STANHOPEA** TIGRINA SUPERBA	Xalapa	21*s.*
I	WARDII	La Guayra	10*s.* 6*d.* and 15*s.*
S	**THRIXSPERMUM** MURICULATUM	Andaman Islands	15*s.* and 21*s.*
I	**THUNIA** (PHAIUS) ALBA	India	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	ALBA STRIATA	India	5*s.* and 7*s.* 6*d.*
S	BENSONIÆ	Moulmein	10*s.* 6*d.* and 15*s.*
S	MARSHALLIANA	India	15*s.*, 21*s.* and 31*s.* 6*d.*
S	—— IONOPHLEBIA, *vide* page 9		
S	PULCHRA	East Indies	10*s.* 6*d.*, 15*s.* & 21*s.*
S	**TRICHOCENTRUM** ALBO-PURPUREUM	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**TRICHOPILIA** AUREOPHYLAX	Mexico	
C	COCCINEA	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	ORISPA (OLOXINIÆFLORA)	Costa Rica	42*s.*, 63*s.* and 84*s.*
I	—— MARGINATA	Costa Rica	
I	FRAGRANS, *vide* PILUMNA FRAGRANS.		
I	GALEOTTIANA (PICTA)	Costa Rica	21*s.* 31*s.* 6*d.* and 42*s.*
I	HYMENANTHA	South America	15*s.* and 21*s.*
I	(PILUMNA) LAXA	South America	5*s.* and 7*s.* 6*d.*
I	SUAVIS	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— SUPERBA	Costa Rica	21*s.* and 31*s.* 6*d.*
C	TORTILIS	Mexico	10*s.* 6*d.* and 15*s.*
C	—— ALBA	Mexico	
I	TURIALVÆ	South America	21*s.* and 31*s.* 6*d.*
**C*	**TRICHOSMA** SUAVIS	Assam	21*s.* and 31*s.* 6*d.*
I	**TRIGONIDIUM** RINGENS	Assam	15*s.* and 21*s.*
I	**UROPEDIUM** LINDENI	Colombia	21*s.* and 31*s.* 6*d.*
S	**VANDA** BATEMANNI	Moluccas	21*s.* and 31*s.* 6*d.*
S	BENSONI	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
S	BOXALLII	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	CATHCARTII	Sikkim	42*s.* and 63*s.*
I	CÆRULEA	Khasya	15*s.*, 21*s.* and 31*s.* 6*d.*
I	CÆRULESCENS	Burmah	
I	—— BOXALLII	Burmah	
S	CONCOLOR	East Indies	42*s.* and 63*s.*
S	CRISTATA	Assam	
S	DENISONIANA	India	21*s.*, 31*s.* 6*d.* and 42*s.*
**S*	DENSIFLORA, *vide* SACCOLABIUM GIGANTEUM		
S	GIGANTEA	Moulmein and Rangoon	15*s.* and 21*s.*
S	HOOKERI	Borneo	42*s.* and 63*s.*
S	INSIGNIS	East Indies	
S	LIMBATA	East Indies	
S	LOWII	Borneo	
S	PARISHII	Burmah	31*s.* 6*d.* and 42*s.*
S	—— MARRIOTTIANA	Burmah	42*s.* and 63*s.*
S	ROXBURGHII	Bengal	21*s.* and 31*s.* 6*d.*
S	—— CÆRULEA	Bengal	21*s.* and 31*s.* 6*d.*
S	SANDERIANA	Eastern Archipelago	
S	SUAVIS	Java	31*s.* 6*d.* and 42*s.*
S	—— (CHATSWORTH VARIETY)	Java	
S	—— MAXIMA	Java	
S	TERES	Sylhet	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— ANDERSONI	Sylhet	31*s.* 6*d.* and 42*s.*
S	TESTACEA	East Indies	21*s.* and 31*s.* 6*d.*
I	TRICOLOR	Java	21*s.* and 31*s.* 6*d.*
I	—— AUREA	Java	
I	—— CHELSONIENSIS	Java	
I	—— FORMOSA	Java	31*s.* 6*d.* and 42*s.*
I	—— OUTTATA	Java	
I	—— INSIGNIS	Java	21*s.* and 31*s.* 6*d.*
I	—— LIMBATA	Java	
I	—— MARGINATA	Java	
I	—— MELEAGRIS	Java	
I	—— MULTIFLORA	Java	31*s.* 6*d.* and 42*s.*
I	—— NEBULOSA	Java	42*s.* and 63*s.*
I	—— OCHRACEA	Java	
I	—— PLANILABRIS	Java	
I	—— SPLENDENS	Java	
I	—— SUPERBA	Java	31*s.* 6*d.* and 42*s.*
S	**VANILLA** AROMATICA	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
S	PLANIFOLIA	South America	10*s.* 6*d.* and 15*s.*
I	**WARREA** LINDENIANA	Colombia	21*s.* and 31*s.* 6*d.*

I	**WARSCEWICZELLA** DISCOLOR	Colombia	21*s.* and 31*s.* 6*d.*
I	VELATA	Colombia	21*s.* and 31*s.* 6*d.*
I	**ZYGOPETALUM** CRINITUM	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	CRINITUM CÆRULEUM	Brazil	42*s.* and 63*s.*
I	—— SUPERBUM..	Brazil	
I	GAUTIERI	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	INTERMEDIUM	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	MACKAYI	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— MAJUS	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	MAXILLARE	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	ROSTRATUM	South America	21*s.*

CHOICE ORCHIDS.

EAST INDIAN | **WEST INDIAN** | **COLOMBIAN**
MEXICAN | **PERUVIAN** | **BRAZILIAN**

Collections made at 3, 4, 6, 9 and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at 3, 4, 6, 9 *and* 12 *guineas per dozen.*

SPHAGNUM MOSS FOR ORCHIDS.

3*s.* 6*d.* *per bushel;* 12*s* *per sack.*

BEST FIBROUS PEAT FOR ORCHIDS.

10*s.* *per sack.*

NEW AND CHOICE ACHIMENES.

VIOLETTA, a very pretty and free-flowering new variety of vigorous growth, producing an abundance of rich violet-purple flowers, the centre of each lobe and the mouth of the throat being very darkly veined. 5*s.*

Good selections made at 6*s.*, 9*s.* *and* 12*s.* *per dozen, according to sorts.*

New and choice sorts, 18*s.* *and* 30*s.* *per dozen, according to sorts.*

ADMIRATION [FELT
AMBROISE VERSCHAFFELTII
AROUS
AURORA
BELLE CRACOVIENNE
CARL WOLFARTH
CARMINATA ELEGANS
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FRANCOIS CARDINAUX
GEOROIANA
GRANDIFLORA
—— FLORE PLENO
GRANDIS
HARRY WILLIAMS
HENDERSONI
JAUREQUIA MAXIMA
LADY LYTTLETON
LEOPARD
LONGIFLORA
—— ALBA
—— MACRANTHA

LONGIFLORA MAJOR
—— ROSEA

LOUIS VAN HOUTTE
LOVELINESS
MARVEL
MAUVE PERFECTION
—— QUEEN
MASTERPIECE
METEOR
MINIATA
M. MEILLEZ
NESIDA
NINA
PARSONSII
PURPUREA ELEGANS
—— MULTIFLORA
RIENZII
RIVAL
ROLLISSONI
ROSEA ELEGANS
—— MAGNIFICA
SCARLET PERFECTION
SIR TREHERNE THOMAS
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVICANS
WILLIAMSII

EUCODONIAS.

A free-flowering and dwarf growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1*s.* and 1*s.* 6*d.* each.

EHRENBERGII
NÆGELIOIDES
NÆOELIOIDES DIAMANTINA
—— LILACINELLA
NÆOELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally, however, the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty. Selections of good varieties at 30*s.* and 42*s.* per dozen, according to sorts.

GESNERAS, see also page 36.

NEW HYBRID GESNERAS.

LE PRODIGUE, a distinct variety with handsome foliage; the flowers which are fringed, being of a rose colour shaded with purple, fading towards the edge into rosy-salmon. *5s.*

MADAME HEINE, flowers of large size and perfect shape, freely produced in fine pyramidal branching racemes, the tube and outside lobes being of a rich violet-purple colour, the centre white shaded with rose and spotted with purple, while the interior of the throat is orange-yellow with crimson spots. The plant is remarkable on account of the lower flowers often producing a number of petaloid segments, thus giving to the blooms a semi-double appearance. *5s.*

MADAME JEHENNE, a variety of vigorous growth, producing large showy flowers of a dark rosy-violet colour, resembling in shape those of an Achimenes. *5s.*

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. *5s.*

SOUVENIR DE MADAME JOIGNOT, this variety has handsome bronze-green leaves, the Achimenes-like flowers, which are abundantly produced, being of a rich carmine-purple colour. *5s.*

NEW AND CHOICE GLOXINIAS.

For New Varieties, offered for the first time, *vide* page 9.

NEW VARIETIES OF 1885.

WITH ERECT FLOWERS.

ACTIVE, white lobes freckled with bluish purple, the markings smaller and lighter towards the margin; light throat spotted with purple. *5s.*

AMETHYST, azure blue, lighter towards the edges of the lobes; throat pure white, extending to the centre of each lobe. *5s.*

CYGNET, pure white, the lobes broadly margined with soft pink; very pretty. *5s.*

HYDRA, white, the lobes margined with pale rose, marked with bright rose at the intersections of the lobes. *5s.*

MALABAR, lobes pale rose; centre of lobes and mouth bright crimson; light throat, shaded with violet. *5s.*

SABRINA, intensely deep crimson, the lobes margined with pale rose; light throat freckled crimson. *5s.*

Choice selections made by Mr. W. B. at 18s., 30s. and 42s. per dozen according to sorts.

ADMIRATION.
ANNA DE CONDEIXA
ARCHIMEDES.
ARIADNE
AURELIA
BARON DE ROTHSCHILD.
BERENICE
BIJOU
BOULE DE NIEOE
CABELLO
CALYPSO
CASILDA
CECILE MICHAUX
CHATEAUBRIAND
CHAUCER
CLEOPATRA
COMTE DE MONTESQUIEU
COMTESSE HORACE DE CHOISEUL
CONQUEST
COQUETTE D'ASNIÉRES
CORDON LAVANDE
COWPER
DANTE
DARING
DE BALZAC
DIADEME
DIAMANT
DIDON
DRYDEN
EDEN

NEW AND CHOICE GLOXINIAS—continued.

ELFIN
FANTOME
FAVORI
FEU BRILLIANT
FLAMBOYANT
FLORE
FLORIAN
GEORGES SAND
GIRANDOLE
GRACIEUX
HECLA
HERON
HORTENSE
JEANNE D'ARC
JUPITER
LA BOËTIE
LA FRANCE
LE GAULOIS
LEONORA
LEOPARD
LYDIA, *vide* page 9
MAD. A. LAVALLÉE
MAD. BLEU
MAD. BOYD
MAD. CECILE GONDOUIN
MAD. CHARLES HEINE.
MAD. HUBERT
MAD. PH. HÉBERT
MODIOLA, *vide* page 9
MAGENTA
MARCEL
MARGUERITE D'ELCHINOEN
MARQUIS DE CHENNEVIERES
MATODOR
MDLLE. ANGELINA MARTIN
MDLLE. BLANCHE BACHELOT
MENTOR
MILTON
MINOS
MOOUL
MON CAPRICE
MONSIEUR BERGMAN
M. G. MORLET
M. LUCIEN LINDEN.
M. PHILIP HEBERT
M. MAXIME DE LA ROCHETERIE
NEPTUNE
NOIROT
ODIN
ORACLE
OSCAR
PARTHENIA
PERFECTION
PERLE
PHIDIAS
PHŒNIX
PLINE
PORTEND
PRESIDENT LAVALLÉE
PRINCE DE GALLES
REOULUS
ROMOLA
RUBENS
RUBIS
SEMIRAMIS
STANLEY
SYLPHIDE
TAMAR
TEMPLAR
TENNYSON
THEMIS
VELINDRA
VICOMTE DE CONDEIXA
VICOMTESSE DE BELLEVAL
ZIBELINE

GLOXINIA INSIGNIS, this distinct variety produces its flowers during the autumn and winter; colour blnish lilac, marked with a large crimson blotch at the base of the tube. 2*s.* 6*d.*

MACULATA SCEPTRUM, a magnificent hybrid, with extra large erect cordate foliage; it produces a rigid terminal inflorescence, exceeding 20 inches in height, which bears majestically its large, clear lilac, well-formed blooms. 1*s.* 6*d.*

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18*s.*, 24*s.*, 30*s.* and 42*s.* per dozen, according to sorts.

AILSA
ALARM
ALEXANDRE
AMARANTE ET CANNELLE
AMAZON
BELLONA
BOMB
CECILIA
CLOVIS
COQUETTE
CYNTHIA
DAPHNE
DORIS
DUCHESS
ELAINE
EUTERPE
GIGANTEA
HOTSPUR
ITACULUMI
JULIETTE
LÉONIDAS
LIEFKIN
LORENZO
MANCINUS
MARQUIS DE GUIADIARO
MINERVE
MIRANA
M. RICHARD LARIOS
OPHIR
PAREPA
PLUTON
PORTIA
ROBERT LE DIABLE
SABINA
THALIE
UKARA
VIOLET ET MARRON
WONDER
XENOPHON

NEW AND CHOICE REGAL PELARGONIUMS.

This name is applied to that magnificent group of Pelargoniums, the flowers of which are of large size, with very rich and showy colours, and which, although they are not really double, yet have the appearance of being so from their full and crispy form, and the extra number of their frilled petals.

ALEXANDRE DE NAPADIEWICZ, a fine flower of a salmon-carmine colour, widely margined with white; upper petals blotched with maroon; large white centre. 3*s.* 6*d.*

BEAUTY OF OXTON, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; all the petals regularly margined white, and beautifully fringed. 1*s.* 6*d.*

CAPTAIN RAIKES, a fine large full flower; upper petals deep fiery crimson, flaked with purplish black, and bordered with carmine; lower petals clear bright fiery crimson. 2*s.*6*d.*

COUNTESS OF ROSEBERY, a desirable variety, producing large trusses of pure white flowers, with a spot of delicate rose in the upper petals, the margin of the flower being prettily fringed. 2*s.* 6*d.*

NEW AND CHOICE REGAL PELARGONIUMS—continued.

DR. MASTERS, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson; the lower petals have a smaller blotch, with a broader margin of the same colour as the upper. 1*s.* 6*d.*

DUCHESS OF BEDFORD, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1*s.* 6*d.*

DUKE OF ALBANY, deep rich crimson-maroon, margined with rosy lake; light centre surrounded with violet-rose shading; all the petals beautifully undulated and fringed; fine full flower; extremely showy. 2*s.* 6*d.*

KARL KLEIN, a splendid variety, producing very bright red flowers, darkly spotted; extremely showy. 2*s.* 6*d.*

MADAME EVRARD, very full flower, with beautiful crispy petals of bright purplish crimson colour, spotted with dark maroon. 2*s.* 6*d.*

MADAME THIBAUT, white blotched and marbled with rose; upper petals marked with crimson maroon; large white centre. 1*s.* 6*d.*

MAID OF KENT, an attractive variety, of neat dwarf habit and extremely free blooming; the flowers are pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 2*s.* 6*d.*

PRINCE OF PELARGONIUMS, large flowers with elegantly fringed margins; brilliant vermilion-scarlet ground colour, finely relieved by a blush-white centre, with violet veins; the upper petals flushed with rich crimson. 2*s.* 6*d.*

MISS LILY CANNELL, a very pretty flower; crimson-scarlet petals shaded with rosy-purple and edged with white, light centre. 2*s.* 6*d.*

PRINCE OF TECK, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 2*s.* 6*d.*

PRINCE OF WALES, an exceedingly handsome variety, freely producing good trusses of flowers of a bright vermilion colour, with light centre and edge to the petals, the superior ones being marked with light crimson, and darkly blotched. 1*s.* 6*d.*

PRINCESS BEATRICE, upper petals crimson-lake blotched with maroon and margined with white, under petals blush white; a large and full flower, the petals being beautifully undulated and fringed. 7*s.* 6*d.*

PRINCESS OF WALES, an extremely beautiful variety, very large and effective flowers of a rosy lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon; an exceedingly attractive flower. 3*s.* 6*d.*

QUEEN VICTORIA, the flowers of this handsome and distinct variety have peculiarly crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 2*s.* 6*d.*

SULTAN, carmine-lake; the upper petals blotched with maroon; light centre, shaded with soft violet-rose; all the petals slightly undulated; a very pretty flower. 3*s.* 6*d.*

VOLONTÉ NATIONALE ALBUM, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. A free grower and very floriferous. 5*s.*

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

For New Variety, offered for the first time, vide page 9.

AGATHA, a fine flower of good form; upper petals bright crimson, blotched with maroon and margined with white; under petals blush-white, spotted with bright crimson. 3*s.* 6*d.*

ALFONSO, pure white free-blooming variety, upper petals marked with rich rosy crimson, under petals faintly feathered with rose; a large finely formed flower. 7*s.* 6*d.*

ANGUS, delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 2*s.* 6*d.*

ARBACES, a very attractive flower of a bright rosy purple colour, with light margin; the upper petals blotched and feathered with dark crimson. 2*s.* 6*d.*

ARVON, upper petals bright crimson, blotched with blackish maroon and edged with rose; under petals soft rose, spotted crimson. 2*s.*6*d.*

ATRATO, upper petals rich purplish crimson, blotched with maroon, and margined with white; under petals violet rose, spotted with crimson, and margined with white. 7*s.* 6*d.*

CATRINA, upper petals dark maroon, margined with rosy crimson; under petals rosy crimson, blotched with maroon. 2*s.* 6*d.*

CHARGER, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 2*s.* 6*d.*

CLOVIS, *vide* page 9

CYMBA, upper petals dark crimson, surrounded with bright crimson and edged with rose; under petals rose, blotched and feathered with crimson; light centre; a fine, large well-formed flower. 3*s.* 6*d.*

CYPRIA, a fine flower of a rich rosy crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 2*s.* 6*d.*

DACIA, upper petals dark maroon shaded with bright crimson, margined with rose; under petals rosy pink, cleanly spotted with dark crimson. 3*s.* 6*d.*

DAMON, upper petals bright crimson, blotched with maroon; under petals rosy crimson, white centre; all the petals edged white. 2*s.* 6*d.*

NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

DAURUS, flower rich crimson, shaded with maroon; light centre, shaded rosy purple. 3*s.*6*d.*

DINORAH, upper petals blotched with maroon, surrounded with bright rosy purple, and edged with rose; under petals light rose, spotted with bright rosy purple. 2*s.* 6*d.*

DOLPHIN, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted with bright crimson. 7*s.* 6*d.*

EBOR, upper petals maroon margined with white; lower petals white heavily veined with violet purple, spotted with dark crimson; light centre. 7*s.* 6*d.*

ECLIPSE, upper petals blackish maroon, edged with fiery crimson; under petals deep crimson, shaded with scarlet, and blotched with dark maroon; light centre. 2*s.* 6*d.*

ELVINA, upper petals rich bright crimson, blotched with maroon and margined with white; under petals blush, tinted rose and spotted with crimson. 2*s.* 6*d.*

ENSIGN, all the petals blotched with maroon, surrounded with crimson and margined with rose. 2*s.* 6*d.*

FIREFLY, fiery crimson, the upper petals blotched with maroon; under petals spotted crimson, light centre, shaded violet. 2*s.* 6*d.*

FORWARD, upper petals maroon edged with soft rose; under petals rosy crimson, heavily spotted with maroon. 3*s.* 6*d.*

GIDOUR, upper petals deep maroon, surrounded with fiery crimson, and margined with deep rose; under petals bright rosy pink, spotted with dark crimson; a splendid flower. 3*s.*6*d.*

GRANTA, maroon upper petals, surrounded with rosy crimson, and edged with lavender; under petals rich rose, spotted with dark crimson; white centre. 2*s.* 6*d.*

GRISON, light rosy pink, all the petals blotched with very dark blackish maroon, and shaded with crimson; a very fine flower. 2*s.* 6*d.*

HECLA, light rosy purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and margined with rose; under petals spotted with maroon. 3*s.*6*d.*

JESSICA, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy pink, spotted dark crimson. 2*s.*6*d.*

KENNETH, upper petals purplish crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy lavender; white centre. 2*s.* 6*d.*

LEONARD, flesh-coloured flower, the upper petals being blotched with dark crimson, surrounded with bright crimson; under petals cleanly spotted with bright rosy crimson. 7*s.* 6*d.*

LEONIS, flower soft rosy purple, surrounded with pale rose, the upper petals blotched with maroon. 2*s.* 6*d.*

LUCULLUS, fiery crimson; upper petals blotched with blackish maroon; under petals spotted crimson-maroon; light centre. 2*s.* 6*d.*

MALCOLM, upper petals rosy pink, blotched with maroon; under petals soft rosy pink, spotted with deep crimson. 2*s.* 6*d.*

MARSUS, upper petals white, blotched with rosy-crimson; under petals blush white, spotted with crimson. 2*s.* 6*d.*

MEDINA, upper petals maroon, shaded with crimson and edged with rose; under petals rose, blotched with dark crimson. 2*s.* 6*d.*

MINARET, upper petals crimson, with maroon blotch; under petals rosy crimson marked and spotted with maroon. 2*s.* 6*d.*

MRS. POTTEN, a fine round flower, with undulated blush white petals; the upper petals blotched with velvety purple. 2*s.* 6*d.*

NEPTUNE, flower rosy purple, upper petals blotched and feathered with maroon; under petals spotted with maroon. 7*s.* 6*d.*

NIZZA, flower bright rosy purple; upper petals feathered with dark crimson. 3*s.* 6*d.*

ONDINE, upper petals dark crimson, surrounded with fiery crimson, edged with pink; under petals rose suffused with crimson, and spotted with dark crimson. 7*s.* 6*d.*

ORISSA, upper petals light purplish crimson, feathered and blotched with maroon; under petals soft violet-rose, marked with crimson; a rich-looking and attractive flower. 3*s.* 6*d.*

OSCAR, upper petals crimson, margined with rose and blotched with maroon; under petals rose, spotted crimson; light centre. 2*s.* 6*d.*

PEERLESS, the upper petals blackish maroon, surrounded with fiery crimson; under petals rich crimson, with maroon spot. 2*s.* 6*d.*

PHŒNIX, deep rosy purple, upper petals blotched and feathered with dark crimson; under petals edged with white, light centre. 3*s.*6*d.*

PINNACE, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals rosy carmine, spotted with dark crimson. 2*s.* 6*d.*

PIONEER, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 2*s.* 6*d.*

PLATEAU, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. 2*s.* 6*d.*

RENDIGO, upper petals nearly black, with crimson edge; under petals crimson, blotched with maroon. 2*s.* 6*d.*

RUMOUR, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. 2*s.*6*d.*

SABINE, upper petals dark crimson-maroon, edged with bright crimson; under petals rosy crimson, blotched with maroon. 2*s.* 6*d.*

SERENA, rosy lake, with slight purplish shade; upper petals blotched with maroon; under petals spotted with deep crimson. 2*s.* 6*d.*

SPORTSMAN, a deep rosy purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. 7*s.* 6*d.*

TAMAR, upper petals maroon, surrounded with fiery crimson, and edged with rose; under petals soft rose, blotched and veined with dark crimson; white centre. 5*s.*

TELAMON, upper petals blackish maroon, margined with fiery crimson; under petals light red, slightly shaded with orange and spotted with dark maroon; a very fine flower. 2*s.*6*d.*

TENNYSON, upper petals dark maroon, margined with rose and edged with white; under petals pure clear white, with a small blotch of bright lake in the centre of each. 2*s.* 6*d.*

NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

TREASURE, upper petals violet-purple, blotched with maroon and edged with lavender; under petals light rosy purple, spotted with maroon. 7*s*. 6*d*.

TRIUMPHANS, rich violet-crimson, margined with violet-rose, upper petals feathered with dark crimson; light rosy violet centre. 1*s*. 6*d*.

TYRANT, upper petals dark crimson-maroon, edged with roso; under petals salmon-rose, spotted with dark crimson. 2*s*. 6*d*.

VINCENT, upper petals maroon, edged with rosy crimson; under petals rich rosy crimson; the centre shaded with violet. 2*s*. 6*d*.

ZENOBIA, upper petals blackish maroon, surrounded with fiery crimson and edged with rose; under petals rosy crimson spotted with maroon, rose centre. 7*s*. 6*d*.

ZORA, upper petals bright rosy carmine, blotched with dark crimson, and widely margined with white; under petals blush white. 2*s*. 6*d*.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE SHOW PELARGONIUMS.

ADALIA, upper petals maroon, edged with crimson; under petals deep rose, slightly shaded with crimson; white centre. 2*s*. 6*d*.

ADVENTURER, maroon spot on top petals; narrow rose edge; rose lower petals; white centre, large and fine form. 2*s*. 6*d*.

AMPHION, upper petals blackish maroon, surrounded with rich crimson and margined with magenta roso; lower petals rose; light centre. 7*s*. 6*d*.

ANATINA, upper petals dark maroon, edged with rosy crimson; under petals rose, shaded with crimson; light centre. 2*s*. 6*d*.

ARISBA, upper petals rich maroon, edged with bright roso; under petals deep crimson edged with rose; light centre. 7*s*. 6*d*.

ATALANTA, upper petals maroon, edged with bright rose; under petals deep roso; white centre. 5*s*.

BANQUET, upper petals crimson-maroon, edged with rose; under petals bright rose. 2*s*. 6*d*.

BECERRA, upper petals dark maroon, shaded with bright crimson; under petals light rose; large white centre. 2*s*. 6*d*.

CECILIA, upper petals dark velvety maroon, surrounded bright crimson and edged rose; under petals rosy pink; white centre. 2*s*. 6*d*.

CHARTER, rich maroon upper petals margined with violet-rose; under petals violet-rose; shaded crimson; large white centre. 2*s*. 6*d*.

COMUS, upper petals dark crimson, margined with bright crimson; lower petals bright pink shaded with crimson. 5*s*.

CONDUCTOR, dark crimson upper petals margined with bright rose; under petals delicate rose; pure white centre. 2*s*. 6*d*.

COSSACK, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 2*s*. 6*d*.

CREUSA, light rose; the upper petals blotched with dark crimson; light centre. 2*s*. 6*d*.

DARDAN, upper petals black-maroon, bordered with rosy crimson; under petals light bright roso; large white centre. 2*s*. 6*d*.

DONCASTER, upper petals maroon, orange-roso lower petals and edges; white centre; large, and of good form. 2*s*. 6*d*.

EMBASSY, pure white, the two upper petals blotched with deep violet maroon. 2*s*. 6*d*.

EMBLEM, bright rose, shaded with violet; upper petals blotched with dark crimson; light centre. 2*s*. 6*d*.

EXCHEQUER, maroon upper petals, surrounded with crimson and margined with rose; under petals rose; white centre. 2*s*. 6*d*.

FALCON, upper petals blackish maroon, shaded bright crimson and edged pale rose; under petals soft rosy pink; light centre. 2*s*. 6*d*.

GARNET, maroon upper petals, surrounded with crimson, and margined with violet-rose; bright rose under petals; light centre. 2*s*. 6*d*.

HECTOR, bright orange, with dark spot on upper petals, and bright crimson edge; white centre; very attractive. 2*s*. 6*d*.

HUMPHREY, upper petals dark maroon, bordered with roso; under petals bright rose, shaded with crimson; light centre. 2*s*. 6*d*.

INSTANCE, upper petals violet crimson, shaded with maroon and edged with white; under petals blush-white; very pretty. 2*s*. 6*d*.

INVENTOR, upper petals maroon, shaded with bright crimson and margined with rose; under petals salmon-pink; white centre. 2*s*. 6*d*.

IRIS, upper petals bright rose, blotched with maroon, surrounded with fiery crimson; under petals clear soft rose; light centre. 7*s*. 6*d*.

ISIDORUS, rich crimson; the upper petals blotched dark maroon and edged roso; light centre, shaded violet. 2*s*. 6*d*.

JOVIAL, a rosy purple flower, upper petals blotched with maroon, the entire flower having a pretty edging of white; light centre. 7*s*. 6*d*.

KESTREL, upper petals blotched with maroon, surrounded with fiery crimson and edged with rose; lower petals deep rosy pink; light centre. 5*s*.

LAURETTA, upper petals bright crimson blotched with blackish maroon and edged with pale rose; under petals soft rose; light centre; a splendid variety. 3*s*. 6*d*.

LEANDER, upper petals dark maroon, surrounded with rosy purple, widely margined with pale rose; under petals pale blush; light centre. 7*s*. 6*d*.

LESSEE, a magnificent flower of a bright fiery crimson colour, the upper petals blotched with dark crimson; petals slightly edged rose; light centre, shaded with violet. 3*s*. 6*d*.

LORA, upper petals maroon, margined with scarlet and edged with rose, under petals rosy pink, white eye. 2*s*. 6*d*.

NEW AND CHOICE SHOW PELARGONIUMS—continued.

MADELINA, upper petals blotched with maroon, surrounded with fiery crimson and edged with bright rose; under petals rosy lake; pure white centre; a fine flower. 3*s*. 6*d*.

MATHON, upper petals blackish maroon, surrounded with rosy crimson; under petals white, feathered with soft purple. 2*s*. 6*d*.

MORVEN, a white flower, the upper petals marked with a small blotch of bright rosy purple, a few small purple dots being scattered irregularly over the flower. 2*s*. 6*d*.

MURILLO, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 2*s*.6*d*.

NABOB, fiery crimson, the upper petals shaded with dark crimson and blotched with fiery maroon; light centre. 7*s*. 6*d*.

NEPTUNE, rich scarlet, small black spot, fine quality and free. 7*s*. 6*d*.

PALATINE, upper petals rich maroon, surrounded with fiery crimson and edged rose; under petals soft pink; light centre. 2*s*. 6*d*.

PAULINE, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 3*s*. 6*d*.

PENSION, rich deep crimson; the upper petals marked with velvety maroon; large light centre; a fine flower. 2*s*. 6*d*.

PERIM, upper petals blackish maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 2*s*. 6*d*.

PILOT, bright rosy pink, blotched with dark velvety crimson on the upper petals; light centre. 2*s*. 6*d*.

RUSTIC, a fine flower; upper petals rich crimson, shaded maroon; under petals rich crimson; light centre, shaded with violet. 2*s*. 6*d*.

RUTULIA, upper petals crimson-maroon, bordered with rosy crimson; under petals scarlet-crimson; light centre, shaded violet. 2*s*. 6*d*.

SPHINX, upper petals maroon, edged with rose; under petals bright salmon rose, shaded with crimson; light centre. 7*s*. 6*d*.

SPLENDENT, upper petals maroon, surrounded with scarlet and edged with pink; under petals salmon-rose; white centre. 2*s*. 6*d*.

SUBLIME, upper petals violet-crimson, blotched with maroon and edged with lavender; under petals lavender blush. 2*s*. 6*d*.

THEODOSIA, upper petals velvety crimson, blotched with blackish maroon and edged with rose; under petals bright rose, slightly shaded with crimson. 2*s*. 6*d*.

URBINO, upper petals blackish maroon, edged with crimson; under petals deep crimson, shaded with maroon; light centre. 2*s*. 6*d*.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.

NEW AND CHOICE FANCY PELARGONIUMS.

NEW FANCY PELARGONIUMS.

CORDELIA, flower soft rosy pink edged with white; white centre. 7*s*. 6*d*.

LENA, upper petals rosy carmine, light edge; under petals white, suffused with rosy carmine; light centre. 7*s*. 6*d*.

PENGUIN, white, upper petals beautifully marked with rosy carmine; fine large flower. 7*s*. 6*d*.

Selections made by Mr. W. B. from General Collection at 18s., 24s., 30s., 42s. and 60s. per dozen, according to sorts.

CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 30s. per dozen.

NEW AND CHOICE ZONAL PELARGONIUMS.

NEW VARIETIES.

JULES FERRY, enormous trusses of dark reddish scarlet flowers. 3*s*. 6*d*.

LOUIS ULBACH, brilliant scarlet flowers, very large trusses. 3*s*. 6*d*.

M. HERVÉ MANGON, large flowers, salmon bordered with white, dwarf and floriferous. 3*s*. 6*d*.

RENAN, large trusses of rich apricot salmon flowers, very floriferous. 3*s*. 6*d*.

VICTOR HUGO, large trusses of bright orange scarlet flowers, dwarf, and very floriferous. 3*s*. 6*d*.

WHITE BEDDING PELARGONIUM.

WHITE PERFECTION, a most excellent free-flowering pure white variety of vigorous growth and good habit; the trusses are of medium size, the individual flowers being perfect in shape and of snowy whiteness. Being of extra merit, it was awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society, and cannot fail to become of the greatest value for bedding purposes, and pot culture. 3*s*. 6*d*.

Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per doz., according to sorts.

NEW AND CHOICE DOUBLE-FLOWERED IVY-LEAFED PELARGONIUMS.

For New Varieties, *vide* page 9.

ABEL CARRIÈRE, crimson, with violet shade; fine flowers; dwarf habit and free. 1*s.*
ABONDANCE, fine trusses of beautiful violet-lilac undulated flowers. 1*s.*
ALBERT CROUSSE, a fine flower of a bright carmine colour, darker towards the centre. 1*s.*
ALGERINE, white, slightly feathered in the upper petals with rosy crimson. 2*s.* 6*d.*
ALICE CROUSSE, very large double flower, petals of great size violet purple and amaranth, very floriferous; extra fine. 2*s.* 6*d.*
ALPHONSE FAILLE, dark cerise, shaded with carmine and amaranth. 3*s.* 6*d.*
CHARM, a large flower of bright pink colour, with rich crimson markings on upper petals. 1*s.*
CLEOPATRA, rich soft rose-pink, feathered with crimson on the upper petals. 1*s.*
COMTE HORACE DE CHOISEUL, a fine large full flower of an orange-salmon colour. 1*s.*
COMTESSE HORACE DE CHOISEUL, soft satiny rose colour, paler towards the edges. 1*s.*
COMUS, *vide* page 9.
CONGO, a fine, large, full, well-formed flower of a beautiful bright rosy lilac colour. 1*s.*
CRÉPUSCULE, bright rosy salmon flowers, very large and double. 1*s.* 6*d.*
DE BRAZZA, fine trusses of large full soft rose flowers, brighter towards the centre. 1*s.*
EDMOND ABOUT, fine double flowers, rose, shaded with violet, centre salmon. 2*s.* 6*d.*
EMILE LEMOINE, enormous trusses of dazzling carmine-cerise flowers; very fine. 1*s.*
FINETTE, blush-white, the upper petals flushed with rose and feathered with dark crimson. 1*s.*
FRANCISQUE SARCEY, very large and full brilliant rosy-crimson flowers of good shape. 1*s.*
FRANCOIS PEETERS, cerise rose, blotched and feathered with maroon on upper petals. 1*s.*
GÉNÉRAL BRIÉRE DE L'ISLE, beautiful carmine double flowers, shaded with gold. 5*s.*
GÉNÉRAL DE NÉGRIER, large rosy-magenta semi-double flowers. 1*s.*
GENERAL GORDON, very fine rich orange-red flowers of perfect shape. 1*s.*
GLOIRE DE NANCY, bright cerise-red colour, shaded with amaranth on the upper petals. 1*s.*
HANOÏ, orange tinted with carmine, very double imbricated flowers. 1*s.* 6*d.*
HUMBER, blush pink; upper petals feathered with rosy purple; large flower. 3*s.* 6*d.*
ISABEL, soft pink, with crimson marking on the upper petals; a fine showy flower. 1*s.*
ISIDORE FÉRAL, soft rose, with silvery reflections, the reverse of the petals white. 1*s.*
JACINTO, pale rose-pink; a very pretty shade of colour. 1*s.*
JEANNE D'ARC, robust-growing, producing large trusses of full milky white flowers. 1*s.*
LANG-SON, well-formed double flowers, of a brilliant cinnabar red. 1*s.* 6*d.*
LA ROSIÈRE, a very large full flower of a satiny lilac-rose colour. 1*s.*
LE PRINTEMPS, rose suffused with salmon, large trusses and very floriferous. 1*s.* 6*d.*
LOUIS THIBAUT, fine large flower of a deep red colour. 1*s.*
MADAME BOUCHARLAT, large full flower of a bright rosy cerise shade; very floriferous. 3*s.* 6*d.*
MADAME COCHIN, a dwarf-growing and free-blooming white variety, shaded with lilac. 1*s.*
MADAME JULES MENOREAU, a large full flower of a beautiful clear rosy cerise colour. 1*s.*
MADAME LEMOINE, a splendid flower of a bright rose colour, shaded with orange. 1*s.* 6*d.*
MADAME MONNIER, bright salmon-rose colour, blotched with carmine; light centre. 1*s.*
MADAME PAGES, lilac-mauve, reticulated and blotched with amaranth. 1*s.*
MADAME THIBAUT, fine full flower, large soft rose petals; dark centre. 1*s.* 6*d.*
MADAME THOUVENIN, rich rosy carmine, shaded with reddish carmine; trusses immense. 1*s.*
MDLLE. GAUTHIER, a fine well-formed flower, with large petals of a beautiful bright satiny rose colour, shaded with salmon. 3*s.* 6*d.*
MARGUERITE JACQUOT, silvery rose, with salmon centre. 1*s.*
MARINER, rich rosy magenta, upper petals feathered with dark crimson; fine flower. 5*s.*
M. BARRAL, free blooming, producing fine trusses of large full rich rose flowers. 1*s.*
PLUTUS, this splendid variety produces fine large rosette-like flowers of a violet-rose colour. 1*s.*
PSYCHE, deep rosy pink, with crimson marking on the upper petals. 1*s.*
SABINE, *vide* page 9.
SATELLITE, rosy pink, upper petals feathered with purplish crimson. 3*s.* 6*d.*
SHEI-POO, large round double flowers; suffused carmine. 1*s.* 6*d.*
SIDONIE, a free-blooming variety, producing fine full flowers of a deep mauve-pink colour. 1*s.*

NEW AND CHOICE IVY-LEAVED PELARGONIUMS—continued.

SOLEIL COUCHANT, large umbels of very double flowers, mauve suffused with rosy carmine, lilac reflections. 1*s.*
SOURCE TOULOUSAINE, a large full flower of a bright carmine-rose shade, with salmon centre; reverse of petals silvery white. 2*s.* 6*d.*
STEPHENSON, a well-formed flower of a carmine-rose colour, shaded with bright rosy red. 1*s.*
THALIA, pale rosy pink, the upper petals marked with crimson; pretty and effective. 1*s.*
VICE-PRESIDENT JOLY, a beautiful variety, clear rosy lilac flowers; very fine. 1*s.*
WRANGLER, soft pink, faintly marked in upper petals with crimson. 3*s.* 6*d.*

NEW AND CHOICE IVY-LEAVED PELARGONIUMS.

"PELARGONIUM LATERIPES."

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

BEAUTE DE LYON, a beautiful variety; flowers of a bright scarlet colour with purple shade. 1*s.*
BUTTERFLY, bright rose, striped with crimson on upper petals, and blotched with rosy violet. 1*s.*
CAPTIVE, rose, marked with pink on the upper petals, and feathered with carmine. 1*s.*
CASSIDY, rose-pink, with white centre; blotched on upper petals with purplish crimson. 1*s.*
CEDARO, deep rose, shaded with purple; upper petals feathered with crimson and white. 1*s.*
COLONEL ROUDAIRE, large fiery-red flowers. 1*s.* 6*d.*
DUCHESSE, violet-pink, feathered with bright red on the upper petals. 1*s.*
ESPOIR, rosy pink; upper petals barred with dark crimson, large flower. 2*s.* 6*d.*
FLORINDA, delicate pink, with white centre; upper petals marked with purplish crimson. 1*s.*
FUTURE FAME. Flowers borne in immense trusses, being individually of very large size and of a most pleasing brilliant amaranth-purple colour. It was awarded a First Class Certificate by the Floral Committee in recognition of its superior merit. 5*s.*
MASTERPIECE, a very large and fine flower of a beautiful rich magenta-crimson colour. 1*s.*
MEDINA, bright rosy lavender, with white centre; the upper petals marked with violet-rose. 1*s.*
MORA, a large flower of a soft pink colour, with crimson marking on the upper petals. 1*s.*
MULTIFLORE, fine trusses of large flowers of a beautiful bright rose colour. 1*s.*
PERA, delicate blush; the upper petals blotched and feathered with rich purplish crimson. 1*s.*
RUPERT, rosy carmine, shaded with magenta; upper petals barred with dark crimson. 2*s.* 6*d.*

NEW DWARF OR MINIATURE ZONAL PELARGONIUMS.

COMTE DE FLANDRE, very effective double flowers delicate rose, shaded with bright red; very floriferous. 2*s.* 6*d.*
COMTESSE DE FLANDRE, charming large double flowers of a beautiful rosy-scarlet colour; very neat and pretty. 2*s.* 6*d.*
COMTE D'HAINAULT, an exceedingly dwarf and pretty variety, producing a profusion of double rosy-purple flowers. 2*s.* 6*d.*
PRINCESSE CLEMENTINE, very distinct and the dwarfest of this class, with golden foliage and extremely double scarlet-vermilion flowers, very floriferous. 2*s.* 6*d.*
REINE MARIE HENRIETTE, single rose coloured flowers of perfect shape; a free grower. 2*s.* 6*d.*
SOUVENIR DE LOUIS VAN HOUTTE, beautiful double carmine-rose flowers; very floriferous. 2*s.* 6*d.*

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

AMI HOSTE, very large compact trusses of fine full flowers of a dark purplish red. 1*s.*
ADMIRAL SEYMOUR, dark amaranth-purple colour, marked with red in the upper petals. 2*s.* 6*d.*
ARETUSA, a magnificent variety, producing fine flowers of a rich crimson-scarlet colour. 1*s.*
ARISTOPHANES, a fine large well-formed flower of a deep violet-rose colour. 1*s.* 6*d.*
BANQUISE, well formed pure white flowers, fine truss. 2*s.* 6*d.*
BARILLET, large rosy carmine flower, shaded violet; trusses enormous. 1*s.*
BARTHÉLEMY SAINT HILAIRE, very pretty clear salmon rose flowers. 1*s.*
BASTIEN-LEPAGE, flowers brilliant salmon, suffused with orange, of perfect shape. 2*s.* 6*d.*
BELLE NANCEIENNE, soft rose centre shaded with salmon-carmine; distinct and free. 1*s.*
BRONGNIART, central petals bright scarlet, and outer petals violet-carmine. 1*s.*
CAPTIVATION, bright scarlet shaded with crimson; a large flower borne in immense trusses. 1*s.* 6*d.*
CELLA, soft rosy purple, upper petals shaded with scarlet, quite a novel and distinct flower. 1*s.*
CHELSEA GEM, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses of full double flowers of a charming rose-pink colour. 1*s.* 6*d.* & 2*s.* 6*d.*; 12*s.* & 18*s.* per dozen.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

CRATINUS, bright cerise-scarlet, a very fine flower; trusses immense. 1*s.*
DR. PHINNEY, a splendid variety, intense scarlet, shaded very deep crimson. 1*s.*
ELATHEUS, a large full flower of a bright crimson colour, shaded with purple. 1*s.*
ESPERANCE, very pretty delicate blush flowers, salmon centre. 3*s.* 6*d.*
EURIPIDES, bright cerise-scarlet, a large flower; very showy and attractive. 1*s.* 6*d.*
FRIANT, fine large yellow cinnabar flowers, a beautiful variety. 2*s.* 6*d.*
GÉNERAL DE COURCY, large trusses of very double flowers, brick red in centre shading to salmon, marbled with white. 3*s.* 6*d.*
GIL BLAS, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. 2*s.* 6*d.*
GLOIRE DE FRANCE, very large double flowers, centre dark salmon, shading to whitish rose; extra large trusses. 3*s.* 6*d.*
GORDIUS, bright salmon-pink, the colour becoming deeper towards the centre of the flower. 1*s.*
HARMONIA, a very large full flower of a light cerise colour, shaded with vermilion. 1*s.*
HOMER, extremely floriferous, flowers of a rich soft magenta-crimson. 1*s.* 6*d.*
KHÉDIVE, a fine full flower of a soft rose colour; dwarf and free-blooming. 2*s.* 6*d.*
L'ABBÉ GRÉGOIRE, dark crimson, marked bright reddish amaranth in the upper petals. 3*s.* 6*d.*
L'ANDALOUSE, large trusses of creamy white flowers, very free. 2*s.* 6*d.*
LA JEANNETTE, dwarf and free; large full flowers of the most pure snowy whiteness. 2*s.* 6*d.*
LA PERLE, enormous trusses of rosy lilac flowers, bordered with deep roso, very fine. 3*s.* 6*d.*
LE CYGNE, a pure white variety with perfect double flowers. 1*s.* 6*d.*
LYSIAS, large trusses of flowers of a deep salmon colour, flushed with vermilion. 1*s.* 6*d.*
MADAME DE NAUROIS, rosy carmine flowers, maculated with white, light centre. 3*s.* 6*d.*
MARIE TALLANDIER, of dwarf vigorous habit, fine full pure white flowers. 1*s.*
M. J. DELAUX, rosy purple, shaded with carmine, upper petals marked with white. 3*s.* 6*d.*
MRS. E. G. HILL, pale blush, shaded with delicate lavender; flowers large, trusses immense. 1*s.*
ODYSSEUS, deep magenta-crimson the upper petals marked with scarlet; immense trusses. 1*s.* 6*d.*
PANAMA, large trusses of rosy salmon flowers, the centre being salmon-vermilion. 1*s.*
PAUL DE SAINT VICTOR, enormous trusses of fine large flowers of a carmine-rose colour. 1*s.*
PETER HENDERSON, bright orange-scarlet, base of the petals white; of good habit. 1*s.*
PETIT JEAN, enormous trusses of Solferino coloured flowers, the upper petals fiery red. 2*s.* 6*d.*
PICCO, light pink, a fine large showy semi-double flower. 1*s.*
PROUVÉ, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 2*s.* 6*d.*
REMARKABLE, rich deep violet-crimson flowers of very fine shape; trusses immense. 1*s.*
RICHARD BRETT, immense trusses of fine full flowers of a very bright orange colour. 1*s.*
ROBERT GEORGE, deep crimson-scarlet, flowers of great size and freely produced. 1*s.*
SERGENT BLANDAN, very large trusses of rich orange-madder flowers. 3*s.* 6*d.*
SERGENT BOBILLOT, beautiful rosy purple flowers; fine trusses. 3*s.* 6*d.*
SIR GARNET WOLSELEY, enormous trusses of rich salmon-red flowers. 1*s.*
SOLEILLET, rich violet-lake, with bright scarlet marking in the upper petals. 1*s.*
SOPHOCLES, rosy carmine, shaded with scarlet, fine large flowers, borne in immense trusses. 1*s.* 6*d.*
STENYO, remarkably attractive, huge trusses of fine large flowers of a soft rosy carmine colour. 1*s.* 6*d.*
THE BLONDE, salmon, shaded with orange, fine large flowers and immense trusses. 1*s.*
TOSILOS, a fine full flower of a rich magenta-crimson colour, shaded with scarlet. 1*s.*
TRITON, soft rosy pink, lighter in the centre of the flower; trusses large and fine. 1*s.*
TRIOMPHE DE FRANCE, enormous trusses of carmine-amaranth flowers, shading to rose. 3*s.* 6*d.*
TYNDARUS, a large full flower of an exceedingly rich shade of magenta-crimson colour. 1*s.*

Selections of other good varieties can be made from Mr. W. B.'s *general collection at* 9*s.*, 12*s. and* 18*s. per dozen.*

SWEET-SCENTED LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 24s. per dozen, according to sorts.

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE BRONZE, GOLD AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

CYATHEA SMITHII. CYATHEA DEALBATA.

DICKSONIA ANTARCTICA.

Vide next page.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well established plants with fine heads, many of them having been grown in this country several years. The measurements of some of the plants are given below :—

Prices on application, or an inspection invited.

No.	DICKSONIA ANTARCTICA.	
	Height of Stem.	Height of Head.
1	2 ft. 6 in.	1 ft. 6 in.
2	2 ft. 4 in.	1 ft.
3	5 ft. 2 in.	3 ft. 6 in.
4	3 ft. 9 in.	1 ft.
5	3 ft. 10 in.	2 ft. 3 in.
6	5 ft.	2 ft.
7	4 ft. 2 in.	2 ft.
8	7 ft. 3 in.	2 ft. 10 in.
9	4 ft. 9 in.	3 ft. 6 in.
10	2 ft. 9 in.	1 ft. 6 in.
11	4 ft. 6 in.	1 ft. 10 in.
12	5 ft.	3 ft.
13	2 ft. 8 in.	2 ft. 6 in.
14	4 ft. 5 in.	3 ft.
15	7 ft. 6 in.	4 ft.
16	9 ft.	2 ft. 9 in.
17	1 ft. 6 in.	1 ft.
18	5 ft. 2 in.	2 ft.
19	2 ft.	2 ft.
20	1 ft. 8 in.	1 ft.
21	2 ft. 2 in.	1 ft. 6 in.
22	2 ft. 6 in.	1 ft.
23	7 ft. 6 in.	3 ft.
24	5 ft. 4 in.	3 ft. 6 in.
25	5 ft.	2 ft. 6 in.
26	1 ft. 10 in.	1 ft. 6 in.
27	7 ft. 6 in.	5 ft.
28	5 ft.	2 ft.
29	4 ft. 6 in.	2 ft. 10 in.
30	4 ft. 7 in.	3 ft. 10 in.
31	5 ft. 3 in.	2 ft. 6 in.
32	8 ft.	3 ft. 6 in.
33	1 ft. 8 in.	1 ft.
34	1 ft. 10 in.	1 ft. 6 in.
35	2 ft. 1 in.	2 ft.
36	4 ft. 6 in.	2 ft.
37	5 ft.	2 ft. 6 in.
38	7 ft. 5 in.	3 ft. 6 in.
39	3 ft. 9 in.	2 ft. 6 in.
40	7 ft. 3 in.	5 ft.
41	3 ft. 6 in.	2 ft.
42	8 ft. 2 in.	3 ft. 6 in.
43	12 ft. 6 in.	4 ft.
44	9 ft. 10 in.	4 ft.
45	4 ft. 4 in.	2 ft.
46	7 ft. 8 in.	3 ft. 6 in.
47	7 ft. 4 in.	3 ft. 6 in.
48	3 ft. 6 in.	2 ft. 6 in.
49	4 ft.	2 ft.
50	7 ft. 2 in.	4 ft.
51	6 ft. 4 in.	2 ft. 10 in.

No.	DICKSONIA ANTARCTICA.	
	Height of Stem.	Height of Head.
52	5 ft. 4 in.	2 ft. 10 in.
53	6 ft. 10 in.	3 ft. 6 in.
54	3 ft. 4 in.	1 ft. 6 in.
55	5 ft. 8 in.	2 ft. 10 in.
56	4 ft. 6 in.	3 ft.
57	7 ft. 10 in.	4 ft. 6 in.
58	4 ft.	2 ft. 6 in.
59	4 ft.	3 ft.
60	9 ft. 8 in.	3 ft. 6 in.
61	6 ft.	3 ft.
62	7 ft. 10 in.	3 ft. 6 in.
63	1 ft. 9 in.	1 ft. 6 in.
64	4 ft. 4 in.	2 ft. 6 in.
65	7 ft. 8 in.	4 ft.
66	7 ft.	3 ft.
67	6 ft. 8 in.	3 ft. 6 in.
CYATHEA DEALBATA.		
68	2 ft. 6 in.	2 ft. 6 in.
69	2 ft.	2 ft.
70	6 ft.	4 ft.
71	2 ft. 2 in.	1 ft. 6 in.
72	2 ft. 6 in.	2 ft. 6 in.
73	3 ft. 9 in.	2 ft. 6 in.
74	2 ft. 11 in.	1 ft. 6 in.
75	4 ft. 10 in.	2 ft.
76	3 ft. 3 in.	2 ft.
77	5 ft. 6 in.	3 ft. 6 in.
78	4 ft. 2 in.	2 ft.
79	4 ft. 4 in.	2 ft. 6 in.
80	4 ft. 4 in.	4 ft.
CYATHEA BURKEI.		
82	8 ft.	2 ft. 6 in.
83	7 ft. 3 in.	2 ft. 6 in.
84	6 ft. 2 in.	2 ft. 6 in.
85	7 ft.	2 ft. 6 in.
86	5 ft. 6 in.	3 ft. 6 in.
87	5 ft. 6 in.	2 ft. 6 in.
88	8 ft. 6 in.	3 ft. 6 in.
89	5 ft.	2 ft. 10 in.
90	8 ft.	3 ft.
91	7 ft.	1 ft. 6 in.
CYATHEA DREGEI.		
92	4 ft. 6 in.	2 ft. 6 in.
93	4 ft.	2 ft.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 18s., 30s. and 42s. per dozen.

ADIANTUM ANEITENSE.

A very elegant free-growing species of Maiden-hair Fern, introduced from the Island of Aneiteum. It has a creeping rhizome clothed with dark coloured scales, and divided deltoid fronds. The numerous segments of which the fronds are made up are rhomboidal, nearly sessile, firm in texture, with a glabrous surface, subglaucous beneath, and shallowly lobed along the upper and outer edges, where the roundish reniform sori are borne in the centre of the lobes. It is a distinct and ornamental evergreen Stove Fern, and was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 3s. 6d. and 5s.

ADIANTUM AMABILE, 2s. 6d.
BAUSEI, 3s. 6d.
BELLUM, 3s. 6d.
CARDIOCHLÆNA, 3s. 6d.
CILIATUM, 3s. 6d.
CONCINNUM, 1s. 6d. and 2s. 6d.
—— LATUM, 2s. 6d. and 3s. 6d.
CURVATUM, 3s. 6d.
DOLABRIFORMIS, 3s. 6d.
ADIANTUM FARLEYENSE, 2s. 6d., 3s. 6d. and 5s.
FARLEYENSE ALCICORNE, 5s.
GHIESBREGHTII (SCUTUM), 3s. 6d.
LATHOMII, 3s. 6d.
LEGRANDII, 3s. 6d.
LUNULATUM, 3s. 6d.
MACROPHYLLUM, 3s. 6d.
PENTADACTYLON, 3s. 6d.

ADIANTUM OBLIQUUM MINUS.

An elegant dwarf evergreen Stove Fern from the United States of Colombia. It has a creeping rhizome, thickly furnished with pinnate fronds, which have blackish stipes, and a lamina composed of shortly-stalked pinnæ, curved upwards at the point, which is acuminate. In the sterile fronds the pinnæ are inciso-dentate, the fertile ones bear close set, but distinct oblong sori. 10s. 6d.

ADIANTUM PERUVIANUM, 3s. 6d. and 5s.
PRIONOPHYLLUM, 3s. 6d.
RHODOPHYLLUM, 5s.
RUBELLUM, 3s. 6d.
SANCTÆ CATHERINÆ, 3s. 6d.
SPECIOSUM, 5s.
TENERUM, 2s. 6d.
TETRAPHYLLUM GRACILE, 7s. 6d.
TINCTUM, 3s. 6d.
TRAPEZIFORME, 3s. 6d.
VICTORIÆ, 3s. 6d.
ANEMEDICTYON PHYLLITIDIS, 1s. 6d. and 2s. 6d.
PHYLLITIDIS TESSELLATA, 5s.
ANGIOPTERIS EVECTA.
ANTIGRAMMA BRASILIENSIS, 7s. 6d. and 10s. 6d.
ASPIDIUM TRIFOLIATUM, 2s. 6d. and 3s. 6d.
ASPLENIUM ALATUM, 3s. 6d.
BELANGERI, 2s. 6d.
CICUTARIUM, 2s. 6d.
FERNANDEZIANUM, 3s. 6d.
HETEROCHROUM, 5s.
HOOKERIANUM, 3s. 6d.
PROLONGATUM, 3s. 6d. and 5s.
SHEPHERDII, 2s. 6d. and 3s. 6d.
VIVIPARUM, 3s. 6d.
BLECHNUM BRASILIENSE, 3s. 6d.
INTERMEDIUM, 3s. 6d.
POLYPODIOIDES, 2s. 6d. and 3s. 6d.

CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnæ distant lanceolate, the pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. 5s. and 7s. 6d.

CHEILANTHES ELEGANS, 2s. 6d. and 3s. 6d.
NIVEA ELLISIANA, 3s. 6d.
CIBOTIUM SCHIEDEI, 5s. and 7s. 6d.
CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 123.

DAVALLIA FŒNICULACEA.

A charming evergreen Stove Fern, introduced from the Fiji Islands. It forms a short, thick, decumbent caudex, from which arise the finely cut fronds, which are from 1½ to 2 feet high, and about 9 inches or a foot broad in the fully developed state; they are lanceolate in outline, quadripinnate, of stout herbaceous texture, the ultimate segments cut down to the rachis into undivided or forked divisions, which are quite narrow, about equalling the rachis itself in breadth. These lateral segments bear a few half-cup-shaped or short boat-shaped indusia, in which the spore cases are developed. From its distinct and evergreen habit, and its graceful finely-cut fronds, this Fern will be found a decided acquisition. It has been awarded two First-class Certificates. 1 guinea.

DAVALLIA FIJIENSIS.

A charmingly elegant evergreen Fern, free in growth, firm and durable in texture, and bright green in colour, introduced from the Fiji Islands. The fronds grow two or three feet in height, and have a deltoid outline, the points of the fronds and of the pinnæ being gracefully deflexed; they are compoundly divided, the whole frond being split up into lanceolate pinnules and pinnulets, and finally cut into narrow linear bifid divisions. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent, and at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. *5s.*

DAVALLIA FIJIENSIS PLUMOSA.

This is certainly one of the most charming forms of a remarkably ornamental species. It has creeping rhizomes, from which spring up at intervals the gracefully-drooping, feathery plumose fronds growing on stalks a foot or more in length. It will be a grand subject for all decorative purposes, especially useful for cutting, and a noble Fern for exhibition. In speaking of the best novelties, the *Gardeners' Chronicle* (Jan. 7th, 1882, page 10), remarks: "The *Davallia fijiensis plumosa* is, perhaps, one of the most elegant of all known Ferns." It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. *7s. 6d.*

DAVALLIA BULLATA, *2s. 6d.*
CILÆROPHYLLA, *3s. 6d.*
HEMIPTERA, *5s.*
LORRAINII, *10s. 6d.* and *15s.*
MOOREANA, *2s. 6d.* and *3s. 6d.*
PENTAPHYLLA, *3s. 6d.*
POLYANTHA, *3s. 6d.*
SOLIDA, *3s. 6d.*
TENUIFOLIA, *3s. 6d.*
TYERMANNI (HUMATA), *3s. 6d.*

DIPLAZIUM ARNOTTII, *7s. 6d.*

DORYOPTERIS PALMATA, *3s. 6d.*

ELAPHOGLOSSUM HERMINIERI, *15s.* and 1 guinea.

GLEICHENIAS, *vide* page 123.

GONIOPHLEBIUM GLAUCOPHYLLUM, *5s.*
SUBAURICULATUM, *3s. 6d.*

GYMNOGRAMMA CALOMELANOS, *2s. 6d.* and *3s. 6d.*
CHRYSOPHYLLA, *2s. 6d.* and *3s. 6d.*
DECOMPOSITA, *3s. 6d.*
LAUCHEANA, *3s. 6d.*
—— GIGANTEA, *5s.*
MERTENSII DOBROYDENSIS, *5s.*
PERUVIANA ARGYROPHYLLA, *3s. 6d.*
SCHIZOPHYLLA, *1s. 6d.* and *2s. 6d.*
—— SPECIOSA, *15s.*
WETENHALLIANA, *2s. 6d.* and *3s. 6d.*

GYMNOPTERIS QUERCIFOLIA, *3s. 6d.*

GYMNOTHECA RADDIANA, 2 and 3 guineas

HEMIONITIS PALMATA, *2s. 6d.* and *3s. 6d.*

HYMENODIUM CRINITUM, *5s.* and *7s. 6d.*

LASTREA QUINQUANGULARIS, *3s. 6d.*
RICHARDSII MULTIFIDA, *3s. 6d.*

LOMARIA GIBBA, *1s. 6d.* and *2s. 6d.*

LYGODIUM SCANDENS, *3s. 6d.*

MENISCIUM RETICULATUM, *5s.*

MICROLEPIA HIRTA CRISTATA, *3s. 6d.*

NEPHRODIUM TRUNCATUM, *7s. 6d.*

NEPHROLEPIS BAUSEI, *7s. 6d.*
DUFFII, *2s. 6d.* and *3s. 6d.*
ENSIFOLIA, *5s.*
PECTINATA, *3s. 6d.*

PHLEBODIUM GLAUCUM, *3s. 6d.* and *5s.*

PLATYCERIUM GRANDE
STEMMARIA, *10s. 6d.* and *15s.*

PLEOCNEMIA LEUZEANA, *5s.* and *7s. 6d.*

PLEOPELTIS XIPHIAS, *5s.*

POLYSTICHUM LENTUM, *5s.*
VIVIPARUM, *3s. 6d.* and *5s.*

POLYPODIUM PECTINATUM, *3s. 6d.*
PLUMOSUM, *5s.*
VENOSUM, *3s. 6d.*

PTERIS TRICOLOR, *3s. 6d.*
of sorts, *2s. 6d.* and *3s. 6d.*

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 18s., 30s. and 42s. per dozen.

ADIANTUM CAPILLUS-VENERIS MAGNIFICUM, 3s. 6d.
CAPILLUS-VENERIS PACOTTI, 1s. 6d. and 2s. 6d.
CUNEATUM, 1s. 6d. and 2s. 6d.
—— DISSECTUM, 5s.
—— ORANDICEPS, 3s. 6d. and 5s.
DECORUM, 3s. 6d.
FORMOSUM, 1s. 6d.
ORACILLIMUM, 2s. 6d. and 3s. 6d.
ADIANTUM MUNDULUM, 3s. 6d.
PEDATUM, 1s. 6d. and 2s. 6d.
WILLIAMSII, 3s. 6d.
ALSOPHILA AUSTRALIS, 2s. 6d. and 3s. 6d.
REBECCÆ, *vide* page 124.
ASPLENIUM BULBIFERUM, 1s. 6d. and 2s. 6d.
FALCATUM, 7s. 6d.
CIBOTIUM REGALE, 3s. 6d. and 5s.
CYATHEA BURKEI, *vide* page 120.

CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3s. 6d., 5s. and 7s. 6d. For large plants, *vide* page 120.

CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stontish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 5s. and 7s. 6d. For large plants, *vide* page 120.

CYATHEA SPINULOSA.

A fine Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being muricated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10s. 6d.

CYATHEA MEDULLARIS, 3s. 6d. and 5s.
(CIBOTIUM) PRINCEPS, 3s. 6d. and 5s.
CYRTOMIUM CARYOTIDEUM, 2s. 6d. and 3s. 6d.
FALCATUM, 2s. 6d.
FORTUNEI, 2s. 6d.
DAVALLIA DISSECTA, 2s. 6d. and 3s. 6d.
of sorts, 3s. 6d. and 5s.
DICKSONIA ANTARCTICA, 2s. 6d. and 3s. 6d.
For large plants, *vide* page 120.
(BALANTIUM) CULCITA, 5s.
FIBROSA, 3s. 6d. and 5s.
SQUARROSA, 3s. 6d., 5s. and 7s. 6d.
DIDYMOCHLÆNA TRUNCATULA, 3s. 6d.
DORYOPTERIS PALMATA, *vide* page 122.

DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 5s.

GLEICHENIA DICARPA, 5s. and 7s. 6d.
DICARPA LONGIPINNATA, 10s. 6d. and 15s.
DICHOTOMA, 5s. and 7s. 6d.
FLABELLATA, 10s. 6d.
MENDELII, 1 guinea.
MICROPHYLLA, 10s. 6d.
RUPESTRIS GLAUCESCENS, 10s. 6d.
SEMIVESTITA, 5s. and 7s. 6d.
HYMENOPHYLLUM DEMISSUM, 5s. and 7s. 6d.
LASTREA ARISTATA VARIEGATA, 1s. 6d. and 2s. 6d.
GLABELLA, 2s. 6d. and 3s. 6d.
LITOBROCHIA VESPERTILIONIS, 3s. 6d.
LOMARIA CILIATA, 3s. 6d.
CYCADÆFOLIA, 5s. and 7s. 6d.
GIBBA, *vide* page 122.
DALGAIRNSIÆ, 1½ and 2 guineas.
DISCOLOR BIPINNATIFIDA.
ZAMIÆFOLIA, 3s. 6d. and 5s.
MICROLEPIA ANTHRISCIFOLIA, 3s. 6d.
NEPHRODIUM MOLLE CRISTATUM, 3s. 6d.
MOLLE RAMOSUM, 3s. 6d.
ONYCHIUM JAPONICUM, 1s. 6d.
OSMUNDA JAPONICA CORYMBIFERUM, 5s. & 7s. 6d
PALUSTRIS, 3s. 6d.
PLATYCERIUM ALCICORNE, 3s. 6d.
ALCICORNE MAJUS, 7s. 6d.
POLYPODIUM TRICHODES (LASTREA TENERICAULIS), 3s. 6d., 5s. and 7s. 6d.
PTERIS ARGYREIA, 1s. 6d. and 2s. 6d.
CRETICA ALBO-LINEATA, 1s. 6d.
SERRULATA CRISTATA, 2s. 6d.
—— —— VARIEGATA, 3s. 6d.
—— FIMBRIATA, 5s.
—— LEYI, 2s. 6d.
TREMULA, 1s. 6d. and 2s. 6d.
—— CRISPA, 5s.
TRICOLOR, *vide* page 122.
TODEA AFRICANA, 2s. 6d. and 3s. 6d.

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 3s. 6d. and 5s.

HALSOPILA REBECCÆ.

ALSOPHILA REBECCÆ.

An elegant Tree Fern introduced from Queensland. The stem is very slender; the fronds are elliptic, bipinnate, the larger pinnæ bearing on each side numerous pinnules, which are stalked, linear acuminate, with an unequal subcordate base and an inciso-crenate margin. The texture of the frond is firm, the surface glabrous; the rachis clothed on the upper surface with black fibrillose scales. It is very distinct from all other Australian Tree Ferns, and a very elegant addition to the group. Handsome specimens, 2 and 3 guineas; young plants, 5*s.* and 7*s.* 6*d.*

TODEA (LEPTOPTERIS) SUPERBA.

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which is unquestionably one of the most handsome yet known. It should be seen to be justly appreciated. The fronds which are fifteen to eighteen inches in length, are of a bright green, of transparent texture and of a lanceolate outline, spreading, beautifully arching and feathered down to the very base; the pinnæ are crowded and cut into narrow segments, which, instead of lying flat, as in *Todea hymenophylloides*, are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 3*s.* 6*d.* and 5*s.* Fine strong plants, 10*s.* 6*d.*, 15*s.* and 1 guinea.

TRICHOMANES RADICANS.

(THE KILLARNEY OR IRISH BRISTLE FERN).

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 7*s.* 6*d.* and 10*s.* 6*d.*

WOODWARDIA ORIENTALIS, 2*s.* 6*d.* and 3*s.* 6*d.*

NEW HARDY FERNS.

LASTREA PROLIFICA.

A most interesting hardy evergreen Fern, introduced from Japan, and described by Mr. T. Moore, in the *Gardeners' Chronicle*, December 9th, 1882, where a letter of Mr. Lafosse is quoted in which the plant is highly eulogised for its beauty. It has triangular, bipinnate, coriaceous, shining green fronds, with the pinnules narrow, often pointed, usually with a lobe or two at the base, but in different plants and parts of the same plant extremely variable in their actual form and character. The sori are large and cover the narrow segments, and these sori are themselves covered by large persistent indusia, which are red in the centre and lead-coloured at the margin. 2*s.* 6*d.*, 3*s.* 6*d.*, & 5*s.*

POLYSTICHUM POLYBLEPHARUM.

A fine hardy evergreen Fern from Japan. The fronds are of moderate size, ovate-lanceolate, bipinnate, with the lower pinnæ deflexed, the pinnules marginate, trapezio-ovate or oblong, with a few coarse deep teeth. The lower anterior pinnules are considerably larger than the rest, narrow oblong, and deeply inciso-lobate. The sori are numerous, and covered with thick rufescent indusia. 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLA VICTORIÆ. For description and price, *vide* page 128.

SELAGINELLAS (LYCOPODIUMS.)

G, greenhouse; *H*, hardy; *S*, stove.

	s.	d.
S **AFRICANA**	2	6
S **ALBO-SPICA**	3	6
S **AMŒNA**, *vide* below		
S **APUS (APODA)**	1	6
S **ATROVIRIDIS**	2	6
S **BROWNII**	2	6
S **CANALICULATA**, *vide* page 128.		
S **CAULESCENS GRACILIS**, *vide* page 128.		
S **COGNATA**, *vide* page 128.		
S **CONFERTA**	2	6
S **CONVOLUTA** (PARADOXA)	2	6
S **CUSPIDATA**	2	6
S **EMILIANA**	3	6
S **ERYTHROPUS** (UMBROSA)	2	6
S **FILICINA** (DICHROUS)	2	6
S **FLAGELLIFERA**, *vide* page 9.		
S **GALEOTTII** (SCHOTTII)	2	6
S **GRANDIS**	3*s.* 6*d.* &	5 0
S **INÆQUALIFOLIA**	1*s.* 6*d.* &	2 6
G **INVOLVENS VARIEGATA**, *vide* page 127.		
H **JAPONICA**	3	6
G **KRAUSSIANA** (DENTICULATA)	0	9
G —— **AUREA**	1*s.* 6*d.* &	2 6
G —— **VARIEGATA**	2	6
S **LÆVIGATA** (CÆSIA ARBOREA)	3	6
S **LEPIDOPHYLLA**	3*s.* 6*d.* &	5 0
S **LOBBII**	2	6
S **LYALLII**	3	6
S **MARTENSII**	1	6
S —— **ALBO-VARIEGATA**	2	6
S **POULTERI**	2	6
S **RUBRICAULIS**	2	6
S **SERPENS** (MUTABILIS and VARIABILIS)	1	6
S **SETOSA**	3	6
S **VOGELLII VARIEGATA**	5	0
S **UNCINATA** (CÆSIA)	1	6
S **WALLICHII**	3	6
G **WILDENOVII** (PUBESCENS)	2	6

Selection of good kinds can be supplied at 18s. per dozen.

SELAGINELLA AMŒNA.

A beautiful Club-Moss, belonging to the caulescent group. It grows about a foot high, the erect stem being furnished with small scattered leaves; the upper portion is triangular and pinnately branched, the branches themselves, which are set on horizontally, being bipinnate, and the whole plant of a bright and cheerful green. The upper part of the stem and the branches have spreading distant acuminate leaves, with smaller intermediaries. It has been introduced from Mexico. *5s.* and *7s. 6d.*



SELAGINELLA INVOLVENS VARIEGATA.

SELAGINELLA INVOLVENS VARIEGATA.

A dwarf dense-growing variegated form of greenhouse Club-Moss, introduced from Japan; some of the branchlets are creamy white, and these, being mixed in freely with the green branchlets, produce an elegant variegation. The plant forms a pretty dwarf tuft, consisting of an overlapping series of branches, surrounding the central axis. A well-grown specimen is a very pleasing object amongst the dwarf forms of the Club-Moss family. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Royal Horticultural Society's Exhibitions, in 1880, 1881, and 1882. 7*s.* 6*d.* and 10*s.* 6*d.*

SELAGINELLA CANALICULATA.

A remarkable handsome species of Club-Moss, introduced from the Islands of the South Pacific. It is of scandent habit, the tetragonal sulcate stems, rooting freely from the base, tinted with pale brownish red, and furnished with scattered appressed ovate-oblong unequal-sided leaves; the branches are tripinnate; the larger leaves are distant semi-ovate, while the leaves of the alternate divisions are close set, ovate-oblong acute, with the smaller intermediate ones acuminate. 3*s.* 6*d.* & 5*s.*

SELAGINELLA CAULESCENS GRACILIS.

A remarkably neat and pretty Indian Club-Moss. It has creeping rhizomes from which the erect arching stems spring up; these are distinctly branched, the branches ovate with about six or seven divisions, each of which is three or four times parted. Its bright green colour and elegant dwarf growth combine to give a most pleasing character. 5*s.*

SELAGINELLA COGNATA.

A very fine species, of sub-climbing habit, named provisionally as above. It has stoutish erect rooting stems, which are furnished with obliquely-ovate spreading leaves, set on at about half an inch apart. The branches are ovate, eight to ten inches long, alternately pinnate, the primary branchlets ovate, about three inches long, with six or eight alternating secondary branchlets. The leaves become gradually smaller on the successive series of branchlets, the small intermediate ones converging with the point upcurved, which gives the surface a somewhat bristly appearance. It has been introduced from the Isles of the South Pacific Ocean. 5*s.* and 7*s.* 6*d.*

SELAGINELLA VICTORIÆ.

An elegant sub-scandent species, introduced from the South Sea Islands. It has erect stems, which produce alternate lateral branches of an ovate outline, flat and closely pinnate, like the frond of a Fern. The colour is a dark green, the spikelets and young growth being of a paler hue. It is allied to *S. Wallichii*, but is a still more elegant plant, and differs essentially in having a long terminal pinnulet to each branch, instead of diminishing gradually to the end. For Illustration, *vide* page 126. 2*s.* 6*d.* and 3*s.* 6*d.*

PALMS, CYCLANTHS AND CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

ACANTHOPHŒNIX CRINITA (ARECA CRINITA) ..... 10*s.* 6*d.*, 15*s.* & 1 guinea

ACANTHORRHIZA ACULEATA (CHAMÆROPS STAURACANTHA) ..... 15*s.* and 1 guinea

***ARCHONTOPHŒNIX** ALEXANDRÆ (PTYCHOSPERMA ALEXANDRÆ) ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

* CUNNINGHAMIANA (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* to 1, 1½, & 2 guineas

ARECA ALICÆ, this name has been given by Dr. Mueller to a North-east Australian Palm, found in Trinity Bay by Mr. Walter Hill, and commemorates the late Grand Duchess of Hesse—Princess Alice. The leaves are pinnatisect, the pinnæ-like segments sessile. Its comparatively dwarf habit will render this pinnate Palm, a valuable one for decorative purposes..... 1 guinea.

AUREA, *vide* DICTYOSPERMA AUREUM.

* BAUERI *vide* RHOPALOSTYLIS BAUERI.

CRINITA, *vide* ACANTHOPHŒNIX CRINITA.

ARECA DICKSONI, *vide* BENTINCKIA CONDAPANNA
ERYTHROPODA, *vide* CYRTOSTACHYS RENDA
LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS
MADAGASCARIENSIS ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
MONOSTACHYA, *vide* BACULARIA MONOSTACHYA
RUBRA, *vide* DICTYOSPERMA RUBRUM
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
TRIANDRA ..... 10*s.* 6*d.* and 15*s.*
VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII

ARENGA SACCHARIFERA "Gomuti Palm" ..... 10*s.* 6*d.* and 15*s.*
* WIGHTII ..... 1 guinea.

ASTROCARYUM GRANATENSE ..... 10*s.* 6*d.*
MALYBO (A. ARGENTEUM) ..... 1, 1½ and 2 guineas.

BACULARIA MONOSTACHYA, "Walking Stick Palm," (ARECA MONOSTACHYA, LINOSPADIX MONOSTACHYA) ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

BENTINCKIA CONDAPANNA (ARECA DICKSONI) ..... 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

BISMARCKIA NOBILIS ..... 3 and 4 guineas.

BOWENIA SPECTABILIS SERRULATA, a distinct and remarkable Australian Plant, Bowonia being the only known Cyead with bipinnate fronds. It has a short thick caudex, from the crowns of which are developed its large and handsome leaves, which differ materially from the typal and only other known Bowenia in having the margins distinctly toothed or serrated. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Carlisle, and the First Prize at the International Horticultural Exhibition at Ghent ..... 5*s.* and 7*s.* 6*d.*

CALAMUS CILIARIS ..... 1, 1½ and 2 guineas.
(DÆMONOROPS) FISSUS ..... 10*s.* 6*d.*, 15*s.* & 21*s.*
(——) MELANOCHÆTES ..... 10*s.* 6*d.*, 15*s.* & 21*s.*
MICRANTHUS ..... 7*s.* 6*d.* and 10*s.* 6*d.*
(DÆMONOROPS) PALEMBANICUS, one of the most elegant of Palms, exceedingly appropriate for table decoration and other ornamental purposes. The leaves are broadly ovate, pinnate, consisting of many narrow elongated segments, and are supported by leaf-stalks bearing numerous deflexed spines, which are thickened at the base. The young leaves are of a bright cinnamon-brown, and the contrast between this warm colour and the deep green of the matured leaves renders the plants exceedingly beautiful at the time they are in course of development. It is a native of Java. 10*s.* 6*d.*, 15*s.* and 21*s.*
(——) PERIACANTHUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
(——) PLUMOSUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
SIKKIMENSIS, an elegant Palm, introduced from Sikkim. The leaves are ovate in outline, pinnate, with many narrow lanceolate segments, supported by spiny leaf-stalks. The young leaves are of a pleasing cinnamon-brown colour, contrasting in a very marked manner with the deep green of the mature leaves. This handsome Palm will be exceedingly valuable for all decorative purposes ..... 1½ guinea.
TRINERVIS, a thoroughly distinct-looking stove Palm from the East Indies. Its leaf-stalks are thorny and clothed with brown scale-like tomentum, the petiolar sheath being continued up the stem, and ending in a fringe of pointed brown scales. The leaves are pinnate, with alternate leaflets, which are sessile, lanceolate, with an acuminate apex, and having three prominent nerves, hairy on the upper surface ..... 3 guineas.

CALYPTROGYNE SARAPEQUENSIS (GEONOMA SARAPEQUENSIS) ..... 15*s.* and 1 guinea.
SWARTZII "Mountain Thatch Palm" (CALYPTRONOMA SWARTZII) .... 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
TERES, a useful and ornamental stove Palm, imported from British Guiana. It has smooth terete green petioles, and spreading or drooping leaves, which in the young plants consist of two pairs of linear-oblong tapered leaflets about two inches wide, bright green, and having the principal ribs raised on both surfaces ..... 1 and 1½ guinea.

CALYPTRONOMA SWARTZII, *vide* CALYPTROGYNE SWARTZII

CARLUDOVICA DRUDEI, a noble and decorative stove Cyclanth, introduced from the United States of Colombia. In habit it somewhat resembles a Fan Palm, with handsome and effective deep green lustrous leaves. The flowers are borne on a stalked erect spadix of cylindrical form and of ivory-white colour, and resemble a bottle brush by reason of the long stamens which project horizontally from the female flowers ..... 10*s.* 6*d.* and 15*s.*
PALMATA ..... 10*s.* 6*d.* and 15*s.*
PLUMIERI, a remarkably interesting plant. It has an erect waving caudex, with alternate leaves. The leaf blades are bipartite, the divisions lanceolate, plicate, with the ribs raised on the upper surface, bright green above, paler beneath. The pendulous spadices are four inches long, axillary, pedunculate, and covered with twisted threads 10*s.* 6*d.*
WALLISII, a Palm-like stove plant. It has erect semi-terete petioles, which support the spreading ovate blade of the leaf, which is two-lobed and plicate. Each division of the leaf is about a foot long and six or eight inches broad. Flowers white, remarkably sweet-scented. Introduced from the United States of Colombia ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CARYOTA URENS "Wine Palm" ..... 7*s.* 6*d.* and 10*s.* 6*d.*
CATAKIDOZAMIA HOPEI .....
DENISONI, *vide* LEPIDOZAMIA
CERATOZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnæ deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green ..... 3 and 4 guineas.
CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS
CHAMÆDOREA ELEGANTISSIMA ..... 7*s.* 6*d.* and 10*s.* 6*d.*
FORMOSA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CHAMÆDOREA GRAMINIFOLIA .. 10*s.* 6*d.* and 15*s.*
* POLITA, a neat-habited greenhouse Palm. The stems are quite smooth, as also are the petioles, which are terete, the leaves being bifid, or when a stage more advanced breaking up into two pairs of green pinnæ, with the terminal leaflet larger than the others. It has been imported from Mexico. 10*s.* 6*d.*
***CHAMÆROPS** EXCELSA, *vide* TRACHYCARPUS EXCELSUS
* FORTUNEI, *vide* TRACHYCARPUS FORTUNEI
* HUMILIS, this useful decorative Palm can be supplied in all sizes, from 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea to 2, 3 and 4 guineas each.
* —— GRACILIS ..... 15*s.* and 1 guinea.
* —— ROBUSTA ..... 15*s.* and 1 guinea.
* —— TOMENTOSA ..... 15*s.* and 1 guinea.
STAURACANTHA, *vide* ACANTHORRHIZA ACULEATA
CHRYSALIDOCARPUS LUTESCENS (ARECA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.
***COCOS** AUSTRALIS (DIPLOTHEMIUM CAMPESTRE), 5*s.* and 7*s.* 6*d.*
* CHILENSIS, *vide* JUBÆA SPECTABILIS
INSIGNIS (GLAZIOVA INSIONIS), 7*s.* 6*d.* and 10*s.* 6*d.*
* PLUMOSA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
***COCOS** WEDDELLIANA (GLAZIOVA ELEGANTISSIMA, LEOPOLDINA PULCHRA), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnæ or segments, of a rich green colour. In all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.
***CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS
CYCAS ARMSTRONGII .....
CIRCINALIS ..... 1½ and 2 guineas.
MEDIA, a noble form of Cycad introduced from intertropical New Holland. The trunk is both stout and tall, cylindrical, and tolerably even in outline, the surface closely dotted by the scar-like marks which indicate the places whence leaf-stalks have been removed. This stem produces a grand head of leaves, which are of a large size, and somewhat variable in form and character in different specimens. Trunks in various sizes. Prices on application.
NORMANBYANA ..... 10*s.* 6*d.* and 15*s.*
PLUMA .....
REVOLUTA, in all sizes, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 3, 4 and 5 guineas each.
RUMPHII .....
SIAMENSIS .....
CYCLANTHUS DISCOLOR ..... 1 guinea.
CYPHOKENTIA ORACILIS, *vide* KENTIOPSIS OLIVÆFORMIS
MACROCARPA, *vide* KENTIOPSIS MACROCARPA
ROBUSTA, *vide* CYPHOSPERMA VIEILLARDI
CYPHOSPERMA VIEILLARDI (CYPHOKENTIA ROBUSTA, KENTIA ROBUSTA, K. VIEILLARDI) .....
CYRTOSTACHYS RENDA (ARECA ERYTHROPODA, PTYCHOSPERMA COCCINEA)..
DÆMONOROPS, *vide* CALAMUS
DESMONCUS MAJOR ..... 15*s.* and 1 guinea.
DICTYOSPERMA AUREUM (ARECA AUREA) a fine and graceful Palm, with yellowish stems ..... 10*s.* 6*d.* and 15*s.*
RUBRUM (ARECA RUBRA) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
DIOON EDULE .....
DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS
CAUDESCENS (CEROXYLON NIVEUM) ..... 5*s.* and 7*s.* 6*d.*
DRYMOPHLŒUS SINGAPORENSIS (PTYCHOSPERMA SINGAPORENSIS). Truly a "most elegant" Palm. It has slender stems, and rich green leaves on smooth green petioles. The leaves are elegantly drooping in habit and ovate in form, consisting of numerous narrow leaflets, tapering to a long slender point. It has been introduced from Singapore.

*ENCEPHALARTOS ALTENSTEINII .....
* (ZAMIA) BRACHYPHYLLUS .....
* CAFFRA .....
* (ZAMIA) CYCADÆFOLIUS .....
* FRIDERICI-GUILIELMI, this is a very distinct-looking South African species; the leaves are oblong-obtuse, arching and conduplicate; the petiole and rachis are terete and somewhat flattened on the upper surface, destitute of spines but covered with woolly down, the segments closely crowded, nearly opposite, linear-oblong, and of glaucous hue. At first sight this distinct Cycad would give the impression of being an intermediate species between *Dioon edule* and *Cycas revoluta* .....

*ENCEPHALARTOS GHELLINCKII (GRACILIS)
* HILDEBRANDII, this fine Cycadaceous plant has been introduced from Eastern Africa.
* HORRIDUS .....
* —— MULTIFLEXUS .....
* (ZAMIA) LEHMANNI .....
* (——) —— GLAUCUS ....
* (——) —— SPINOSUS ....
* (——) VILLOSUS .....
* (——) —— AMPLIATUS ..
* (——) —— DENTICULATUS
* (——) —— GRACILIS ....
* (——) —— VROOMII .... 4 and 5 guineas.

EUTERPE EDULIS "ASSAI PALM" (OREODOXA SANCONA) 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

GEONOMA CARDERI ..... 15*s.* and 1 guinea

GEONOMA GRACILIS ..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 10*s.* 6*d.*

LATIFOLIA ..... 3*s.* 6*d.* and 5*s.*

PRINCEPS ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

SARAPEQUENSIS, *vide* CALYPTROGYNE SARAPEQUENSIS

SPECIOSA ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

SPIXIANA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELLIANA

INSIGNIS, *vide* COCOS INSIONIS

GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA

FORSTERIANA, *vide* HOWEA FORSTERIANA

*HEDYSCEPE CANTERBURYANA "Umbrella Palm" (KENTIA CANTERBURYANA) 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

HETEROSPATHE ELATA (METROXYLON ELATUM), a very elegant smooth-stemmed Palm from Java, remarkable for the length of the tapered segments of its pinnate fronds. The leaflets are half an inch broad, with somewhat wider intervals between them, bright green on both the surfaces, narrowing upwards into a long slender tapering point. The plant has a naturally graceful spreading habit, and ranks among the most ornamental of the pinnate-leaved series ..... 10*s.* 6*d.*, 15*s.* & 1 guinea.

*HOWEA BELMOREANA, "Curley Palm," (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes ..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.

* FORSTERIANA, "Flat or Thatch-Leaf Palm," (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA) ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA), a noble Palm, belonging to the pinnate-leaved series, introduced from Queensland. The leaves have numerous unequal segments, usually toothed at the apex. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Ghent.

HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS

INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS

(AREOA) VERSCHAFFELTII ..... 10*s.* 6*d.*, 15*s.* & 1 guinea

*JUBÆA SPECTABILIS, "Coquito Nut Palm," (COCOS CHILENSIS, MOLINIA CHILENSIS) ..... 7*s.* 6*d.* and 10*s.* 6*d.*

*KENTIA AUSTRALIS .....
* BELMOREANA, *vide* HOWEA BELMOREANA
* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA
* FORSTERIANA, *vide* HOWEA FORSTERIANA

GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS

LINDENI, *vide* KENTIOPSIS MACROCARPA

LUCIANI .....

MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII

MONOSTACHYA, *vide* ARECA MONOSTACHYA

ROBUSTA, *vide* CYPHOSPERMA VIEILLARDI

KENTIA RUPICOLA .....

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA

WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA

KENTIOPSIS MACROCARPA (CYPHOKENTIA MACROCARPA, KENTIA LINDENI) ..

OLIVÆFORMIS (KENTIA GRACILIS, CYPHOKENTIA GRACILIS) .....

LATANIA AUREA, *vide* L. VERSCHAFFELTII

* BORBONICA, *vide* LIVISTONA CHINENSIS

* COMMERSONI (L. RUBRA) ..... 1 and 1½ guinea

* VERSCHAFFELTI (L. AUREA) ..... 15*s.* and 1 guinea

LEOPOLDINA PULCHRA, *vide* COCOS WEDDELLIANA

LEPIDOZAMIA PEROFFSKYANA (MACROZAMIA DENISONI) .....

LICUALA GRANDIS (PRITCHARDIA GRANDIS). As a new introduction, scarcely any plant has made a greater sensation than this remarkable Palm. When exhibited by Mr. W. B. at the International Horticultural Exhibition, held at Brussels, it won the First Prize for a new Palm not in commerce. At the same time another specimen was also shown in the six New Plants with which Mr. W. B. gained the First Prize. Again at the International Horticultural Exhibition, held at Ghent, it was one of the twelve New Plants with which Mr. W. B. won the First Prize. It was discovered in the South Sea Islands by one of Mr. W. B.'s Plant Collectors, and takes rank amongst the most distinct and attractive Palms ever introduced ..... 4 and 5 guineas.

PELTATA ..... 5*s.* and 7*s.* 6*d.*

LINOSPADIX MONOSTACHYA, *vide* BACULARIA MONOSTACHYA

LIVISTONA ALTISSIMA ..... 10*s.* 6*d.*, 15*s.* & 1 guinea

* AUSTRALIS (CORYPHA AUSTRALIS) ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*

* CHINENSIS (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA) in all sizes, from 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea, to 2, 3, 4 and 5 guineas each.

HOOGENDORPHII, a fine Stove Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, and giving the leaves a bold and distinctive character ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

* MAURITIANA, *vide* L. CHINENSIS

ROTUNDIFOLIA (SUBOLOBOSA) .....

* SINENSIS, *vide* L. CHINENSIS

LOXOCOCCUS RUPICOLA (PTYCHOSPERMA RUPICOLA) ..... 1 and 1½ guinea

***MACROZAMIA** CORALLIPES .....

* CYLINDRICA, a distinct and well-marked Cycad, introduced from Queensland. It has a long-necked stem, and dark green coriaceous leaves; the pinnæ are glossy on the surface, each being marked at the base with a large ivory white patch, which strongly contrasts with the dark green mid-rib which lies between the two rows of ivory markings.

* DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA

* FRASERI .....

* MACKENZII, a handsome and ornamental Cycad from Queensland. The leaves are ovate in outline, with numerous pairs of narrow tapering segments of a dark green colour, and nine to ten inches in length. The rachis is strongly convex behind, slightly so in front, with the segments of the central portion set on at about half an inch apart, the upper ones being more closely, the lower ones more distantly placed. For Illustration, *vide* page 134 ..... 3, 4 and 5 guineas

* PLUMOSA, this beautiful Cycadaceous plant has been imported from Queensland. From a small ovate stem, the scales of which are woolly, rise the erect spirally-twisted leaves, which have a flattened petiole. These leaves are furnished nearly to the base with narrow linear leaflets, which are set on at intervals of about a quarter of an inch, and are from six to eight inches long. The plant is remarkable for its distinct and elegant character. It has been awarded a First Class Certificate by the Royal Horticultural Society. 2, 3, and 4 guineas

* SPIRALIS .....

MARTINEZIA EROSA ..... 2 and 3 guineas

GRANATENSIS ..... 10*s.* 6*d.* and 15*s.*

MAXIMILIANA REGIA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

METROXYLON ELATUM, *vide* HETEROSPATHE ELATA

***MOLINIA** CHILENSIS, *vide* JUBÆA SPECTABILIS

ŒNOCARPUS BACABA ..... 31*s.* 6*d.*

EDULIS ..... 31*s.* 6*d.* and 42*s.*

ORANIA MACROCLADUS ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

OREODOXA GRANATENSIS, a very ornamental pinnate-leaved Palm, introduced by one of my collectors from the United States of Colombia. The stem is smooth, and the leaf pinnate, with long narrow leaflets, which are more or less drooping. It is a very elegant plant, and in the young state is admirably adapted for table decoration..... 1 guinea

SANCONA, *vide* EUTERPE EDULIS

PHŒNICOPHORIUM SECHELLARUM, *vide* STEVENSONIA GRANDIFOLIA

*PHŒNIX RUPICOLA, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phœnices to that of *Cocos Weddelliana* among Cocoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in out line, with long narrow pinnæ, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition .... 2*s.* 6*d.* and 3*s.* 6*d.*; fine plants, 21*s.*, 31*s.* 6*d.* and 42*s.*

* SYLVESTRIS, a Sugar-yielding Palm ..... 1*s.*6*d.*, 2*s.*6*d.*, 3*s.*6*d.* & 5*s.*

PHYTELEPHAS MACROCARPA, this Palm yields the Vegetable Ivory of commerce. 1 and 1½ guinea

PINANGA MACULATA ..... 7*s.* 6*d.*, 10*s.* 6*d.* to 1 guinea

SANDERIANA ..... 1 guinea

SPECTABILIS, *vide* page 9.

PRITCHARDIA AUREA ..... 1½, 2 and 3 guineas

GRANNIS, *vide* LICUALA GRANNIS

PACIFICA ..... 1 and 1½ guinea

*PTYCHOSPERMA ALEXANDRÆ, *vide* ARCHONTOPHŒNIX ALEXANDRÆ

COCCINEA, *vide* CYRTOSTACHYS RENDA

* CUNNINGHAMIANA, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA

LÆVIGATA ..... 10*s.* 6*d.*, 15*s.* & 1 guinea

MACARTHURII (KENTIA MACARTHURII) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

RUPICOLA, *vide* LOXOCOCCUS RUPICOLA

SINGAPORENSIS, *vide* DRYMOPHLŒUS SINGAPORENSIS

REGELIA PRINCEPS, *vide* VERSCHAFFELTIA SPLENDIDA

*RHOPALOSTYLIS BAUERI (ARECA BAUERI, SEAFORTHIA ROBUSTA) ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

*RHAPIS FLABELLIFORMIS ..... 7*s.*6*d.*, 10*s.*6*d.* to 1 guinea

ROSCHERIA MELANOCHÆTES (VERSCHAFFELTIA MELANOCHÆTES) .....

SABAL ADANSONI "DWARF PALMETTO" ..... 3*s.* 6*d.* and 5*s.*

CÆRULESCENS, a remarkably bold and handsome Palm introduced from the United States of Colombia. The leaves are palmately divided, the segments broad, with a plicate surface, and having a bluish or glaucous tinge of green, which is very strongly marked on the under surface ..... 7*s.* 6*d.* and 10*s.* 6*d.*

GRANATENSIS ..... 3*s.* 6*d.* and 5*s.*

TENUIS ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

UMBRACULIFERA (BLACKBURNIANA), noble and very distinct ..... 3*s.* 6*d.* and 5*s.*

*SEAFORTHIA ELEGANS, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA

* ROBUSTA, *vide* RHOPALOSTYLIS BAUERI

STANGERIA PARADOXA ..... small plants, 7*s.* 6*d.*; strong specimens, 1½, 2 and 3 guineas

STEVENSONIA GRANDIFOLIA (PHŒNICOPHORIUM SECHELLARUM), ... 1, 1½, 2 to 5 guineas

THRINAX ARGENTEA, "SILVER THATCH PALM" ..... 5*s.* and 7*s.* 6*d.*

THRINAX BARBADENSIS, a very elegant neat-growing Fan Palm. The petiole terminates in a digitately multipartite blade, the numerous segments of which are of a lively green colour. It is, as its name implies, a native of the Island of Barbadoes. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, at Kensington ..... 1½ and 2 guineas.

ELEGANS, very handsome for exhibition purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

ELEGANTISSIMA, an exceedingly elegant and graceful Palm ..... 15*s.* and 1 guinea.

* PARVIFLORA ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

TRACHYCARPUS EXCELSUS (CHAMÆROPS EXCELSA), in all sizes, from 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* to 2, 3, 4 and 5 guineas each

*PHŒNIX COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis* and *P. leonensis*; its dense compact habit of growth will render it extremely useful for decorative purposes 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

* DACTYLIFERA (THE DATE PALM) 10*s.* 6*d.*, 15*s.* & 1 guinea

* HYBRIDA, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature ..... 15*s.*

* INTERMEDIA, an interesting hybrid between *P. sylvestris* and *P. æquinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory 5*s.*, 7*s.* 6*d.*, and 10*s.* 6*d.*

* RECLINATA ..... 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*

MACROZAMIA MACKENZII. For description and price, *vide* page 132.

TRACHYCARPUS FORTUNEI (CHAMÆROPS FORTUNEI), in all sizes, from 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* 10*s.* 6*d.*, and 15*s.* to 2, 3, 4 and 5 guineas each

VERSCHAFFELTIA MELANOCHÆTES, *vide* ROSCHERIA MELANOCHÆTES SPLENDIDA (REGELIA PRINCEPS), a magnificent and very distinct Palm from the Island of Seychelles .....

ZALACCA NITIDA, *vide* page 9.

* **ZAMIA** BRACHYPHYLLUS, *vide* ENCEPHALARTOS BRACHYPHYLLUS

* BREVIFRONS ..... 1½ and 2 guineas

* CYCADÆFOLIA, *vide* ENCEPHALARTOS CYCADÆFOLIUS

* FURFURACEA ..... 2 and 3 guineas

* INTEGRIFOLIA ..... 2 and 3 guineas

* LEHMANNI, *vide* ENCEPHALARTOS LEHMANNI LINDENI .....

*ZAMIA MIQUELII, this species has been imported from Queensland. It has a short stout stem, spindle-shaped below, and producing from the crown remarkably elegant fronds, which are erect and somewhat spirally twisted, the smooth bright green pinnæ being of an ivory white colour at their point of juncture with the rachis. It is known in some collections as *Z. Fraseri* and *Z. tennifolia* ..... 5*s.* and 7*s.* 6*d.*

OBLIQUA .....

PRASINA ..... 1½ guinea

* ROEZLII .....

SKINNERI .....

* VILLOSA, *vide* ENCEPHALARTOS VILLOSUS

* VROOMII, *vide* ENCEPHALARTOS VROOMII.

NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 24s., 30s. and 42s.

New and Choice Varieties 5s., 7s. 6d., 10s. 6d., 15s. and 21s. each.

ADOLPHE ADAMS, green, densely speckled with white; roso-coloured mid-ribs. 2*s.* 6*d.* and 3*s.* 6*d.*

ADOLPHE ANDRIEN, a very attractive variety with large richly coloured foliage. 3*s.* 6*d.*

AGRIPPINE DIMITRY, white ground, green margin and veins, pink centre. 5*s.*

AÏDA, transparent ruddy rose tissue with a network of green ribs. 10*s.* 6*d.*

ALBO-LUTEUM, yellowish white with green tint, very long leaves. 7*s.* 6*d.*

ALCIBIADE, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 5*s.*

ALFRED BLEU, green, with white spots and flesh-coloured centre. 2*s.* 6*d.* and 3*s.* 6*d.*

ALFRED MAME, carmine-red, bordered with white and spotted with rose. 7*s.* 6*d.*

ALPHAND, green, spotted with red; crimson centre. 2*s.* 6*d.* and 3*s.* 6*d.*

ALPHONSE KARR, carmine centre and red spots. 2*s.* 6*d.*

ALZIRE, 15*s.*

AMŒNUM, transparent rose, with red ribs, violet-rose veins and green margin. 10*s.* 6*d.*

ANNA DE CONDEIXA, rose centre, with clear green margin, and white, yellow and dark green zone. 7*s.* 6*d.*

ANNIBAL, 3*s.* 6*d.*
ARETHUSE, 5*s.*
ARGYRITES, pale green with white spots. 1*s.* 6*d.* & 2*s.* 6*d.*
ARISTIDE, light green; crimson centre. 3*s.* 6*d.* and 5*s.*
ARSINOË, 3*s.* 6*d.* and 5*s.*
ARTÉMISE, silvery white with rosy-crimson ribs. 3*s.* 6*d.*
AUBER, green ground, marked with white spots and central pink ones. 2*s.* 6*d.* and 3*s.* 6*d.*
AUGUSTE CARPENTIER, carmine-red centre, surrounded with reddish-maroon and margined with golden green; very effective. 10*s.* 6*d.*
AUGUSTE LEMOINIER, soft green centre and rosy-crimson rib and veins. 3*s.* 6*d.*
AUGUSTE REVIÈRE, white centre and rays, and crimson spots. 2*s.* 6*d.* and 3*s.* 6*d.*
AURORE BORÉALE, dark red, spotted with bronzy-green, reddish carmine ribs. 10*s.* 6*d.*
BARAQUINII, crimson centre, dark green margin. 2*s.* 6*d.* and 3*s.* 6*d.*
BARAQUINII SUPERBUM, 5*s.*
BARILLET, green, bright rosy crimson centre and ribs. 3*s.* 6*d.* and 5*s.*
BARONNE JAMES DE ROTHSCHILD, young leaves of a bright rose colour; the more matured foliage soft rose, with red veins. 10*s.* 6*d.*
BARRAL, bright green, with a fine red centre, and large spots of rose. 3*s.* 6*d.* & 5*s.*
BEETHOVEN, ground colour white, intersected and veined with green, centre rib delicate rose. 2*s.* 6*d.* and 3*s.* 6*d.*
BELLEYMEI, white variegated leaves. 2*s.* 6*d.* and 3*s.* 6*d.*
BELLINI, mottled pale green ground, with rosy centre and spots. 2*s.* 6*d.* and 3*s.* 6*d.*
BELLONE, centre carmine-rose, shading off to reddish maroon and metallic brown. 10*s.* 6*d.*
BEROSE. 5*s.*
BICOLOR. 1*s.* 6*d.*
BICOLOR FULGENS. 3*s.* 6*d.*
BICOLOR SPLENDENS. 2*s.* 6*d.* and 3*s.* 6*d.*
BOIELDIEU, like *Bicolor splendens*, but superior. 3*s.* 6*d.*
BOSPHORE. 15*s.*
BRONGNIARTII, 2*s.* 6*d.* & 3*s.* 6*d.*
BUREL, dark bluish green veined bright rose, marked with rosy violet and spotted orange-red. 3*s.* 6*d.*
CALYPSO, dark green margin, bright crimson centre and veins and pink spots. 3*s.* 6*d.* & 5*s.*
CANDIDUM, white ground with strongly marked ribs. 7*s.* 6*d.*
CANNÆRTII, leaves flushed with salmon-red, and spotted white. 2*s.* 6*d.* and 3*s.* 6*d.*
CARDINALE, brilliant red, dotted with golden yellow and greenish yellow. 10*s.* 6*d.*
CERES, rich green with rosy salmon centre. 5*s.*
CHANTINII, reddish ground, spotted with white. 2*s.* 6*d.*
CHANTINII FULGENS, rich metallic green, with crimson centre and white spots. 5*s.*
CHARLEMAGNE, large rosy-red leaves, nerves dark red. 21*s*
CHARLES VERDIER, fine green, with blush-pink centre and spots. 2*s.* 6*d.* & 3*s.* 6*d.*
CHELSONI, bright glossy green, suffused with brilliant red, and blotched with crimson. 2*s.* 6*d.* and 3*s.* 6*d.*
CLIO, ground colour deep rose shaded white; green ribs, and narrow green margin. 7*s.* 6*d.*
COMTESSE DE CONDEIXA, white ground shaded rose; carmine red veins; narrow green margin. 7*s.* 6*d.*
COMTESSE DE MAILLÉ, white ground, veined with bright rosy red and green. 7*s.* 6*d.*
COMTESSE DU BERTHIER. 5*s.*
COYPEL. 7*s.* 6*d.*
CYPRIS. 3*s.* 6*d.*
DE CANDOLLE, rich green, rose-coloured spots and creamy white centre rays. 3*s.* 6*d.*
DE HUMBOLDT, glossy green, spotted with scarlet. 3*s.* 6*d.*
DELICATISSIMUM. 21*s.*
DEVINCK, leaves heart-shaped; delicate pink centre ribs, with white spots. 3*s.* 6*d.*
DONIZETTI, rich red centre, green border, rose spots. 3*s.* 6*d.*
DR. BOISDUVAL, centre rayed crimson; snow-white blotches on a green ground. 3*s.* 6*d.*
DR. LINDLEY, crimson centre, the green ground marked with rose blotches. 3*s.* 6*d.*
DUC DE CLEVELAND, red centre, surrounded with pea-green; red spots. 3*s.* 6*d.*
DUC DE MORNY, deep green leaf borders with large crimson-rayed centre. 3*s.* 6*d.*
DUC DE NASSAU, brilliant red centre and ribs, white spots. 2*s.* 6*d.* and 3*s.* 6*d.*
DUC DE RATIBOR, green with red mid-ribs and white spots. 2*s.* 6*d.* and 3*s.* 6*d.*
DUCHARTRE, leaf ground white, flushed rose, green veins and red spots. 3*s.* 6*d.*
EDOUARD ANDRE, crimson centre, rose blotches. 3*s.* 6*d.*
EDOUARD MOREAUX, mottled green ground, with lake centre. 3*s.* 6*d.* and 5*s.*
EDOUARD RODRIGUES, deep carmine, margined with light green, and spotted with rose. 3*s.* 6*d.* and 5*s.*
E. G. HENDERSON, green, with transparent rose spots and mottled crimson rays and centre. 3*s.* 6*d.*
ELSA, silvery rose, with red spots; fine. 7*s.* 6*d.*
ELVINA, bright green, blotched with red; grey centre and veins. 3*s.* 6*d.*
EMILIE VERDIER, leaves of a light transparent rose colour, spotted with red. 3*s.* 6*d.*
ETOILE D'ARGENT, green, mid-ribs and veins creamy white, shaded grey. 5*s.*
EUCHARIS, rose centre with violet reflections margined with bright green. 5*s.* & 7*s.* 6*d.*
EUTERPE. 5*s.*
FAUST. 10*s.* 6*d.*
FELICIEN DAVID, carmine centre, surrounded white, and veined with red on green ground. 3*s.* 6*d.* and 5*s.*
FERDINAND DE LESSEPS, dark carmine-red ground with violet-rose ribs, and deep green spots. 7*s.* 6*d.*
FLORE. 5*s.*
GAZE DE PARIS, translucid leaves, green ribs. 7*s.* 6*d.*
GERARD DOW, pale yellow ground, carmine mid-rib, deep red veins, narrow green margin. 10*s.* 6*d.*
GOLDEN QUEEN, pale golden yellow. 5*s.*
GLUCK. 10*s.* 6*d.*
GRATIOSUM. 3*s.* 6*d.*
GRETRY, carmine centre, with white spots. 3*s.* 6*d.*
HELEVY, white mid-ribs and crimson blotches. 3*s.* 6*d.*
HEROLD, dark carmine veins, surrounded by light green, blotched pure white. 3*s.* 6*d.*
HOULLETTII, green with white spots. 2*s.* 6*d.* and 3*s.* 6*d.*
IBIS ROSE, a magnificent variety, with beautiful rich rose-coloured foliage. 15*s.*
IMPERATRICE EUGENIE, light green with greyish pink centre, and rose-coloured veins. 2*s.* 6*d.* and 3*s.* 6*d.*
ISADORA LEROY, rich metallic green, with crimson-red centre rays. 3*s.* 6*d.*
ISIS, bright rose, veins violet-carmine. 15*s.*
JOHN R. BOX, red and greenish maroon ground; carmine-red veins; violet-rose centre. 10*s* 6*d*

JULES DUPLESSIS, bright rose centre, shaded with red and bordered with green. 5*s*.

JULES PUTZEYS, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3*s*. 6*d*. and 5*s*.

JUNON. 7*s*. 6*d*.

JUPITER. 5*s*.

KETELEER, spotted white, upon emerald-green; large crimson centre. 3*s*. 6*d*.

LAINGII, reddish carmine centre; the whole of the leaf sprinkled with white. 3*s*. 6*d*.

L'ALBANE. 5*s*.

LAMARTINE, crimson centre white and red spots. 3*s*. 6*d*.

LA PERLE DU BRÉSIL, white, delicately tinted with rose, mid-rib and veins dark green. 5*s*. and 7*s*. 6*d*.

L'AURORE, orange red, carmine veins, creamy white margin. 15*s*.

L'AUTOMNE, creamy white, with bluish maculations. 21*s*.

LAVINIA, bright green with grey centre and veins. 3*s*. 6*d*.

LEOPOLDII, green, with rich crimson-rayed centre. 3*s*. 6*d*.

LEOPOLD ROBERT, rosy white ground; carmine-red veins shaded with reddish-brown; green margin. 5*s*.

LEPESCHKINEI, leaves marked with rich rose spots; bright red centre. 3*s*. 6*d*.

LEPLAY, leaves marked with white, and beautifully veined with rosy violet. 3*s*. 6*d*.

LE TITIEN, ground network of red and rich green, pure magenta ribs. 10*s*. 6*d*.

LOUISE DUPLESSIS, red rays and veins on a white ground; green margin. 3*s*. 6*d*.

LOWII, *vide* ALOCASIA LOWII.

LUCY, pea-green; crimson centre; white spots. 3*s*. 6*d*.

LUDDEMANNI, deep crimson ribs; the leaf blotched with magenta and white. 3*s*. 6*d*.

LULLII. 3*s*. 6*d*. and 5*s*.

MADAME ALFRED BLEU, deep green, with large white blotches, and broad crimson-scarlet veins. 3*s*. 6*d*. & 5*s*.

MADAME ALFRED MAME, light green, covered with large white spots; rosy carmine centre. 3*s*. 6*d*. & 5*s*.

MADAME DE LA DEVANSAYE, leaves white, shaded rose, and veined with red and green. 3*s*. 6*d*. and 5*s*.

MADAME DOMBRAIN, centre and ribs pale yellowish green, shaded rose, and spotted with white and rose. 3*s*. 6*d*.

MADAME FRITZ KŒCHLIN, white ground, violet-rose ribs, green veins. 3*s*. 6*d*.

MADAME HEINE, silvery white, stained and edged with pale green; distinct. 3*s*. 6*d*.

MADAME HOULLET, large leaves, with clustering blush-white blotches. 3*s*. 6*d*.

MADAME HUNNEBELLE, leaves veined with garnet on white ground, and margined with green. 3*s*. 6*d*. & 5*s*.

MADAME JULES MENOREAU, white centre, tinted rose, veined rich bright rose, margined green. 5*s*. & 7*s*. 6*d*.

MADAME JULES PICOT, translucid rosy violet leaf. 21*s*.

MADAME LAFORGE, centre and ribs reddish crimson, with green margin. 5*s*.

MADAME LEMOINIER, pale rose with darker ribs; veins and centre encircled with creamy white. 7*s*. 6*d*.

MADAME MARJOLIN SCHEFFER, white foliage, charmingly veined and netted with rosy lake. 5*s*.

MADAME MITJANA, transparent reddish-crimson rose centre. 10*s*. 6*d*.

MADAME T. DE VIGIER, rosy white, carmine nerves. 21*s*.

MADAME WILLAUME, delicate salmon-rose-coloured transparent leaves. 5*s*.

MARCHANDII, 5*s*.

MARQUIS DE CAUX, red centre and veins, with rose blotches on margins. 3*s*. 6*d*.

MARS, clouded crimson centre, the whole leaf spotted with crimson. 3*s*. 6*d*.

MARTERSTYGINUM, crimson centre and white spots. 2*s*. 6*d*. and 3*s*. 6*d*.

MAXIME DUVAL, fine broad crimson centre and ribs, green margin. 3*s*. 6*d*.

MAX KOLB, light green ground with pale centre; distinct. 2*s*. 6*d*. and 3*s*. 6*d*.

MERCADANTE, pale copper-coloured centre and veins, bordered with green. 3*s*. 6*d*.

MEYERBEER, white leaf ground, green veins and red mid-ribs. 2*s*. 6*d*. and 3*s*. 6*d*.

MINERVE, silvery white mid-rib and rays, surrounded with greyish white; green margin, with white spots. 5*s*.

MITHRIDATE, crimson-lake with darker ribs, and dark bronze-green margin. 7*s*. 6*d*.

MONSIEUR A. HARDY, rich reddish carmine veins on white ground, tinted with rose and spotted with green. 5*s*.

MONSIEUR D'HALLOY, delicate rose, bright rose centre, carmine and green veins. 10*s*. 6*d*.

MONSIEUR J. LINDEN, fine large whitish leaf, with metallic reflections, coral-rose veins and reticulated green border. 5*s*.

MOZART, rose centre and veins on green ground. 3*s*. 6*d*.

MRS. LAING, white ground; deep rose centre and veins; green margin. 5*s*. and 7*s*. 6*d*.

NAPOLÉON III, flamed crimson centre, with forked rays, and carmine-red spots. 3*s*. 6*d*.

ONSLOW, deep rosy crimson centre with broad green margin, spotted with rose. 3*s*. 6*d*.

ORNATUM, golden yellow ground; carmine ribs encircled with rosy lake; red-violet veins. 7*s*. 6*d*.

PAUL VERONESE, pinkish white centre, deep scarlet ribs and green margin. 3*s*. 6*d*. & 5*s*.

PETROPOLIS, 5*s*.

PETSCHKAUI, 5*s*.

PHILIPPE HERBERT, deep mottled crimson rays and clear green margin, spotted with crimson. 2*s*. 6*d*.

PHILIPPE SCHULDT, 5*s*.

PICTUM, green, blotched and spotted with white. 3*s*. 6*d*.

PRINCE ALBERT EDWARD, dark emerald green, rich crimson radiating mid-rib, white spots. 2*s*. 6*d*. & 3*s*. 6*d*.

PRINCE OF WALES, large golden yellow leaves. 5*s*.

PRINCESS ALEXANDRA, rosy salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. 3*s*. 6*d*.

PRINCESS OF TECK, bright orange-yellow, veins suffused with deep red. 5*s*. and 7*s*. 6*d*.

PRINCESS OF WALES, golden yellow, spotted with crimson. 5*s*.

PRINCESS ROYAL, leaves of a golden ground colour, with crimson centre. 5*s*.

PROSERPINE, 3*s*. 6*d*.

PYRRHUS, centre and ribs deep crimson, pea-green margin. 3*s*. 6*d*. and 5*s*.

QUADRICOLOR, centre of leaf pale yellowish green, ribs white, edged rosy crimson, and margined green. 3*s*. 6*d*.

RAMEAU, centre and ribs deep reddish crimson, surface covered with white blotches, shaded red. 3*s*. 6*d*. & 5*s*.

RAOUL PUGNO, very transparent, pale flesh colour, margin dark green. 10*s*. 6*d*.

NEW AND CHOICE CALADIUMS—continued.

RAULINII, rich red centre and veins, finely spotted with white. 3*s*. 6*d*.

REGALE, silvery grey centre, rosy red ribs, vermilion-red spots. 2*s*. 6*d*. and 3*s*. 6*d*.

REINE MARIE DE PORTUGAL, violet-rose centre with red veins, dark maroon zone green border. 5*s*. & 7*s*. 6*d*.

REINE VICTORIA, green veins and margins, spotted with white and rich crimson. 2*s*. 6*d*. and 3*s*. 6*d*.

ROSSINI, pale centre, pink mid-ribs, red blotches. 3*s*. 6*d*.

ROUILLARD, green margin, pale green centre, mid-rib and rays violet-plum; whole of leaf spotted crimson. 3*s*. 6*d*.

RUBENS, golden green ground, shaded bright red and veined with dark brown. 7*s*. 6*d*.

RUBRUM METALLICUM, violet red, rose centre, shaded violet, margin copper red. 21*s*.

SALVATOR ROSA, bright red centre tinted with rosy violet; light green margin. 5*s*.

SANCHONIATHON, crimson centre; deep crimson ribs and pea-green margin. 3*s*. 6*d*.

SANGUINOLENTUM, green with white mid-rib and red spots. 3*s*. 6*d*.

SIEBOLDII, rich green, with fiery red crimson-rayed centre and claret-red spots. 3*s*. 6*d*.

SIRIUS, centre scarlet-red, spotted with rosy red and golden green. 10*s*. 6*d*.

SIR WALTER SCOTT, 5*s*.

SOFIA, 21*s*.

SOUVENIR DE LILLE, translucid delicate rose leaves, nerves bright rose. 21*s*.

SOUVENIR DE MADAME BERNARD, bright red centre, dotted with golden yellow, green and white; light green border. 7*s*. 6*d*.

SOUVENIR DE MADAME E. ANDRE, green marbled with white, veined with rosy crimson. 3*s*. 6*d*. and 5*s*.

SOUVENIR DES TOUCHES, carmine shaded violet; red veins, rose spots surrounded with white. 7*s*. 6*d*. & 10*s*. 6*d*.

SOUVENIR DU DOCTEUR BLEU, reddish scarlet centre; pale green border shaded with rich red. 10*s*. 6*d*.

SPONTINI, pea-green, with white spots and rosy pink ribs and veins. 5*s*. and 7*s*. 6*d*.

TRICOLOR, grey-green with red-lake centre and carmine mid-ribs. 5*s*. and 7*s*. 6*d*.

TRIOMPHE DE L'EXPOSITION, crimson centre, red ribs, green border. 3*s*. 6*d*.

URANUS, 3*s*. 6*d*.

VAN DYCK, transparent rosy-lake, pale rose centre, grey green margin. 7*s*. 6*d*.

VELLEDA, 3*s*. 6*d*.

VERDI, crimson-lake centre, with small green zone and apple-green margin. 7*s*. 6*d*.

VESTA, greenish white veins, surrounded with crimson; leaf spotted rose. 3*s*. 6*d*.

VICOMTESSE DE LA ROQUEORDAN, red mid-rib and rays bordered white; green margin. 3*s*. 6*d*.

VILLE DE MULHOUSE, greenish white, shaded rose; rich green centre. 5*s*.

VIRGILE, 5*s*.

VIRGINALE, shining white, veined dark bluish green; a grand variety. 5*s*. and 7*s*. 6*d*.

BEGONIAS.

HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

ALFONSO, a fine flower; colour cinnamon, shaded with salmon. 2*s*. 6*d*.

AURELIA, a very fine large flower of a cinnamon-rose colour; very distinct. 2*s*. 6*d*.

BERTHA, a splendid flower with broad petals, of a soft salmon-pink colour. 5*s*.

BRILLIANT, rich bright orange, a dazzling colour; flowers large and fine; very showy. 3*s*. 6*d*.

CALYPSO, a fine flower with very broad petals of a bright rose colour, shaded with magenta. 3*s*. 6*d*.

CARDINAL, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. 3*s*. 6*d*.

CAROLINE, deep rosy pink, a very fine showy flower with broad petals. 2*s*. 6*d*.

CHELSEA GIANT, light carmine-scarlet; a huge flower. 5*s*.

CLEOPATRA, rosy lake, shaded with magenta; a very large flower with fine broad petals. 3*s*. 6*d*.

CLIMAX, deep rich rosy carmine; the two outer petals extremely broad; a beautiful variety. 2*s*. 6*d*.

CORONET, rich rosy carmine; a large flower with broad petals. 3*s*. 6*d*.

CORSAIR, rosy salmon; a most profuse blooming variety. 2*s*. 6*d*.

DAPHNE, a fine large flower of a pretty pink colour, with purple shade. 5*s*.

DAVISII, a very dwarf growing species, freely producing attractive bright scarlet flowers. 1*s*. 6*d*.

DEFIANCE, a showy variety, producing fine large flowers of a light orange-scarlet colour. 5*s*.

DELICATA, a charming variety, with beautiful blush-white flowers. 2*s*. 6*d*.

DRAGON, a beautiful flower, with fine long petals; colour rich bright rose; very effective. 3*s*. 6*d*.

DR. MASTERS, an effective variety, with very rich carmine-crimson flowers. 2*s*. 6*d*.

EMBLEM, a large flower with broad petals, of a deep rose colour, shaded with magenta. 2*s*. 6*d*.

ENSIGN, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. 2*s*. 6*d*.

ETHEL, a beautiful flower of a light salmon-pink colour. 5*s*.

FIREFLY, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. 5*s*.

FLAMBEAU, bright crimson, shaded with rose, fine round flower. 5*s*.

FLAMMETTA, bright orange-scarlet; a remarkably large and fine flower. 3*s*. 6*d*.

FRŒBELLI, a splendid species from Ecuador, producing brilliant scarlet flowers. 1*s*.

FRŒBELLI INCOMPARABILIS, a magnificent variety with large brilliant scarlet flowers. 1*s*. 6*d*.

GEM, light cream colour, the reverse of petals light pink; extremely distinct and attractive. 3*s*. 6*d*.

GLITTER, vivid orange-scarlet; an extremely bright and showy colour; a fine large flower. 3*s*. 6*d*.

HERMINE, light orange-cinnamon, a very distinct and attractive shade of colour. 2*s*. 6*d*.

ICARUS, a very fine large flower of a bright salmon colour. 3*s*. 6*d*.

IMPERIALIS, splendid flower, dark rosy crimson. 7*s*. 6*d*.

HANDSOME-FLOWERED BEGONIAS.

LUCINDA, a large and fine flower, with remarkably long petals of a deep rose colour. 3*s.* 6*d.*
MABEL, delicate salmon-pink; a fine flower of good shape. 5*s.*
MAGENTA QUEEN, a beautiful variety, with large pendent flowers of rich deep rose colour. 2*s.* 6*d.*
MAGNET, beautiful light pink, the reverse of the petals deep pink; a charming variety. 2*s.* 6*d.*
MARATHON, deep crimson; a very fine large flower. 3*s.* 6*d.*
MARTHA, soft delicate rose-pink; a beautiful flower. 5*s.*
MAZEPPA, very light cream colour, the reverse of the petals tinted with orange-pink. 2*s.* 6*d.*
MINIATA, a fine showy variety, producing flowers of a bright rosy carmine colour. 2*s.* 6*d.*
MODIOLA, bright rose, shaded with salmon; a very large flower with fine broad petals. 3*s.* 6*d.*
MONT BLANC, white, slightly tinted, very pretty. 3*s.* 6*d.*
MRS. H. COPPIN, very clear bright yellow. 3*s.* 6*d.*
OBERON, bright crimson, shaded with orange-scarlet; a splendid variety. 3*s.* 6*d.*
ORESTES, deep rosy carmine; a magnificent flower with fine large petals. 3*s.* 6*d.*
PEARCEI, flowers large, bright yellow, and borne on slender stems well above the foliage. 1*s.* 6*d.*
PEARCEI GRANDIFLORA, fine large flowers, of a bright golden-yellow colour. 2*s.* 6*d.*
PHYLLIS, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 2*s.* 6*d.*
PINK BEAUTY, fine large bright rosy pink flowers, beautiful shape. 7*s.* 6*d.*
QUEEN OF WHITES, a desirable variety, with lustrous leaves, and pure white flowers. 3*s.* 6*d.*
REGALIS, a beautiful salmon-rose flower, of good form and substance. 7*s.* 6*d.*
RUBESCENS, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. 3*s.* 6*d.*
SERAPH, a fine flower of a soft pink colour; the two outer petals suffused with rose. 2*s.* 6*d.*
SPARKLER, a splendid flower with fine broad petals of a bright crimson colour. 3*s.* 6*d.*

STARLIGHT, a beautiful variety, with large flowers of a pretty shade of blush-pink. 3*s.* 6*d.*
SUNRISE, a magnificent variety, producing large flowers of a bright rosy scarlet colour. 2*s.* 6*d.*
SUNSET, rich crimson; a fine large showy flower. 3*s.* 6*d.*
SURPRISE, a beautiful variety, producing pretty bright pink flowers in great profusion. 2*s.* 6*d.*
TEMPLAR, a fine flower, with broad petals of a rosy pink colour. 3*s.* 6*d.*
TROJAN, an effective variety, freely producing fine flowers of a light rosy pink colour. 2*s.* 6*d.*
VEITCHII, this species produces blooms of a vivid vermilion or cinnabar red colour. 2*s.* 6*d.*
VERONA, bright rosy pink; a very pretty variety. 3*s.* 6*d.*
VESTA, pure white; very large flower. 7*s.* 6*d.*
VESUVIUS, a fine variety, producing very large flowers of a rich orange-scarlet colour. 1*s.*
VICTORY, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. 7*s.* 6*d.*
VIVICANS, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. 2*s.* 6*d.*
WHITE QUEEN, a beautiful variety, producing ivory-white flowers tinted with rose. 2*s.* 6*d.*

Selections of good single-flowering Varieties can be made by Mr. W. B. at 18s., 30s. and 42s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 2, 3, and 4 guineas per dozen.

BEGONIA BALMISIANA.

This very distinct Begonia has been imported from Mexico. It is a handsome flowering tuberous-rooted species and freely produces quantities of large and attractive flesh-coloured flowers of good substance. The succulent stems are dark-red in colour, the leaves being thick and fleshy, with dentate margins. 3*s.* 6*d.*

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.
ANTONA, dark centre, surrounded with silver-grey and margined with bronze. 5*s.*
BARANA, leaves a beautiful silver, marked in the centre and at intervals round the margin with olive-green. 5*s.*
LEDA, leaf bright silver, marked in centre with bronzy-green, and prettily margined with bronze. 5*s.*
MADAME HENRI GACHE, the finest of the variegated leaved section; the middle of the leaf is of a glistening greyish silver, shaded in a most remarkable manner with bright rosy-crimson, the margin being olive green spotted with silver; centre rich olive brown. 3*s.* 6*d.*
SYLVIA, silver-grey leaves, beautifully marked in centre and round the margins with bright-bronzy green venations. 5*s.*
VESTAL, bright green, blotched and spotted with silver and margined with bronze; centre bright bronze. 5*s.*
VIRGINIA, silver-grey, dark green venation in centre, the marginal venation of a bronzy-green. 5*s.*

ABBÉ DELAHAYE, 2*s.* 6*d.*
ACUMINATA SPLENDIDA, 2*s.* 6*d.*
ADRIEN ROBINE, 2*s.* 6*d.*
ALEXANDRINE OLSOUFIEFF 3*s.* 6*d.*
ANDALOUSIE, 2*s.* 6*d.*
ANNETTE, 2*s.* 6*d.*
ANNICA, 2*s.* 6*d.*
ARCTURUS, 2*s.* 6*d.*
ARGENTEA HIRSUTA, 2*s.* 6*d.*
—— **ZEBRINA**, 3*s.* 6*d.*
ARGUS, 3*s.* 6*d.*
ARIADNE, 3*s.* 6*d.*
BRONGNIART, 2*s.* 6*d.*
CALLIOPE, 2*s.* 6*d.*
CASILDA, 2*s.* 6*d.*
COMTESSE DE THELUSSON, 2*s.* 6*d.*
COMTESSE LOUISE ERDODY, 2*s.* 6*d.*
CORSAIR, 3*s.* 6*d.*
COUNTESS, 3*s.* 6*d.*
CRYSTALLINA, 2*s.* 6*d.*
DESFONTAINES, 3*s.* 6*d.*
DIADEMA, 3*s.* 6*d.*
DIANA, 3*s.* 6*d.*
DUCHESS, 1*s.*
EDOUARD ANDRÉ, 3*s.* 6*d.*
—— **LESTEUR**, 3*s.* 6*d.*
ED. PYNAERT, 3*s.* 6*d.*
ELAINE, 3*s.* 6*d.*
EMILE CHATE, 2*s.* 6*d.*
EUGENIA, 2*s.* 6*d.*
FINETTE, 3*s.* 6*d.*
GLOIRE DE MONTEREAU, 2*s.* 6*d.*
GRAZIELLA, 3*s.* 6*d.*
HENRIETTE LUSSEAU, 3*s.* 6*d.*
IONA, 3*s.* 6*d.*
JACKSONI, 2*s.* 6*d.*
JULES DEHAUSSY, 3*s.* 6*d.*
—— **DUPLESSIS MAJOR**, 2*s.* 6*d.*
LA PERLE DE PARIS, 2*s.* 6*d.*
LEBRUN, 2*s.* 6*d.*
LE SCHAH, 3*s.* 6*d.*
LINNÉ, 5*s.*
LOVELY, 3*s.* 6*d.*
LUCY CLOSON, 3*s.* 6*d.*
MADAME DE CAUVILLE, 2*s.* 6*d.*
—— **D'HALLOY**, 3*s.* 6*d.*
—— **FANNY MASSANGE**, 3*s.* 6*d.*
MADAME FRISTOT, 3*s.* 6*d.*
—— **HACHETTE**, 3*s.* 6*d.*
—— **JULES LECOCQ**, 2*s.* 6*d.*
—— **LEBOUCQ**, 5*s.*
—— **PATÉ**, 3*s.* 6*d.*
—— **RAMBERT**, 3*s.* 6*d.*
—— **TAUBER**, 2*s.* 6*d.*
—— **ZIEGLER**, 3*s.* 6*d.*
MADEMOISELLE A. BLEU, 3*s.* 6*d.*
—— **BERTHE PROUTIERE**, 3*s.* 6*d.*
—— **HENRIETTE GRAUX**, 2*s.* 6*d.*
MALETTA, 2*s.* 6*d.*
MARGARITACEA, 2*s.* 6*d.*
MARIE FREEMAN, 3*s.* 6*d.*
MARMION, 3*s.* 6*d.*
MARQUIS DE NADAILLAC, 2*s.* 6*d.*
MAYA, 3*s.* 6*d.*
MAZEPPA, 3*s.* 6*d.*
MENTOR, 2*s.* 6*d.*
META, 2*s.* 6*d.*
MONA, 2*s.* 6*d.*
MONGE, 5*s.*

BEGONIA ALBO-PICTA.

BEGONIA ALBO-PICTA.

A neat and pretty species, introduced from Brazil, distinct in character from all the cultivated kinds whether species or varieties. It is shrubby in habit and of compact growth, having elliptic lanceolate leaves shortly stalked. The leaves are glossy green, freely spotted with bright silvery white, tho nebulous markings becoming smaller towards the margins. It has small and elegant foliage and will make a really useful and pretty plant for decorative purposes. 3*s.* 6*d.*

BEGONIA SCEPTRA.

BEGONIA SCEPTRA.

This is a very handsome and distinct species, a native of Brazil. The leaves are obliquely ovate in outline, deeply lobed on one side, the lobes oblong obtuse, the veins sunk, and the raised spaces between marked with large silvery blotches, and numerous smaller dots of silvery grey. The leaf-stalks are red, this colour passing up the ribs of the under surface. 10*s.* 6*d.*

MONSIEUR BIENAIMÉ, 2*s.* 6*d.*
—— **CHRETIEN**, 1*s.* 6*d.*
OTTO FORSTER, 2*s.* 6*d.*
PEARL, 3*s.* 6*d.*
PICTURATA, 2*s.* 6*d.*
PRINCE OF WALES, 2*s.* 6*d.*
PROGNE, 5*s.*
QUADRIZONALIS ORNATA, 2*s.* 6*d.*
ROSALIE, 5*s.*
SATIN BLANC, 2*s.* 6*d.*
SECRETAIRE DELAMARRE, 2*s.* 6*d.*
SERAPH, 3*s.* 6*d.*
STARLIGHT, 5*s.*
THEODORA, 3*s.* 6*d.*
TOURNEFORT, 3*s.* 6*d.*
VICOMTE DE CONDEIXA, 2*s.* 6*d.*
VICTOR BLEU, 2*s.* 6*d.*
VOIE LACTÉE, 2*s.* 6*d.*
ZENOBIE, 3*s.* 6*d.*

BEGONIA BEDDOMEI (ASSAMICA).

A neat-growing species, introduced from Assam. It has short fleshy stems, short pale green softly hairy leaf-stalks, and oblique ovate olive-green leaves, marbled with silvery blotches above, and of a pale purplish pink beneath. The flowers are of a pinkish flesh-colour. 3*s.* 6*d.*

BEGONIA GLOIRE DE SCEAUX.

A new hybrid winter-flowering bulbous variety raised between *B. socotrana* and *B. subpeltata*. The plant is most proliferous, the flowers being of a beautiful bright rose colour. The glabrous leaves are cordiform, and of a dark metallic green. Flowering as this does from the beginning of January to the end of April, it will be found a very desirable acquisition. 10*s.* 6*d.*

BEGONIA HYBRIDA COCCINEA.

A pretty and desirable hybrid variety, belonging to the winter-flowering section. It is of dwarf compact habit, bearing in the greatest profusion its beautiful bright scarlet flowers, making it admirably adapted for the decoration of greenhouses and conservatories during the dull winter months. 3*s.* 6*d.* and 5*s.*

BEGONIA RUBELLA.

A very ornamental Indian species, with stout decumbent stems; the leaves are numerous and freely covered with deflexed red scales on a pallid ground, which gives to them a reddish appearance. The leaf blades are of a bronzy green with a broad pale green band down the principal costa, and smaller bands of the same along the other main ribs, the whole dotted over with oblong blotches of purplish brown; the under surface is red. 5*s.*

BEGONIA ALBO-PICTA, *vide* page 141.
BALMISIANA, *vide* page 140.
COMPTA, *vide* page 7.
DECORA, *vide* page 7.
BEGONIA IMPERIALIS, 3*s.* 6*d.*
OLBIA, 3*s.* 6*d.*
SCEPTRA, *vide* page 142.
SMARAGDINA, 3*s.* 6*d.*

The following are useful flowering species and varieties, and highly effective for decoration; the majority of them are winter-blooming; except those priced, 18s. and 30s. per dozen.

ARGYROSTIGMA ELEGANTISSIMA
ASCOTIENSIS
BARBATA VARIEGATA
CARRIERI
DESIDERATA
DIGSWELLIANA
HYBRIDA FLORIBUNDA
INGRAMII
INSIGNIS
KNOWSLEYANA
MANICATA
—— **AUREO-VARIEGATA**, 2*s.* 6*d.*
MARTIANA GRANDIFLORA, 7*s.* 6*d.*
MARGARITÆ, 3*s.* 6*d.*
METALLICA
MOONLIGHT
NITIDA
—— **ALBA**, 2*s.* 6*d.*
RUBRO-VENIA
RICHARDSIANA
RICHARDSIANA VASTISSIMA
SEMPERFLORENS ELEGANS, 5*s.*
—— **GIGANTEA CARMINEA**
—— —— **ROSEA**
—— **ROSEA**
SAUNDERSIANA
SOCOTRANA, 5*s.*
SUTHERLANDI
VALIDA
WELTONIENSIS.

ECHEVERIAS.

ECHEVERIA CARINATA, 2*s.* 6*d.*
OÆRULESCENS, 2*s.* 6*d.*
GLAUCO-METALLICA, 1*s.* 6*d.* and 2*s.* 6*d.*
GRANDISEPALA, 2*s.* 6*d.*
IMBRICATA, 2*s.* 6*d.*
METALLICA, 1*s.* 6*d.* and 2*s.* 6*d.*
MUTABILIS, 2*s.* 6*d.*
OVATA, 2*s.* 6*d.*
PRUINOSA, 2*s.* 6*d.*
ECHEVERIA RETUSA FLORIBUNDA SPLENDENS, 2*s.* 6*d.*
RETUSA GLAUCA, 1*s.* 6*d.* and 2*s.* 6*d.*
ROSEO-PICTA, 5*s.*
SCAPHYLLA, 2*s.* 6*d.*
SCHEIDECKERI, 1*s.* 6*d.*
SECUNDA, 9*d.* each; 6*s.* per dozen.
GLAUCA, 9*d.* each; 6*s.* per dozen.
SPATHULATA, 2*s.* 6*d.*

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

NEW CHRYSANTHEMUMS OF 1886.

Price 30s. per dozen.

JAPANESE.

ALFRED CHANTRIER
ANNIE CLARK
CHARLOTTE DE MONTCABRIER
CHIMÉNE
COMMANDANT DOMINÉ
DARWIN
DON DIÈGUE
DON QUICHOTTE
GIL BLAS
HERNANI
LADY AVENEL
LADY BULLER
LADY MATHESON
L'AIGRETTE
LAMARTINE
LE CAMOENS
LE CHÈVREFEUILLE
LE GRACIEUX
MADAME CHRETIEN
MADAME HOSTE
MADAME LA MARQUISE DE MUN
MADAME MARIE CLOS
MADAME ROZAIN
MADLLE. JULIETTE DORDAN
MADLLE. PAUL DUTOUR
MAIDENS' BLUSH
MA MIGNONNE
MARSA
MARTHA HARDING

JAPANESE.—continued.

MIREILLE
M. BRASSAC
M. CAVALIER
M. CHRETIEN
M. D. D. HILLIER
M. H. ELLIOTT
M. J. ALDEBERT
M. MAXIME CORNU
M. THOMAS S. WARE
M. WEICK
M. YVON
ORNEMENTS
PAUL ET SON
PRINCESSE BLANCHE
PRINCE ZILAH
ROBERT OWEN
ROB ROY
RODRIGUE
ROI DES JAPONAIS
ROZAIN BOUCHARLAT
SALMONEUM PLENUM
SOUV. D'ANGÈLE AMIEL
TAMIRYS
THÉODORA
WALTER SCOTT
WILLIAM CLARK

CHINESE.

BRONZE QUEEN OF ENGLAND

POMPON.

BRAHMA
CRÈME
DIANA VERNON
FLAMBEAU TOULOUSAIN
LE CID
LILACÉE
MADLLE. ELISE DORDAN
OSIRIS
SANS PAREIL
VICTOR HUGO
ZAIRE

ANEMONE.

E. M. BOLAS
LE CENTAURE
MADAME GHYS

EARLY FLOWERING.

A VILLATTE DES PRUGNES
BLANC PRECOCE
CRIMSON PRECOCITÉ
E. G. HENDERSON & SON
G. WRIGLEY
MADAME HOSTE
M. COSSART
M. HOSTE
M. WILLIAM HOLMES
ROSE D'ÉTÉ
W. C. BOYCE
WILLIAM BEALBY

The above new varieties 30s. per dozen.

NEW CHRYSANTHEMUMS OF 1885.

Price 18s. per dozen.

JAPANESE.

AQUIDNECK
BEAUTY OF SWANLEY
BELLE ÉTOILE
BICOLOR
CHRISTMAS EVE
CŒUR FIDÈLE
COQUETTE
COQUETTE DE CASTILLE

JAPANESE.—continued.

CORIOLAN
CULLINGFORDII
DELICATUM
DIADÉMÉ
DR. WALCOTT
ENCHANTERESSE
ETOILE FLEURI
FIMBRIATUM

JAPANESE.—continued.

F. L. HARRIS
FLOCON DE NEIGE
GEORGE WALCOTT
GLOIRE DE VALENCE
GLORIOSUM
GLOW [NANTE
GOLDEN GLOIRE RAYON-
GOLD LACE

JAPANESE.—continued.

HON. JOHN WELSH
J. COLLINS
JESSICA
JOHN THORPE
JUPITER
L'ADORABLE
L'AUBE MATINALE
L'EBOURIFFÉE
L'INCROYABLE
LA TRAVIATA
LE CYGNE
LORD BYRON
MADAME JOHN LAING
MADLLE. MELANIE FABRE
MAID OF ATHENS
MANHATTAN
MARY SALTER
MINNIE MILLER
MM. THIBAUT et KETELEER
MRS. WM. MENCKE
MRS. VANNAMAN
M. A. VILMORIN
M. FREEMAN
M. GARNIER
M. GHYS
M. J. H. LAING
M. PAUL FABRE
M. RAOUX
M. VINTOUSKI
NINUS
PRESIDENT ARTHUR
—— CLEVELAND
—— GARFIELD
REDUPLICATA
ROSE CELESTE
—— LACE
SNOWSTORM
SOUVENIR DE HAARLEM
SYRINGA
TUBIFLORUM
WELCOME
WENONAH

JAPANESE.—continued.

W. L. SCHEFFER
WILLIAM ROBINSON

CHINESE.

CAMBRIDGE
CITRON
DUCHESS
FRANCOIS DEBERGUE
GOLDEN PRINCE
GORGEOUS
J. LOVERING
LA TRIOMPHANTE
MRS. C. W. WHEELER
MRS. GEO. W. CHILDS
MRS. JAMES R. PITCHER
M. VIVIAND MOREL
MOONLIGHT
PRINCE OF ORANGE
ROBERT WALCOTT
SAMUEL HENSHAW
TALFOURD SALTER
TITIEN

ANEMONE FLOWERED.

AGNES HAMILTON
CINCINNATI
WYOMING

POMPONS, &c.

BELLE NAVARRAISE
BLACK DOUGLAS
EXPOSITION DE CHALON
MAID OF KENT
NEATNESS
LACINIATUM ROSEUM
LA FAVORITE

POMPONS, &c.—continued.

MAGENTA KING
NEW YORK
ORANGE QUILL

EARLY FLOWERING.

BOUQUET ESTIVAL
ÉTÉ FLEURI
FLEUR D'ETÉ
LA BIEN-AIMÉE
LAKME
MANDARIN
PETIT MIGNON
POMPONIUM
ROI DES PRÉCOCES
SURPRISE

SINGLE VARIETIES.

CASINO
CRIMSON AND GOLD
CRUSHED STRAWBERRY
HELIANTHUS
HINSDALE
IMOGEN
MARIGOLD
MARY ANDERSON
MERRIMAC
MISS ROSE
MRS. A. LE MOULT
PERFECTION
PURE GOLD
QUEEN OF THE YELLOWS
SADIE MARTINOT
SIMS REEVES
TERRA COTTA
THE VIRGIN

The above, price 18s. per dozen.

CHRYSANTHEMUMS—GENERAL COLLECTION.

CHRYSANTHEMUMS—EARLY-FLOWERING.

For New Varieties, vide above and page 144.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ANASTASIO
AUREOLE
CASSY
CLAIRE ALOZIO
CURIOSITY
DELPHINE CABOCHE, 9*d.*
EARLY FLORA, 1*s.*
ELDORADO
FIBERTA, 1*s.*
FREDERIC MARRONET
FREDERICK PELÈ
G. WERMIG (GOLDEN MADAME DESORANGE), 1*s.*
HÉLOISE MIELLEZ
HENDERSONI
HIPPOLYTE JAMAIN, 9*d.*
INIMITABLE
LAVALLÉE, 9*d.*
LE LUXEMBOURG
LUCINDA
LYON
MADAME C. DESGRANGE
MADAME DUFOY
MADAME JOLIVART
MADAME PICOUL
MADELINE DAVIS, 1*s.*
MR. W. PIERCY
M. DUFOY
NANUM
ORANGE YELLOW, 9*d.*
PERPETUÉL TOULOUSAIN
PRÉCOCITÉ
ST. CROUTS
ST. MARY
SALTER'S EARLY BLUSH, 1*s.*
SCARLET GEM
SOUVENIR
SOUVENIR DE M. RAMPONT
VIRGINIA
WHITE ST. CROUTS, 9*d.*
ZENOBIE

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide pages 144 and 145.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

AGRÉMENTS DE LA NATURE
ALBERT DE NURIOS
ALEXANDRE DUFOUR, 1*s.*
ALPHONSE XII.
AMARANTINA CARMINATA
ANGELE
ANNA DÉLAUX, 1*s.*
ARLEQUIN
AURORE BORÈALE, 1*s.*
BEAUTE DES JARDINS, 1*s.*
BEAUTE DE TOULOUSE
BELLE ALLIANCE, 1*s.*
BELLE GABRIELLE
BELLE PAULE, 1*s.*
BEND OR
BERTIER RENDATLER
BISMARCK
BOULE D'ARGENT, 9*d.*
BOULE D'OR
BOUQUET FAIT
BRISE DU MATIN, 1*s.*
CERES
COLIBRI, 1*s.*
COMTE DE GERMINY
COMTESSE DE BEAUREGARD
DAIJ GAKKO
DELICATUM, 9*d.*
DIAMOND
DR. AUDIGUIER
DR. MASTERS
DOLORES
DUCHESSE DE GEROLSTEIN
DUCHESS OF ALBANY
DUCHESS OF ALBANY (DELAUX), 1*s.*
DUCHESS OF CONNAUGHT
ELAINE
ELISE
EMBLÈME, 1*s.*
ESPÉRANCE
ETHEL
ETOILE DU MIDI
ETOILE TOULOUSAINE
FAIR MAID OF GUERNSEY
FÉE RAGEUSE
FERNAND FÉRAL, 1*s.*
FLAMBEAU
FLAMME DE PUNCH
FLEUR DES BOIS, 1*s.*
FRANCOIS DELAUX, 9*d.*
FRIZOU, 1*s.*
FULGARE
FULTON
GLOIRE DE TOULOUSE
GLOIRE RAYONNANTE
GOLD THREAD
GRANDIFLORUM
HELVETIE, 1*s.*
HIVER FLEURI
ILE JAPONAISE
ILLUSTRATION
ISODORE FERAL, 1*s.*
JAMES SALTER
JANE SALTER
JAPONAIS, 1*s.*
JAPON FLEURI, 1*s.*
J. DELAUX
KÆMPFER, 9*d.*
KATAKANA
L'AFRICAINE
LA BIENVENUE
LA CHARMEUSE
LA FRISURE
LA NYMPHE
LADY SELBORNE
LAURENCE, 9*d.*
LE CHINOIS
LE NÉGRE
L'INCOMPARABLE, 9*d.*
L'ISLE DES PLAISIRS
L'OR DE FRANCE, 1*s.*
LORD BEACONSFIELD
MADAME BERTIER RENDATLER
MADAME CLEMENCE AUDIGEUR
MADAME DE REYDELLET, 9*d.*
MADAME DE SEVIN, 1*s.*
MADAME DEVEILLE
MADAME EMILE DUFOUR
MADLLE. ANNA DELAUX
MADLLE. ANTOINETTE BRUNEL, 1*s.*
MADLLE. AUGUSTINE GAUTHEUT, 1*s.*
MADLLE. LACROIX, 1*s.*
MADLLE. LOUISE DE REYDELLET, 1*s.* 6*d.*
MADLLE. TOULOUSE
MAGNUM BONUM
MARGOT
MARQUIS OF LORNE
MARY MAJOR
MASTIC
MIGNON, 9*d.*
M. ASTORG, 1*s.*
M. BLANC
M. BOYER, 9*d.*
M. BRUNET
M. CASTEL
M. CHARLES HUBERT
M. COCHET, 1*s.*
M. COMTE, 1*s.*
M. CROUSSE
M. DELAUX
M. DEVEILLÉ, 9*d.*
M. EUGENE POURQUIÉ
M. HENRI JACOTOT
M. H. FLAUVANT, 1*s.*
M. JOHN LAING, 1*s.*
M. JUAN CRUZ DE EGUILEOR
M. LEMOINE
M. LEON BRUNEL, 1*s.*
M. P. WOLKENSTEIN
M. RICHARD LARIOS
M. ROUX
NUIT D'AUTOMNE
NUIT D'HIVER
PARASOL
PÈRE DÉLAUX
PETER THE GREAT
PETIT NORBERT
PLUIE D'OR
RED DRAGON
REINE DES BEAUTÉS
REX RUBRORUM
ROSA BONHEUR
ROSEUM PICTUM
ROSEUM SUPERBUM
ROSE SUPREME
R. T. BIGGS
RUBRUM STRIATUM
SARNIA
SIMON DELAUX, 9*d.*
SOLEIL LEVANT
SOURCE D'OR
SOURCE JAPONAISE
SOUVENIR D'AMSTERDAM, 9*d.*
SOUVENIR DE REINE MARIE
SOUVENIR DU CAIRE, 1*s.*
SOUVENIR DU JAPON, 1*s.*
STRIATUM PERFECTUM
TENDRESSE
THE COSSACK
THUNBERG
TISIPHONE, 9*d.*
TOKIO
TRICOLOUR
TRIOMPHE DE LA RUE DU CHATELET
VALLE DE ANDORRE
VENUS
VILLE D'HYÈRES

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS—ANEMONE-FLOWERED.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ACQUISITION
AGATHA
ATARGULLE
BIJOU
CALLIOPE
DICK TURPIN
E. M. BOLAS, *vide* page 144.
EUGÈNE LAUJAULET
FABIEN DE MADÉRANAZ, 9*d.*
FAIR MARGARET
FINETTE
FIREFLY
FLEURE DE MARIE
GEORGES SAND
GLUCK

CHRYSANTHEMUMS—ANEMONE-FLOWERED.—continued.

GOLDEN CEDO NULLI
GRACE DARLING
LADY MARGARET
LILAC CEDO NULLI
MADAME BERTHE PIGMY, 1*s.*
MADAME CLOS, 1*s.*
MADAME MONTELS
MADAME THERESE CLOS
MADEMOISELLE CABROL
MARIE STUART
M. CHATE
MISS EYRE
MISS NIGHTINGALE
MR. ASTIE
MRS. PETHERS
MRS. WYNESS
PRINCE OF ANEMONES
PRINCESS LOUISE
PRINCESS MARGUERITE
SIDONIE
SŒUR DOROTHÉE SOUILLE
VIRGINALE

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS.

For New Varieties, vide pages 144 and 145.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ABBE PASSAGLIA
AIMEE FERRIERE
ALFONSO
ALFRED SALTER
ARIADNE
AUREUM MULTIFLORUM
BARBARA
BARON BEUST
BEAUTY
BEETHOVEN
BEVERLEY
BRONZE JARDIN DES PLANTES
CARMEN, 1*s.*
CHERUB
CHEVALIER DOMAGE
CLEOPATRA
DAPHNE
DIANE, 1*s.*
DIDO
DR. LINDLEY
DR. ROZAS
DR. SHARPE
DUKE OF EDINBURGH
EMBLEM
EMPRESS OF INDIA
E. SANDERSON
EVE
EXQUISITE
FAUST
FINGAL
GARIBALDI
GAZELLE
GEORGE PEABODY
GEORGE STEVENS
GLOBE WHITE
GLORIA MUNDI
GOLDEN BEVERLEY
GOLDEN CHRISTINE
GOLDEN EMPRESS OF INDIA
GOLDEN GEORGE GLENNY
GOLDEN JOHN SALTER
GOLDEN QUEEN OF ENGLAND
GOLDEN TRILBY
HERCULES
HERO OF STOKE NEWINGTON
IONA
JARDIN DES PLANTES
JEANNE D'ARC, 1*s.*
JOHN SALTER
JULIE LAGRAVERE
KING OF DENMARK
LADY HARDINGE
LADY SLADE
LADY TALFOURD
LEDA
LE GRAND
L'ÉMIR
LORD DERBY
LORD PALMERSTON
LORD STANLEY
LORD WOLSELEY
LUNA
MABEL WARD
MADAME CHATE
MADAME FEKAL, 1*s.*
MADAME PAGES, 1*s.*
MARÉCHAL DUROC
MONARCH
MOUNT EDGCUMBE
MOUNT ETNA
M. DUARTE OLIVEIRA, 1*s.*
MR. BRUNLEES
MR. BUNN
MR. COBAY
MR. GEORGE GLENNY
MR. JAMES LAING
MR. W. H. MORGAN
MRS. G. RUNDLE
MRS. HALIBURTON
MRS. HEALE
MRS. HUFFINGTON
MRS. J. CROSSFIELD, 1*s.*
MRS. W. SHIPMAN
MULBERRY
NIL DESPERANDUM
NOVELTY
ONDINE
ORANGE ANNIE SALTER
OSSIAN
PATRIE, 9*d.*
PINK PERFECTION
PRINCE ALFRED
PRINCE OF WALES
PRINCESS BEATRICE
PRINCESS IMPERIAL
PRINCESS OF TECK
PRINCESS OF WALES
PROGNE
PURPUREUM ELEGANS
QUEEN OF ENGLAND
REFULGENS
REINE DES BLANCHES, 9*d.*
RIFLEMAN
RIVAL LITTLE HARRY
ROTUNDIFLORUM
ROYAL PURPLE, 1*s.*
SIR BEAUCHAMP SEYMOUR
SIR STAFFORD CAREY
SULPHUREUM SUPERBUM
THE REV. C. BOYS
VILLE DE TOULOUSE, 1*s.*
VIOLET UNIQUE
WHITE EVE
WHITE GLOBE, *vide* GLOBE WHITE
WHITE VENUS
ZEPHYR

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—POMPON, &c.

For New Varieties, vide pages 144 and 145.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE
AIGLE D'OR
AMPHILLA
ANAIS
ANNETTE
ARIOSTO
AURORE
BERROL
BOLIDE
BOULE DE NEIGE, 9*d.*
BRUNETTE, 9*d.*
CARMINATUM ALBUM, 9*d.*
CENDRILLON,
CHAMPS ELYSÉES
CRIMSON PERFECTION
DANAE
DIAMANT, 1*s.*
ELEGANT, 9*d.*
ELISE LAYEILLON, 1*s.*
ERNEST BENARY
ETINCELANT, 1*s.*

CHRYSANTHEMUMS—POMPON, &c.—continued.

FABIOLA
FREMY
GENERAL CANROBERT
GERBE D'OR
GERMAINE CLERMONT
GOLDEN MADLLE. MARTHE
GUILLAUME DELAUX, 1*s.*
HECLA
IRIS
JASON
JERSEY GEM
JULIA ENGLEBACK
LACINIATUM SUPERBUM, 9*d.*
LA DÉSIREE, 1*s.*
LA RENONCULE
LA VIERGE
LOUIS DE MORVAY
LUCIEN CABOCHE
LUCRECE
MADAME DE VATRY
MADAME EUGENE DOMAGE
MADAME RIEUX
MADLLE. DARNAUD
MADLLE. ELISA LAYEILLON
MADLLE. MARTHE
MADLLE. MATHILDE RAYNAUD
MADLLE. POURQUIE
MARABOUT
MARGUERITE VINCENT
MARIE CROZAT
M. BONAMY AINE
M. DELEUIL, 1*s.*
M. FELIX SEIGNOR
M. HOSTE
M. JOSE MARQUES LOUREIRO
M. LUQUET, 9*d.*
M. ULRICH
MUSTAPHA
OLIVAR
ORNATUM
PABLO
PERFECTION, 9*d.*
POLYCARP
POMPON ROSE, 1*s.*
PRESIDENT DECAISNE
PRINCE VICTOR
PRINCESS MATHILDE
PROSERPINE
RAJAH
ROSE D'AMOUR
ROSE DE LA CASTILE
ROSE TREVENNA
ROSINA
SAINT JUSTIA
SAINT MICHAEL
SALAMON
SANGUINEUM
SNOWDROP
SŒUR MELANIÉ
SOIREE D'ETÉ
STAR OF WHYKE, 1*s.*
TOUSSAINT MAURISOT
VARIEGATUM

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—SINGLE-FLOWERING.

For New Varieties, vide page 145.

ATTRACTION
BRUNETTE
COACHMAN
DR. KELLOCK
GUS. HARRIS
HENRY IRVING
MAGENTA KING
MISS CANNELL
MR. TOOLE
MRS. KELLOCK
MRS. LANGTRY
YELLOW GEM

6d. each, 4s. per dozen, or 28s. per 100.

NEW AND CHOICE FUCHSIAS.

Those marked (*) are double-flowered varieties.

***ADAIR**, short tube and well reflexed sepals of a bright crimson colour; short, double, bluish purple corolla, occasionally flaked with rose at the base. 5*s.*

ADDISON, tube and sepals bright crimson; the sepals very broad and horizontally reflexed; fine large corolla of a rich deep purple colour striped and flaked with rose. 1*s.* 6*d.*

ADINE, white tube and sepals, completely reflexed, rosy magenta corolla. 1*s.*

***ADMIRAL COURBET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 3*s.* 6*d.*

***ADMIRAL MIOT**, tube and sepals bright red, large double plum-coloured corolla; very free and of good habit. 7*s.* 6*d.*

***ALPHONSE DAUDET**, bright red recurved sepals and bluish violet corolla. 1*s.*

AMADEO, bright rosy pink tube and sepals; tube very short; bright bluish corolla. 1*s.*

AMBROSIA, bright crimson tube and broad sepals; large rich purplish plum corolla, marked with rosy crimson. 1*s.*

***ANITA**, rosy crimson tube and sepals, the latter being well reflexed; large double corolla of a rich plum colour. 2*s.* 6*d.*

***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish purple double corolla. 7*s.* 6*d.*

ARLEQUIN, tube and sepals reddish scarlet, corolla rosy carmine, bordered with violet flaked and marked with rose and violet. 1*s.*

ARIA, tube and sepals rosy crimson; corolla of a deep rich purple colour. 1*s.* 6*d.*

***ARPA**, tube and sepals bright carmine; the sepals broad and horizontally reflexed; large double corolla of a violet-red colour. 1*s.* 6*d.*

***AUGUSTE FLAMENG**, large reflexed rosy carmine sepals, large and compact double dark lilac corolla; of good habit. 1*s.*

***AVOCA**, short tube and sepals, completely reflexed and of a bright rosy crimson colour; double rich bluish purple corolla. 2*s.* 6*d.*

***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish coral colour; enormous double azure-violet corolla. 1*s.*

BEAUTY OF CLYFFE HALL, a very fine large flower; tube and sepals blush white; corolla rich carmine-pink. 1*s.*

BEAUTY OF LAVINGTON, white tube and petals, corolla bright rosy carmine, shaded with violet. 3*s.* 6*d.*

NEW AND CHOICE FUCHSIAS.—continued.

BLUE KING, bright crimson tube, well-reflexed sepals, and fine blue corolla. 1*s.*

BULGARIE, large brilliant red well-shaped sepals; very large extended corolla of a violet plum colour. 7*s.* 6*d.*

BULRUSH, light crimson tube and sepals; tube long, and sepals horizontally reflexed; light rosy purple corolla. 1*s.*

CAMILLE FLAMMARION, a large flower; with reflexed sepals of a rosy red colour, and well-formed reddish violet corolla. 1*s.*

***CIEL D'AZUR**, short tube and well reflexed bright red sepals, very large sky-blue double corolla, flaked with rosy carmine. 2*s.* 6*d.*

CISSIE, bright crimson tube and sepals, the latter prettily recurved; fine full corolla of a rich dark purple colour. 1*s.*

***CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1*s.*

COLONEL BORGNIS-DESBORDES, plant dwarf and very floriferous; large reflexed rosy salmon sepals; globular corolla of a clear violet colour. 7*s.* 6*d.*

***COLONEL DOMINÉ**, clear red reflexed sepals; large imbricated corolla; white lightly suffused with rose, the base shaded with rose. 7*s.* 6*d.*

COLOSSUS, flower of gigantic size; tube and sepals very rich bright glossy crimson, a most intense shade of colour; the sepals very broad and thick, corolla well expanded, of immense size, and of a deep purplish plum colour; one of the largest and best single Fuchsias ever sent out. 3*s.* 6*d.*

***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish purple corolla. 7*s.* 6*d.*

CREUSA, rich crimson tube, and reflexed sepals; fine large corolla of a rich dark purple-plum colour, shaded at the base. 1*s.*

DIADEM, blush tube and sepals, corolla pale magenta, broadly edged with brilliant carmine, a fine showy variety. 3*s.* 6*d.*

DORCAS, short tube and large rosy carmine sepals well reflexed, immense soft bluish-purple corolla, veined and shaded with rose. 3*s.* 6*d.*

***EDELWEISS**, a fine large flower with full and double white corolla; rich crimson sepals, broad, long and well reflexed. 1*s.*

***ELFIN**, light crimson tube and sepals, the latter elegantly reflexed; rich purple corolla, flaked with rose; very full and double. 1*s.*

EMILY BRIGHT, creamy white tube and sepals; bright carmine corolla, of fine form. 3*s.* 6*d.*

EMPEROR, bright red tube and sepals, the latter long and broad; corolla maroon, shaded purple; a handsome and showy Fuchsia. 3*s.* 6*d.*

***FATMA**, bright crimson tube and reflexed sepals; bluish-purple corolla. 3*s.* 6*d.*

FLAMBEAU, short tube, and well reflexed crimson sepals; very large and full corolla of a dark violet colour, shaded with azure, and striped and spotted with scarlet. 1*s.*

FLOCON DE NEIGE, well reflexed carmine sepals; large creamy white corolla. 1*s.*

***FLORA**, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy carmine. 5*s.*

***FRANCISQUE SARCEY**, corolla bluish violet; large reflexed sepals, dark rose on the inside and bright red on the exterior. 1*s.*

***FRAU EMMA TOPFER**, broad well reflexed rosy magenta sepals; double white corolla suffused and veined with rose; very floriferous, and of compact habit. 1*s.* 6*d.*

GANNET, short tube with long bright crimson reflexed sepals; bluish purple corolla, shaded with rosy crimson at the base. 3*s.* 6*d.*

***GARNET**, completely reflexed bright carmine sepals; rich purple double corolla, marked at the base with rose. 2*s.* 6*d.*

GAZELLE, tube and sepals very bright crimson, very long corolla of a dark satiny purple colour; distinct and attractive. 1*s.*

***GENERAL**, a fine showy flower with very large reflexed deep rose sepals, and large expanded double corolla of a rich violet colour flaked with rose. 1*s.*

GERALD, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish crimson colour. 1*s.* 6*d.*

GLORY, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 5*s.*

***GOLIATH**, tube and sepals deep red, enormous reddish purple corolla, surrounded with a row of bright red petals. 2*s.* 6*d.*

HARLEQUIN, a gigantic variegated flower; sepals rich carmine, broad and reflexed; immense bluish purple corolla striped with rosy pink. 5*s.*

HARMONIE, reflexed whitish rose sepals, corolla soft lilac; of good habit. 1*s.*

HARRIET LYE, creamy white tube and sepals, lilac-pink corolla, edged with carmine. 1*s.*

HERON, short tube, and broad rosy carmine sepals; corolla rich bluish purple. 2*s.* 6*d.*

***HOCHE**, rose sepals, completely reflexed; full rosy lilac corolla of good shape; a new colour. 7*s.* 6*d.*

IMPERIAL, well-formed corolla of a beautiful glossy plum colour, striped and flaked pink; tube and sepals bright rosy carmine. 1*s.* 6*d.*

IRMA, bright rosy carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy purple corolla. 5*s.*

JAMES WELCH, bright rosy red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome and of fine form. 3*s.* 6*d.*

JASON, fine corolla about 1½ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1*s.*

***JUMNA**, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy crimson. 7*s.* 6*d.*

NEW AND CHOICE FUCHSIAS.—continued.

JUNO, a very attractive flower of good shape, having a short tube with large and broad well-reflexed crimson sepals, the corolla being deep purple marked with rosy pink at the base. 5*s*.

***KINGSBURYANA**, free bloomer, producing fine flowers with bright red tube and sepals, and large double white corolla. 1*s*.

***KLÉBER**, sepals horizontally reflexed, rosy white tipped with green; double violet blue corolla. 7*s*. 6*d*.

***LA FRANCE**, large recurved bright red sepals; the large double corolla being of a beautiful cobalt blue; very fine. 1*s*.

LADY HEYTESBURY IMPROVED, an improvement on *Lady Heytesbury*, both in habit and flower. 1*s*.

LAMUS, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corolla of a dark satiny purple colour. 1*s*.

L'AVENIR, short tube and recurved sepals, rosy crimson tipped with green; fine expanded tricolor corolla, blue, rose and white. 2*s*. 6*d*.

LITTRÉ, corolla of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1*s*.

LUSTROUS IMPROVED, very large and most intense orange scarlet corolla, white tube and sepals. 1*s*.

LYE'S EXCELSIOR, creamy tube and sepals, well reflexed, corolla rich rosy magenta, flushed with carmine; very fine and distinct. 3*s*. 6*d*.

LYE'S PERFECTION, creamy white tube and sepals, the latter delicately suffused with pink and handsomely reflexed; corolla bright carmine; very showy. 3*s*. 6*d*.

LYE'S RIVAL, tube and sepals red; corolla rich violet-purple; very free blooming. 1*s*.

***MADAME GALLI-MARIE**, a very large full double flower, long recurved brilliant rosy red sepals, and alabaster white corolla. 1*s*.

***MADAME JULES CHRÉTIEN**, brilliant crimson tube and sepals; pure snowy white corolla, flaked with carmine. 1*s*.

MAGNUM BONUM, a very showy variety, with broad stout brilliant red sepals, and large well-formed rich violet corolla. 1*s*.

***MARCEAU**, cream coloured tube and sepals, the latter well reflexed and tipped with yellowish green; long double corolla of a beautiful rosy amaranth colour, dwarf and very floriferous. 7*s*. 6*d*.

***MARVELLOUS**, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1*s*.

MATCHLESS, a magnificent flower; tube and sepals crimson, the latter broad and elegantly reflexed; well-formed corolla of a rich purple colour striped and flaked with rose. 1*s*. 6*d*.

MEMPHIS, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1*s*.

MILTIADES, deep crimson tube and sepals; the latter elegantly recurved; corolla of a deep rich purple colour. 1*s*. 6*d*.

***MINERVA**, a splendid flower with large and very full double white corolla, bright carmine tube, and reflexed sepals. 1*s*.

***MINSTREL**, tube and sepals bright rosy crimson; corolla very full and double, ivory white striped with rose at the base. 1*s*.

***MONSTRUOSA PLENA**, an enormous flower, with short tube and well-recurved dark coral-red, sepals immense, double reddish crimson corolla. 1*s*.

M. DUFAURE, rosy salmon corolla and elegantly recurved sepals of a yellowish salmon colour, with green tips. 1*s*.

***M. LOMBARD**, tube and sepals rosy carmine, the latter reflexed; fine double white corolla, the petals veined with carmine. 1*s*.

MONTGOMERY, short tube and reflexed sepals rich bright crimson; corolla rich purplish crimson flaked with rose. 1*s*. 6*d*.

***MONUMENT**, full double corolla of a deep purple colour, striped with rosy carmine; tube and sepals rosy crimson. 1*s*.

MR. F. BRIGHT, tube and sepals deep rosy pink, corolla rose with broad margins of rich bluish-purple. 3*s*. 6*d*.

MR. F. GLASS, tube and sepals bright crimson; corolla purplish-maroon; fine and distinct. 3*s*. 6*d*.

MRS. BRIGHT, waxy white tube and sepals, clear orange-scarlet corolla; a wonderfully free-blooming variety of fine habit. 1*s*.

MRS. F. GLASS, creamy white tube and sepals, fine stout deep pink corolla, shaded with violet. 3*s*. 6*d*.

MRS. GRANT, a beautiful flower, with blush tube and sepals, and orange-rose corolla. 1*s*.

NELLIE, creamy white tube and sepals, pink corolla of good form, suffused with mauve; very distinct. 3*s*. 6*d*.

***NESTOR**, tube and sepals carmine, the latter reflexed; large, double, much expanded corolla of a rich purplish crimson colour. 1*s*.

***NOVEAU MASTODONTE**, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1*s*.

PARACHUTE, large and widely expanded corolla of a violet-lake colour marked with red; short, broad, recurved sepals of a reddish scarlet colour. 2*s*. 6*d*.

***PATTERN**, short tube and broad rosy-crimson sepals; enormous bluish purple double corolla, shaded and flaked with rose. 7*s*. 6*d*.

PENELOPE, tube and sepals bright red, long and large white corolla of good shape. 3*s*. 6*d*.

PERA, short tube and bright coral-red sepals, horizontally reflexed; long bluish purple corolla. 5*s*.

***PHENOMENAL**, short tube and reflexed sepals of a rich reddish crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1*s*.

PINK PERFECTION, creamy white tube and sepals, and rich pink and violet corolla, dashed with violet. 1*s*.

PRESIDENT, tube and well-recurved petals of a bright vermilion; beautiful formed corolla of the richest violet colour. 1*s*.

***PRÉSIDENT GRÉVY**, sepals rosy lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 7*s*. 6*d*.

NEW AND CHOICE FUCHIAS—continued.

PROGRESS, a large and showy Fuchsia, with very long bright red sepals and rich violet corolla. *5s.*

***RANGER**, short tube and completely recurved rosy-crimson sepals; fine large double light bluish purple corolla, shaded with rose at the base. *7s. 6d.*

***REAPER**, short tube and wide sepals, of a bright rosy carmine colour; short double corolla of a purplish crimson colour. *1s.*

***REDWING**, short tube and bright red sepals; short and broad double rosy-purple corolla, flaked with carmine. *7s. 6d.*

***SÉNATEUR BERLET**, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. *1s.*

***STARTLER**, tube and reflexed sepals deep crimson; large, double corolla of a rich purple colour, the outer petals striped and flaked with rosy carmine. *1s. 6d.*

***SYLVANUS**, short tube and long recurved rosy crimson sepals; long bluish purple double corolla shaded with rose. *5s.*

SYROS, tube and sepals deep rose, sepals broad and horizontally reflexed; corolla of a deep bluish purple colour. *1s.*

THOMAS KING, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. *1s. 6d.*

***TRITON**, short tube and long crimson sepals well reflexed, the double corolla being of a bright lavender colour beautifully flaked with bright rosy pink. *5s.*

TULIP, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. *1s.*

UTERPE, short tube and broad coral-red recurved sepals, dark plum-coloured corolla, shaded rosy crimson at the base. *3s. 6d.*

UTOPIA, short tube and broad rosy carmine, horizontally reflexed sepals; bluish purple corolla, shaded with rose at the base. *2s. 6d.*

***VILLE DE NANCY**, tube and sepals carmine red, wide and well recurved; fine large double brilliant dark violet corolla. *1s.*

***VIOLET DE DUC**, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. *1s.*

VIRGO, tube and sepals pure white; the latter gracefully reflexed, and forming a perfect crown above the magenta corolla. *1s.*

***VOIX DU PEUPLE**, large flowers with fine expanded milky white double corolla; sepals well recurved, of a rosy carmine colour. *1s.*

***WHITE GIANT**, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. *1s.*

WORDSWORTH, short tube and broad recurved bright carmine-scarlet sepals; rich purplish plum-coloured corolla. *1s.*

***WYVERN**, short tube and large rosy crimson sepals well-reflexed, long semi-double purple corolla. *3s. 6d.*

Selections of other good Varieties can be made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

FUCHSIAS.

HYBRIDS AND SPECIES.

AMPLIATA, a handsome large scarlet-flowered species, introduced from the Andes of South America. *5s.*

BOLIVIANA, a remarkably ornamental and attractive species, of compact growth, producing large bunches of beautiful drooping rich carmine crimson flowers. *1s. 6d.*

BOLIVIANA GRANDIFLORA, flowers bright vermilion, very long tube and immense sepals and corolla; twice the size of the typical variety. *5s.*

CANARY BIRD, a showy and attractive variety; foliage of a golden yellow colour; leaves prettily veined; flowers well formed; tube and sepals scarlet; corolla a rich dark purple colour. *1s. 6d.*

CRIMSON BEDDER, a distinct variety with bronzy crimson leaves, the bright colouring of which will make it a useful, novel, and effective bedding plant; the flowers are pale red. *3s. 6d.*

DEPENDENS, of free trailing habit and somewhat pendulous growth, dark crimson flowers. *2s. 6d.*

GRACILIS VARIEGATA, an elegant variety; leaves broadly margined with white. *1s. 6d.*

PROCUMBENS, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. It has been figured in the *Botanical Magazine*, tab. 6139. *1s. 6d.*

***RAINBOW**, an extremely pretty variety with attractively variegated leaves, the colours of which are rose, white and crimson on a light green ground; the flowers have a double white corolla contrasting well with the bright carmine tube and sepals, the latter being nicely reflexed. *3s. 6d.*

***RUBENS**, a bushy growing variety with attractively variegated foliage, the leaves being marked with yellow in the centre and bordered with golden yellow; flowers double, very dark violet corolla, clear red recurved sepals. *1s.*

SPLENDENS, a free-blooming attractive species, producing rich crimson flowers with the ends of the sepals light green; of free growth and easy cultivation. *1s. 6d.*

SUNRAY, a beautiful plant, with leaves of a rich bright crimson, white and bronzy green, in about equal parts; the flowers are of fine form; scarlet tube and sepals; light purple corolla. *1s. 6d.*

TRIPHYLLA, flowers at every growth in trusses of orange scarlet or Indian-red colour; a very distinct and beautiful species. *5s.*

NEW COLEUS.

ALFONSE BERNOUD, centre of the leaves rosy red maculated white, dark green border maculated with maroon. 3*s.* 6*d.*

BEAUMARCHAIS, largo purplish maroon leaves, centre carmine, red, and magenta, veined with white. 3*s.* 6*d.*

CELINE CHENU, large fringed leaves centre shaded and dotted with red, green, and gold; green border maculated with red. 3*s.* 6*d.*

CRÉBILLON, very largo bright reddish magenta leaves, bordered with green and maroon. 3*s.* 6*d.*

EMILIE CHRÉTIEN, large dark rose-coloured leaves lightly shaded. 3*s.* 6*d.*

LINA CHRÉTIEN, centre reddish magenta, dotted with white, green border maculated with maroon. 3*s.* 6*d.*

LOUISE CHRÉTIEN, white centre, green border lined with gold. 3*s.* 6*d.*

LOUIS KETELEER, large leaves spotted and striated with gold, red, and green. 3*s.* 6*d.*

MADAME DE LA LARDIÈRE, reddish magenta, bordered with maroon, margined with green. 3*s.* 6*d.*

MON CAPRICE, very large leaves, centre pale green, veined with bright red, white, and clear yellow. 3*s.* 6*d.*

M. BOUTARD, bright rose, bordered with maroon and light green. 3*s.* 6*d.*

TINTORET, very large leaves, centre cream, speckled with rosy violet; maroon border reticulated with green. 3*s.* 6*d.*

NEW COLEUS—continued.

ALARM, 1*s.*
AMAZEMENT, 1*s.*
AMI CONSTANT, 1*s.*
AMULET, 1*s.* 6*d.*
ANGELIC, 1*s.* 6*d.*
ANNETTE, 1*s.* 6*d.*
ARTHUR W. SUTTON, 1*s.*
ATTRACTION, 1*s.*
AURORA, 1*s.*
BALTHASAR, 3*s.* 6*d.*
BAYARD, 3*s.* 6*d.*
BEACON, 1*s.* 6*d.*
BUTTERFLY, 1*s.*
CAPTIVATION, 1*s.*
CARNIVAL, 1*s.* 6*d.*
CASCADE, 1*s.* 6*d.*
CHANCELLOR, 1*s.* 6*d.*
CHELSEA BEAUTY, 1*s.*
CHERUB, 1*s.*
CLAIRE DE CHANDENEUX, 1*s*
CLOWN, 1*s.*
COLIGNY, 3*s.* 6*d.*
COMET, 1*s.* 6*d.*
COMTE DE SERVILLIERS, 3*s.* 6*d.*
COMTESSE A. DE MIREPOIX, 3*s.* 6*d.*
—— AGUADO, 1*s.*
—— DE KERCHOVE, 2*s.* 6*d.*
COMUS, 2*s.* 6*d.*
COUNSELLOR, 1*s.* 6*d.*
CORSAIR, 1*s.*
CUPID, 1*s.*
DISPLAY, 1*s.*
DOLLY VARDEN, 1*s.*
DUCHESS OF TECK, 1*s.*
ECLIPSE, 1*s.*
ELDORADO, 1*s.*
ELFIN, 1*s.* 6*d.*
ELFRIDA, 1*s.*
EMBLEM, 1*s.*
ERNEST, 1*s.*
ERNST BENARY, 1*s.*
FAME, 1*s.*
FASCINATION, 1*s.*
FELIX ZAMAN, 2*s.* 6*d.*
FIREFLY, 1*s.*
FLAMBEAU, 1*s.*
GAIETY, 1*s.*
GARNET, 1*s.*
GEM, 1*s.*
GEORGE BOLAS, 1*s.* 6*d.*
GLADIATOR, 1*s.* 6*d.*
GLITTER, 1*s.*
GLOW, 1*s.*
GOLDEN BEAUTY, 1*s.*
HARLEQUIN, 1*s.*
HEBE, 1*s.*
HERALD, 1*s.*
HERON, 2*s.* 6*d.*
HESPERUS, 1*s.*
JAMES BARNSHAW, 1*s.*
JASON, 1*s.*
JOHN BENARY, 1*s.*
JUBILEE, 1*s.*
JUNO, 1*s.*
KEEPSAKE, 1*s.*
LADY BIRD, 1*s.* 6*d.*
LE COUTANCONNAIS, 1*s.*
LIGHTHOUSE, 1*s.* 6*d.*
LINDA, 1*s.* 6*d.*
LORD FALMOUTH, 1*s.*
LURLINE, 1*s.*
MADAME CARPENTIER, 2*s.* 6*d.*
MADEMOISELLE LUCIE THOMAS, 1*s.*
—— DE LA ROCHETTERIE, 2/6
—— JEANNE DE NADAILLAC, 3*s.* 6*d.*
MADONNA, 1*s.*
MAGIC, 1*s.*
MAGGIE, 1*s.* 6*d.*
MARINER, 1*s.*
MARKSMAN, 1*s.*
MARQUIS DE NADAILLAC, 3*s.* 6*d.*
MARY BOLAS, 1*s.* 6*d.*
METIS, 2*s.* 6*d.*
MIRABEL, 1*s.* 6*d.*
MODEL, 1*s.* 6*d.*
M. CASIMIR PERIER, 1*s.*
M. COLMET D'AAGE, 1*s.*
M. DESBROSSES, 1*s.*
M. P. HOCHET, 1*s.*
M. THIBAUT, 1*s.*
MRS. G. SIMPSON, 1*s.*
MULTICOLOR SPLENDENS, 1*s.*
NIMROD, 1*s.*
NON PLUS ULTRA, 1*s.*
NONSUCH, 1*s.*
NYMPH, 1*s.*
OUIDA, 2*s.* 6*d.*
ORACLE, 1*s.*
PAMELA, 1*s.* 6*d.*
PARAGON, 1*s.*
PEGASUS, 1*s.*
PERICLES, 1*s.*
PLACIDA, 1*s.*
POMPADOUR, 1*s.* 6*d.*
PORTIA, 1*s.*
PRESIDENT DE LA ROCHETTERIE, 2*s.* 6*d.*
QUADRICOLOR, 1*s.*
RAINBOW, 1*s.* 6*d.*
ROYAL PURPLE, 1*s.*
ROYALTY, 1*s.*
RUBICON, 1*s.* 6*d.*
RUBY, 1*s.* 6*d.*
RUDE, 3*s.* 6*d.*
SCAPIN, 3*s.* 6*d.*
SENSATION, 1*s.*
SOUVENIR DE ARNHEM, 2*s.* 6*d.*
SOVEREIGN, 1*s.*
SOWTERI, 1*s.*
SPANGLE, 1*s.*
SPARKLER, 1*s.*
SPITFIRE, 1*s.* 6*d.*
STELLA, 1*s.*
SULTANA, 1*s.*
SUNSHINE, 1*s.* 6*d.*
SUPREME, 1*s.*
SYBIL, 1*s.*
THALIA, 3*s.* 6*d.*
THEOPHRASTE, 3*s*
THESSA, 3*s.* 6*d.*
TROUBADOUR, 2*s.* 6*d.*
TURBAN, 1*s.*
VALENTINE, 1*s.* 6*d.*
WELCOME, 1*s.* 6*d.*
WIZARD, 1*s.*
ZELINDA, 1*s.*

NEW AND CHOICE BEDDING AND SOFT-WOODED PLANTS.

ABUTILON, of sorts, *vide* pages 75 and 76.
AGERATUM, of sorts, 6*s.* per dozen.
ALTERNANTHERA, of sorts, 6*s.* per dozen.
BOUVARDIA ALBA ODORATA, 2*s.* 6*d.*
ALFRED NEUNER, 1*s.* and 1*s.* 6*d.*
CANDIDISSIMA, 1*s.* 6*d.*
CONSPICUA, 2*s.* 6*d.*
DAZZLER, 1*s.*
DAVIDSONI, 1*s.* 6*d.* and 2*s.* 6*d.*
ELEOANS, 1*s.*
FLAVESCENS, 1*s.* 6*d.*
HUMBOLDTII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— CORYMBIFLORA, 1*s.* 6*d.*
BOUVARDIA JASMINOIDES, 1*s.* and 1*s.* 6*d.*
JASMINOIDES LONOIPETALA, 1*s.* 6*d.*
LONOIFLORA FLAMMEA, 1*s.* 6*d.*
MAIDEN'S BLUSH, 1*s.* 6*d.*
PRESIDENT GARFIELD, 1*s.* and 1*s.* 6*d.*
PRIORY BEAUTY, 1*s.* 6*d.*
QUEEN OF ROSES, 1*s.*
ROSEA OCULATA, 1*s.*
UMBELLATA ALBA, 1*s.* 6*d.*
—— CARNEA, 1*s.* 6*d.*
UNIQUE, 2*s.* 6*d.*
VIVICANS, 2*s.* 6*d.*
VREELANDII, 1*s.*

BOUVARDIA LEIANTHA CINNABARINA.

A vigorous and floriferous variety, producing large globular umbels of brilliant cinnabar-red flowers, with flesh-coloured throat; the tubes are of a vermilion colour, and three quarters of an inch in length. 3*s.* 6*d.*

BOUVARDIA THOMAS MEEHAN.

This new variety is a hybrid between *B. leiantha* and *B. Alfred Neuner*, and freely produces pretty bright red semi-double flowers. 3*s.* 6*d.*

NEW DOUBLE BOUVARDIAS.

HOGARTHI, FL. PL., a beautiful double-flowered form, of the useful and well-known *B. Hogarthi*, having the same vigour and the same free-flowering qualities as the type. The flowers are of a bright red colour, very double, and prettily imbricated. A most desirable acquisition. 3*s.* 6*d.*

SANG LORRAINE, a free-flowering variety, producing fine corymbs of large double flowers of a brilliant vermilion colour. 1*s.* 6*d.*

TRIOMPHE DE NANCY, a vigorous and floriferous variety, with large compact corymbs of well-formed double flowers of a beautiful orange salmon colour. 1*s.* 6*d.*

V. LEMOINE, the fine imbricated double flowers of this variety are of a fiery scarlet colour, produced in large corymbs in the freest manner, the plant being extremely floriferous. 1*s.* 6*d.*

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2*s.* 6*d.* and 3*s.* 6*d.*

CALCEOLARIA BURBIDGEI.

A free-flowering variety, the result of a cross between *C. Fuchsiæfolia* and *C. Pavoni*; it is of bushy habit, and produces its golden yellow flowers during the autumn and winter months. 3*s.* 6*d.*

CALCEOLARIA GLUTINOSA.

A pretty free-flowering species, producing a profusion of bright lemon-yellow coloured flowers. 1*s.* 6*d.*

CANNA IRIDIFLORA EHEMANNI.

A splendid variety, with handsome ornamental foliage and magnificent flowers, which are of an extremely rich crimson-scarlet colour; the blossoms are of large size and exceedingly effective. 3*s.*6*d.*

CANNAS.

These are striking foliage plants, very effective for sub-tropical gardening and border grouping. 12*s.*, 18*s.* and 30*s.* per dozen.

CHRYSANTHEMUM FRUTESCENS, 1*s.*
FRUTESCENS ALICE CROUSSE, 1*s.* 6*d.*
—— COMTE DE CHAMBORD, 1*s.* 6*d.*
CHRYSANTHEMUM FRUTESCENS ETOILE D'OR, 1*s.* 6*d.*
CARNATIONS, Tree of sorts, 30*s.* and 42*s.* per doz.

DAHLIAS.

Choice Exhibition Varieties, 9*s.*, 12*s.*, 18*s.* and 30*s.* per dozen.
Choice Exhibition Varieties, Fancy Flowers, 9*s.*, 12*s.*, 18*s.* and 30*s.* per dozen.
Dwarf Bedding Varieties, 9*s.* and 12*s.* per dozen.
Bouquet or Pompon Varieties, 9*s.* and 12*s.* per dozen.

SINGLE-FLOWERED DAHLIAS.

These are extremely effective as decorative plants for grouping in beds or borders, and their blossoms are very useful for cutting; they bloom so continuously and profusely that they are highly attractive. 9*s.*, 12*s.* and 18*s.* per dozen.

ECHEVERIAS, *vide* page 143.

GAILLARDIA ADMIRATION.

A very fine free-blooming variety, producing large reddish crimson flowers bordered with citron-yellow. 2*s.* 6*d.*

HELIOTROPE ALBERT DÉLAUX.

A dwarf-habited variety of free growth, producing profusely fine heads of bloom of a violet colour shaded with rose, deliciously fragrant; the foliage is beautifully marbled with golden yellow; a charming novelty. 5*s.*

HELIOTROPE PRESIDENT GARFIELD, 1*s.*
WHITE LADY, 1*s.*
HELIOTROPIUM INCANUM, 3*s.* 6*d.*
LANTANAS, of sorts, 18*s.* per dozen.
LOBELIA ERINUS OMEN, 1*s.*

IBERIS SEMPERVIRENS FLORE-PLENO.

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition to the Herbaceous border. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 2*s.* each.

LOBELIA SYPHILITICA.

These are perennial, perfectly hardy and wonderfully effective. The flowers are borne in spikes 12 to 18 inches long; varying from white, through every shade of ruby and purple, to brilliant crimson or scarlet crimson.

AMETHYST, deep purplish-blue
APOLLO, rosy-purple, medium size
ARGUS, bluish-purple, distinct eye
COMET, large; brilliant scarlet
CERES, robust; crimson-scarlet
CHALLENGER, large and fine; rosy-purple
DON JUAN, mauve-purple
EMPRESS, rosy-purple
JASON, rosy-purple, white centre
JUPITER, rosy-purple, medium size
LANCELOT, purplish-rose, white eye
NIZZA, large crimson-purple flowers; very brilliant
ORION, crimson-scarlet
PALLIDA, bluish-lilac, medium size
PHILOMEL, purple-crimson
PURPLE EMPEROR, deep rosy-purple
QUEEN OF WHITES, pure white; fine
REGINA, lilac-purple
RUBY, ruby scarlet
STROMBOLI, magenta; very large
SUNRISE, cherry colour
VESTA, magenta, distinct white eye
VESUVIUS, deep crimson-scarlet

The above 2*s.* 6*d.* each; 24*s.* per dozen.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9*s.*, 12*s.* and 18*s.* per dozen.

MIMULUS GRANDIFLORUS BRILLIANT, freely produces large and finely-formed flowers of an intense bright crimson colour. Awarded a First Class Certificate by the Royal Horticultural Society. 2*s.* 6*d.*

MIMULUS MOSCHATUS.

GRANDIFLORUS, a new and robust hybrid Musk, an excellent bedding plant, freely producing large pure yellow flowers of fine shape. Awarded First Class Certificate by the Floral Committee of the Royal Horticultural Society. 2*s.* 6*d.*

RUBER, this remarkable novelty is a hybrid Musk of very dwarf and compact growth, producing large flowers of a reddish buff colour. 2*s.* 6*d.*

PENTSTEMON FOLIO-VARIEGATIS.

A pretty variety with purple flowers, the foliage being variegated in a most pleasing manner with yellow and cream colour. 5*s.*

PENTSTEMON CORDIFOLIUS, an extremely showy species from California, giving fine spikes of beautiful scarlet-flowers. 3*s.* 6*d.*

PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12*s.* and 18*s.* per dozen.

PETUNIAS.

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 18*s.* and 30*s.* per dozen; choice new kinds, 42*s.* per dozen.
Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12*s.* and 18*s.* per dozen.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and includes descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per Packet—s.	d.
AURICULA ALPINE .. .. 1s. &	1	6
BALSAM, Camellia-flowered	1	0
BEGONIA, ornamental foliaged varieties ..	2	6
from gigantic flowering varieties 1s. 6d., 2s. 6d. &	5	0
CALCEOLARIA, Herbaceous, Bull's Prize Strain .. .. 1s. 6d., 2s. 6d. &	5	0
hybrida striata (new)	2	6
CARNATION, Bizarre .. 2s. 6d. &	5	0
Flaked .. .. .. 2s. 6d. &	5	0
Self or Fancy .. .. 2s. 6d. &	5	0
The above Seed has all been saved from the prize strains of the celebrated grower, Mr. Dodwell.		
CINERARIA, choice mixed .. 1s. 6d. &	2	6
Bull's Prize Strain	5	0
CYCLAMEN PERSICUM, mixed colours, extra fine .. .. 1s. 6d. &	2	6
PERSICUM GIGANTEUM 1s. 6d. &	2	6
—— —— Charming Bride	2	6
FUCHSIA, extra choice mixed	1	6
GLOXINIA, extra choice hybridised ..	2	6
HOLLYHOCK, extra choice mixed ..	1	6
MIGNONETTE MACHET	1	0
PANSY, Ashburnham Strain	2	6
Boreatton Strain	2	6
PELARGONIUM, Gold and Bronze, from named varieties .. 1s. 6d. &	2	6
Zonal, from named varieties 1s. 6d. &	2	6
Show, from named varieties	2	6

	Per Packet—s.	d.
PETUNIA, choice hybridised	1	0
INIMITABLE FLORE PLENO, very choice, 1s. 6d. &	2	6
PHACELIA, campanularia	1	0
Parryii (new) .. .. 1s. 6d. &	2	6
PICOTEE, Dodwell's Prize Strain 2s. 6d. &	5	0
PINK, Finest Laced varieties 2s. 6d. &	5	0
POLYANTHUS, from gold-laced flowers ..	1	0
PRIMULA SINENSIS FIMBRIATA MONT BLANC	2	6
—— —— SPLENDIDA	2	6
—— —— ALBA .. .. 1s. 6d. &	2	6
—— —— RUBRA .. 1s. 6d. &	2	6
—— —— BULL'S PREMIER MIXTURE, 1s. 6d. &	2	6
—— —— ALBA OCULATA LUTEA ..	2	6
—— —— PUNCTATA ELEGANTISSIMA ..	2	6
—— —— STRIATIFLORA	2	6
—— —— VIOLACEA (new)	2	6
—— —— ALBA FLORE PLENO, 2s. 6d. &	3	6
—— —— RUBRA FLORE PLENO, 2s. 6d. &	3	6
—— —— FLORE PLENO PRINCE ARTHUR .. .. 3s. 6d. &	5	0
PYRETHRUM AUREUM SELAGINOIDES ..	1	0
SINGLE DAHLIA, White Queen	1	0
—— various colours, mixed	1	0
SWEET PEA, CARDINAL (new)	1	6
—— INDIGO KING (new)	1	6
—— PRINCESS OF WALES (new) ..	1	6
Eckford's (new), mixed	1	0
SALVIA RUBESCENS (new)	1	6

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12s. and 18s. per dozen.

SALVIA BETHELII, 1s.
BOLIVIENSIS, 1s.
CÆLESTINA, 1s. 6d.
GESNERÆFLORA, 1s.
HIERII, 1s.
HOVEYI, 1s.
M. ISSANCHOU, 1s. 6d.
PATENS, 6d.
PITCHERI, 1s. 6d.
RUTILANS, 1s. 6d. and 2s. 6d.
SPLENDENS, 1s.

SALVIA SPLENDENS BRUANTII, 1s.
SAXIFRAGA WALLACEI, 1s. 6d.
SEMPERVIVUM CALCAREUM (CALIFORNICUM), 9d. and 1s.
CHRYSANTHUM, 2s. 6d.
HAWORTHII, 1s.
TECTORUM, 9d.
TORENIA BAILLONI, bright yellow, 1s.
FOURNIERI, sky blue, 1s.
TROPÆOLUM CLARKEI, 1s. 6d.

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens.

Good Selections made at 30s. and 42s. per dozen.

"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."

"The Calceolaria you sent me last year turned out very good, the blooms were large and beautiful."

"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."

"The Calceolaria has been all that could be desired."

CALCEOLARIA, HERBACEOUS (Bull's Prize Strain.) *Vide* page 156.

"I have had some flowers 2½ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."

"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."

"The Primulas from seed we had from you turned out to be extremely fine."

PRIMULA SINENSIS FIMBRIATA. For choice varieties, *vide* page 156.

"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."

"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to 2½ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction; the plants have been admired by all who have seen them."

CINERARIA (Bull's Prize Strain.) *Vide* page 156.

WILLIAM BULL, F.L.S.,

RESPECTFULLY INVITES THE NOBILITY AND GENTRY ABOUT TO FURNISH CONSERVATORIES TO AN INSPECTION OF THE

MAGNIFICENT SPECIMEN ORNAMENTAL PLANTS

IN HIS

WINTER GARDEN,

SOME OF WHICH ARE THE MOST HANDSOME IN EUROPE,

COMPRISING

PALMS, MUSAS, LAPAGERIAS, CYCADS, PHORMIUMS,

ENCEPHALARTOS AND DRACÆNAS,

AND

THE LARGEST AND BEST STOCK IN EUROPE

OF

TREE FERNS,

Well Established, with Handsome and Graceful Heads.

THE COLLECTION OF

CYCADACEOUS PLANTS

Is unequalled in extent, and in the Size and Beauty of the Specimens.

NEW PLANTS

Introduced and sent out for the first time in 1882.

ACMENA OVATA
ÆCHMEA PANICULIGERA
AGLAONEMA PICTUM GRACILE
AINSLIÆA APTERA
ALSOPHILA REBECCÆ
ARENOA WIGHTII
CALAMUS SUBANOULATUS
CALYPTROGYNE TERES
CLEYERA JAPONICA TRICOLOR
CRINUM PEDUNCULATUM PACIFICUM
CROSSANDRA INFUNDIBULIFORMIS
CROTON ILLUSTRIS
—— INSIGNIS
—— LINEARIS
—— RUBESCENS
—— SPECTABILIS
CROTON TRICOLOR
CURCUMA LUTEO-VIRIDIS
CYCLANTHUS DISCOLOR
DAVALLIA FIJIENSIS PLUMOSA
DIEFFENBACHIA MAJESTICA
—— PRINCEPS
DIOSCOREA SPECIOSA
DRYMONIA MARMORATA
EPIPREMNUM MIRABILE
EUADENIA EMINENS
EUCALYPTUS FICIFOLIA
HELICONIA METALLICA
HIBISCUS ROSA-SINENSIS MAGNIFICUS
IXORA CONCINNA
—— DECORA
—— VENUSTA
KÆMPFERIA GILBERTII
MARANTA ASYMMETRICA
MONOLOPHUS SECUNDA
NEPHTHYTIS LIBERICA
NERINE EXCELLENS
ODONTOGLOSSUM VEXILLARIUM RUBELLUM
PANAX DISSECTUM
PHALÆNOPSIS TETRASPIS
PITTOSPORUM EUCENIOIDES VARIEGATUM
PLEOPELTIS XIPHIAS
RHODODENDRON PINK BEAUTY
—— ROSY GEM
SAURAUJA LANCEOLATA
SCHISMATOGLOTTIS LATIFOLIA
THRIXSPERMUM MURICULATUM

NEW PLANTS

Introduced and sent out for the first time in 1883.

Adiantum obliquum minus
Alpina mutica
Anthurium Harrisii pulchrum
—— macrolobum
—— splendidum
—— triumphans
Aralia lonoipes
—— rotunda
Begonia rubella
Calamus trinervis
Calodendron capense
Croton aureo-punctatus
—— crœsus
—— eminens
—— recurvatus
Dieffenbachia reoina
—— rex
Dracæna Diana
—— picturata
—— placida
—— venosa
Epacris onosmæflora flore pleno alba
—— —— —— —— nivalis
Eucharis Sanderii
Heliconia nitens
Lastrea prolifica
Lavatera arborea varieoata
Masdevallia Harryana acanthifolia
Masdevallia Harryana conchiflora
—— —— regalis
Panax bifissum
—— dumosum
—— Victoriæ
Phœnix compacta
—— hybrida
—— intermedia
Polygonum multiflorum
Polystichum polyblepharum
Selaoinella canaliculata
—— involvens varieoata
Taccarum Warmingianum
Tillandsia hieroolyphica.

NEW PLANTS

Introduced and sent out for the first time in 1884.

Abroma sinuosa
Acalpha obovata
Alocasia Sanderiana
Anthurium intermedium
Begonia Beddomei (assamica)
—— hybrida coccinea
—— sceptra
Calamus sikkimensis
Calpicarpum ornatum
Chamædorea polita
Cheilanthes chlorophylla
Croton excurrens
—— ruberrimus
—— sceptre
Cupania orandidens
Cyathea spinulosa
Deyeuxia eleoans variegata
Dracæna Claudia
—— madaoascariensis
—— Plutus
Elæocarpus orandis
Faradaya papuana
Hæmanthus insionis
Hibiscus chrysanthus
Hoya Cuminoiana
Hymenosporum flavum
Impatiens cuspidata
Maranta aroentea
—— oratiosa
—— musaica
—— nitida
—— polita
—— speciosa
Marcoravia indica
Masdevallia torta
Mussænda theifera
Panax eleoans
—— fissum
Pandanus discolor
Phyllaoathis oymnantha
Pleroma marmorata
Pothos flexuosus
Ptychosperma sinoaporensis
Sarracenia Atkinsoniana
—— excellens
—— exculta
—— exornata
—— formosa
—— illustrata
—— Maddisoniana
—— Mitchelliana
—— rubra acuminata
—— Swaniana
—— Tolliana
—— Wilsoniana
Schismatoolottis decora
Scindapsus aroyræus
Selaoinella amœna
—— cognata
—— Pervillei
Smilax auriculata
Spathoolottis pacifica
Spiræa astilboides
Trevesia eminens.

NEW PLANTS

Introduced and sent out for the first time in 1885.

Ardisia picta
Arisæma fimbriatum
Begonia albo-picta
Biononia regalis
Camoënsia maxima
Clerodendron delectum
Crinum Sanderianum
Curculioo densa
Dichæa vaginata
Dracæna excellens
Erythrina vespertilio
Govenia deliciosa
Heliotropium incanum
Hemiorapiiis colorata
Ixora eminens
—— oemma
Maranta conspicua
Nepenthes Rafflesiana insignis
Odontoolossum vexillarium insione
Philodendron nobile
Pinanoa Sanderiana
Schismatoglottis siamensis
Styrax californica

NEW PLANTS

Introduced and sent out for the first time in 1886.

Anthurium Chelseiense
Aristolochia eleoans
Begonia compta
—— decora
Clerodendron Minahassæ
Cotoneaster Fontanesii
Dendrobium Parthenium
Eranthemum macrophyllum
—— velutinum
Eucharis Mastersii
Gymnadenia macrantha
Impatiens Hawkerii
Ixora conspicua
—— speciosa
Palicourea juoosa
Pinanoa spectabilis
Selaoinella flaoellifera
Smilax discolor.
Tecoma amboinensis
Thunia Marshalliana ionophlebia
Zalacca nitida

GLADIOLUS.

(HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some :—

The best and safest time for planting is from the beginning of April to the end of May, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated ; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

During excessively dry weather, copious waterings are recommended.

When any bulbs show signs of growth before the time mentioned above, they should be potted and kept in a cool frame until the proper season for planting out.

CHOICE GLADIOLUS.

This beautiful tribe of plants should be largely planted everywhere, because—

They are perfectly hardy and easily grown.

They are gorgeously beautiful.

Their handsome spikes of flowers are useful for decorating vases and epergnes.

Their flower buds expand and last a long time when cut and placed in water.

They are charming when introduced into borders among Evergreens.

Planted by hundreds among Rhododendrons, they brighten and enliven the beds during the summer and autumn months.

Orders for the above are booked throughout the year at the following prices, and the bulbs supplied in January, February or March.

100	in 12	Choice named varieties	50s.
100	,, 20	Ditto, ditto	80s.
100	,, 50	Ditto; ditto	100s.
100	,, 25	New and extra choice named varieties	120s.
50	,, 12	Extra choice named varieties ..	40s.
50	,, 25	New and extra choice named varieties	60s.
24	,, 8	Choice named varieties	15s.
24	,, 12	Extra choice named varieties ..	20s.
24	,, 12	New and extra choice named varieties	30s.
12	,, 12	Ditto, ditto	15s.
12	,, 12	Choice named varieties	9s.
12	,, 6	Ditto, ditto	6s.

GLADIOLUS, Finest Mixed Hybrids.

Various colours, 14*s.* per 100 ; 2*s.* per dozen.

GLADIOLUS BRENCHLEYENSIS.

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders. Gigantic selected bulbs can be supplied by the 100 or 1,000 at 1*d.* each.

GLADIOLUS COLVILLEI.—Purplish lilac with white stripe, 5*s.* per 100.

GLADIOLUS COLVILLEI ALBA (The Bride).—Produces charming spikes of pure white flowers, specially useful for cutting, easily grown in pots or borders, 15*s.* per 100.

MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used now for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 365, KING'S ROAD, CHELSEA, S.W.
Cheques to be crossed "LONDON JOINT STOCK BANK."
Telegraphic Address: "WILLIAM BULL, LONDON."

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S Establishment filled with New and Rare Plants.

INDEX.

PAGE

Abroma 11
Abyssinian Banana 66 & 85
Abutilon .. .. 75 & 76
Acalypha 11
—— obovata 11
Achimenes 109
Acineta 87
Acmena ovata 53
Acropera 87
Ada 87
Adiantum .. .. 121 & 123
—— aneitense 121
Æchmea 11
—— paniculigera .. 11
Aërides .. .. 87 & 88
Aoapanthus .. 53 & 55
Agave .. .. 55 & 76
Aolaonema 11
Allamanda 11
Alocasia 11
—— Sanderiana 10
Alpinia 11
Alsophila .. .. 123 & 124
—— Rebeccæ 124
Althæa, *vide* Hibiscus 77 & 78
Amaryllis .. 11, 12 & 76
Amasonia 12
Amorphophallus .. 12 & 55
Amyodalus 76
Ananassa 12
Anchomanes 12
Andropogon 12
Anœctochilus 88
Anemidictyon 121
Anoræcum 88
Anguloa 88
Anthurium .. 12 to 15
—— Andreanum 13
—— Chelseiense 7
—— insigne 12
—— intermedium .. 12
—— splendidum 15
Antioonon 12
Aphelandra 12
Aralia .. 12, 18 & 55
Araucaria 55
Ardisia picta 18
Areca .. .. 128 & 129
Arenoa 129
Arisæma fimbriatum .. 16
Aristolochia .. 7 & 18
—— elegans 7
Arpophyllum 88
Artanthe 18
Artocarpus 18
Asparagus .. .. 54 & 55
—— plumosus 55
—— —— nanus 54
—— tenuissimus 55
—— viridatus 55
Asplenium .. .. 121 & 123
Astrocaryum 129
Ataccia 18
Aucuba 76
Azalea .. 55, 56 & 76
—— balsaminæflora .. 56
Bambusa 76
Barkeria 88
Barleria 18

PAGE

Batatas 18
Batemannia 88
Bauhinia 18
Beaumontia 18
Bedding Plants .. 153 to 156
Begonia .. 7, 138 to 143
—— albo picta 141
—— compta 7
—— decora 7
—— sceptra 142
—— handsome-flowered 138 to 140
—— variegated foliaged 140 to 143
—— winter-blooming .. 143
Beloperone 18
Berberis 76
Bertolonia 18
Biononia .. 17, 18, 55 & 76
—— magnifica 17
—— regalis 18
Billbergia 18
Blandfordia .. 55 & 57
Bletia 88
Bomarea .. .. 58 & 59
Bougainvillea 18
Bouvardia .. .. 153 & 154
Bowenia spectabilis serrulata 129
Brasavola 88
Brassia 88
Brougiitonia 89
Brownea 18
Bruomansia 59
Brunsvigia, *vide* Amaryllis
Burbidgea 18
Burchellia 18
Burlingtonia 89
Caladium .. .. 135 to 138
Calamus 129
Calanthe 89
Calliphruria 18
Calodendron capense .. 59
Calpicarpum 18
Camarotis 89
Camellia 59
Camoënsia maxima .. 19
Campsidium 18
Canna 154
Capparis 18
Carludovica 129
Catasetum 89
Cattleyá .. .. 89 to 91
Ceratozamia 130
Chamæcladon rubens .. 18
Chamærops 130
Chevalliera 18
Chirita 18
Chrysanthemum, Chinese or Large-flowered . 144, 145 & 147
—— New .. .. 144 & 145
—— frutescens 154
—— Japanese .. 144 to 146
—— Pompon 144, 145, 147 & 148
Chysis 91
Cibotium .. .. 121 & 123
Cienkowskia 20
Cinnamomum 20, 76 & 85

PAGE

Cirrilæa 91
Cissus .. .. 20 & 59
Clematis .. 59, 76 & 77
Clerodendron 20
—— delectum 20
—— macrosiphon 20
—— Minahassæ 7
Cleyera japonica tricolor 59
Cocos Weddelliana .. 130
Cœlogyne 91
—— cristata hololeuca (alba) 91
Coffea .. .. 20 & 86
Colax 92
Coleus .. .. 152 & 153
Comparettia 92
Corypha, *vide* Livistona .. 132
Contoneaster Fontanesii 7
Couroupita guianensis .. 20
Crinum 20, 21, 59, 60 & 77
—— Augustum 20
—— Sanderianum .. 21
Crossandra 20
Croton .. 20, 22 to 26
—— Chelsoni 20
—— eleoantissimus .. 23
—— excurrens 22
—— illustris 24
—— insionis 22
—— ornatus 25
—— ruberrimus 25
—— roseo-pictus 26
Cryptochilus 92
Cupania 25
Curculigo 25
Curcuma .. .. 25 & 27
Curmeria 27
Cyanophyllum 27
Cyathea .. .. 120 & 123
—— dealbata .. 120 & 123
—— Dregei .. 120 & 123
—— spinulosa 123
Cycas .. .. 62 & 130
Cyclamen .. .. 62 & 77
Cycnoches 92
Cymbidium .. .. 92 & 93
Cyperus 27
Cyphomandra 27
Cypripedium .. 92 & 94
—— hardy varieties .. 77
Cyrtodeira 27
Cyrtopodium 94
Cyrtosperma 27
Dæmonorops, *vide* Calamus
Dahlia .. .. 62 & 154
Dalechampia 27
Davallia .. 121, 122 & 123
—— fijiensis plumosa .. 122
Davidsonia pruriens 27 & 86
Dendrobium 7, 94 to 96
—— Parthenium .. 7
Dendrochilum 96
Desmodium 27
Desmoncus 130
Deyeuxia eleoans variegata 61
Dichæa vaginata 96
Dicksonia .. .. 120 & 123
—— antarctica .. 120 & 123

INDEX—*continued.*

PAGE

Dieffenbachia .. 27 to 30
—— Regina 28
—— Rex 29
—— splendens 30
—— triumphans 27
Dionæa muscipula .. 62
Dioon edule 130
Dioscorea .. .. 27 & 28
Dipladenia .. 28 & 31
—— Brearleyana .. 28
Dipterix 31
Disa 96
Doodia aspera multifida 123
Dorstenia 31
Doryanthes 62
Double-flowered Epacris 62 & 63
—— —— Ivy-leaved Pelargoniums 116
—— —— Zonal Pelargoniums 117
Dracæna .. 31, 32 & 62
—— fragrans variegata 31
—— Goldieana 32
—— Lindeni 31
Dracontium 31
Drosera 62
Drymonia 33
Drymophilœus singaporensis .. 130

Echeveria 143
Echites 33
Elæocarpus 33
Encephalartos 131
—— Friderici-Guilielmi 131
—— villosus 131
Encholirion 33
Epacris .. 62, 63 & 64
—— double .. 62 & 63
Epidendrum 96
Epipremnum mirabile .. 33
Eranthemum 33
—— macrophyllum .. 8
—— velutinum 8
Erythrina .. 33, 34 & 64
—— vespertilio 34
Erythroxylon Coca 33 & 85
Euadenia eminens .. 33
Eucalyptus 64
—— citriodora 64
—— ficifolia 64
Eucharis .. .. 8 & 33
—— candida 33
—— Mastersii 8
—— Sanderii 33
Eucodonia 110
Eugenia 33
Eulalia 77
Eulophia 96
Euphorbia 33
Eurycles 33
Exostemma 33
Faradaya 33
Ferns .. .. 119 to 125
Ficus 33, 35, 64, 85 & 86
—— exsculpta .. . 35
Fittonia 36
Flax, New Zealand .. 66
Franciscea 36
Fraxinus 77
Freesias 64
Fuchsia .. .. 148 to 151

PAGE

Galactrodendron .. 36
Galeandra 96
Garcinia 36
Gardenia 36
Geonoma 131
Geranium, *vide* Pelargoniums .. 111
Gesnera .. .. 36 & 110
Gladiolus 160
Gleichenia 123
Glonera 36
Gloriosa 36
Gloxinia .. .. 9 & 110
Godwinia gigas 36
Gomphia 36
Gonoora 96
Goniophlebium 122
Goodyera .. .. 96 & 97
Govenia deliciosa .. 97
Grammatophyllum Ellisii 97
Graptophyllum 36
Greenhouse Plants 53 to 76
Grevillea 64
Griffinia 36
Gustavia oracillima .. 37
Gymnadenia macrantha .. 8
Gymnogramma 122
Habrothamnus 64
Hæmanthus 36
Hardy Plants .. 76 to 85
Hartwegia 97
Hedychium 36
Helcia 97
Heliconia 36
Heliotropium 154
Hemigraphis 36
Heterospathe elata .. 131
Hibiscus 36, 38, 39, 64 & 77
—— syriacus .. 77 & 78
Hippeastrum, *vide* Amaryllis 11, 12 & 76
Hoffmannia 36
Houlletia 97
Hoya .. .. 36 & 40
Hydranoea .. 65 & 78
Hymenosporum 40
Imantophyllum 65
Impatiens .. .. 8 & 40
—— Hawkerii 8
Ionopsis 97
Ipomœa 40
Ipsea speciosa 97
Iris .. .. .. 65 & 78
—— German 78
—— Kæmpferi 78
Isoloma 40
Ivy-leaved Pelargoniums 116 & 117
Ixora .. 8, 40 to 42
—— conspicua 8
—— eminens 42
—— gemma 42
—— speciosa 8
—— splendida 41
Jacaranda 42
Jasminum 42
Jatrophia 42
Juncus 28
—— zedrinus, *vide* Scirpus 81
Justicia 42
Kentia 131
Kæmpferia .. 42 & 43

PAGE

Lælia .. .. 97 & 98
Lamprococcus 43
Landolphia 43
Lapageria 65
—— alba 65
—— rosea 65
Laportea 43
Lasiandra 65
Lastrea .. 122, 123 & 125
Latania *vide* Livistona .. 132
Lavatera 65
Leptotes 98
Liberian Coffee .. 20 & 86
Lilac, new double .. 83 & 84
Lilium .. .. 78 to 80
—— auratum 78
—— longiflorum floribundum 79
—— neilgherrense .. 79
Limatodis 98
Livistona 132
Lodelia .. .. 154 & 155
Lomaria .. .. 122 & 123
Luisia 98
Lycaste 98
—— Skinneri 98
Lycopodium, *vide* Selaginella .. 126

Mackaya bella 66
Macrozamia 132
Magnolia .. 43, 66 & 80
Manettia 43
Mangifera 43
Maranta 43
Marcgravia 43
—— indica 43
Mascarenhasia 43
Masdevallia .. 98 to 100
—— Harryana acanthifolia .. 99
—— —— conchiflora .. 99
—— —— regalis .. 99
Maxillaria 100
Medicinal and Officinal Plants .. 85 to 87
Medinilla 43
—— amabilis 43
Mesospinidium 100
Microstylis 100
Miltonia 100
Monolophus 43
Monstera 43
Mormodes 100
Musa .. 43, 66, 85 & 86
—— uranoscopas 43
Mussænda 43
Myrtus .. .. 43 & 66
Nægelia, *vide* Gesnera .. 110
Napoleona 43
Nanodes 101
Nepenthes .. .. 44 & 45
—— Rafflesiana insionis 44
Nephrodium .. 122 & 123
Nephrolepis 122
Nephthytis liberica .. 45
Nerine 66
New Plants .. 158 & 159
—— —— announced for the first time .. 3 to 9
—— Greenhouse Plants 53 to 76
—— Hardy Plants 76 to 85

INDEX—*continued.*

PAGE

New Stove Plants 10 to 53
Nidularium 45
Nosegay Pelargoniums .. 116
Odontoglossum .. 101 to 104
—— crispum (Alexandræ) 101
—— vexillarium .. 104
—— —— insigne 103
Officinal and Medicinal Plants .. 85 to 87
Oncidium .. .. 104 to 106
—— macranthum 105
Ophiopogon 66
Orchids .. .. 87 to 109
Oreodoxa 132
Oxalis 45
Palicourea jugosa .. 8
Palisota 45
Palms, Cycads, &c. 128 to 135
Palumbina 106
Panax .. 45 to 47 & 80
—— plumatum 46
—— Victoriæ 47
Pancratium 46, 49 & 66
—— caribbæum 46
Pandanus 49
Panicum 49
Papihinia 106
Parmenteira 49
Passiflora 49, 66, 80 & 86
Paullinia 49
Pavetta 49
Pavonia 49
Pedilanthus 49
Pelargonium Bronze and Gold 118
—— Cape Hybrids .. 115
—— Chelsea Gem .. 117
—— Double-flowered Zonal .. 117 & 118
—— —— Ivy-leaved 9 & 116
—— Dwarf 117
—— Fancy 115
—— Hybrid Perpetual, &c. 116
—— Ivy-leaved .. 116 & 117
—— —— with double flowers 9 & 116
—— Miniature or Dwarf 117
—— Nosegay 116
—— Regal .. 111 & 112
—— Show 114
—— Spotted .. 9 & 112
—— Tricolor 118
—— Variegated 118
—— Zonal .. 115 & 117
Pellionia 49
Pentas 49
Pentstemon 155
Peperomia 49
Peristeria elata 106
Pesoatoria 106
Petunia 155
Phaius 106
Phalænopsis 106
Philodendron .. 48 & 49
—— Carderi 48
—— nobile 49
Phlox .. .. 80 & 156
Phœnix .. .. 86 & 133
—— rupicola 133
Pholidota 106
Phormium 66

PAGE

Phyllagathis 49
Phyllanthus 49
Phyllotænium 49
Pieris 80
Pilea 49
Pilumna 106
Pinanga maculata .. 133
—— Sanderiana 133
—— spectabilis 9
Piper .. 49, 80 & 85
Pitcairnia 52
Pittosporum .. 66 & 67
Pleione 106
Pleopeltis xiphias .. 122
Pleurothallis 106
Plumbago .. .. 52 & 67
Pogostemon 52
Poinciana 52
Poinsettia 52
Polygonum .. .. 80 & 81
—— multiflorum .. 80
Polystichum 122
Portlandia 52
Pothos .. .. 50 to 52
—— flexuosus 51
Primula .. .. 67 & 81
Promenæa 106
Psidium 52
Psychotria 52
Ptychosperma 133
—— singaporensis, *vide* Drymophlœus
Puya 52
Ravenala 52
Regal Pelargoniums 111 & 112
Reidia 52
Renanthera 106
Restrepia 107
Rheum .. .. 81 & 86
Rhododendron 72 to 74 & 81
—— assamicum 72
—— Hodgsoni 73
—— Pink Beauty .. 74
—— Rosy Gem 73
Rodriguezia 107
Rogeira 52
Rondeletia 52
Ronnbergia 52
Rosa 81
Roscoea 52
Rubus .. 52, 67 & 81
Rudgea 52
Ruellia 52
Sacoharum 52
Saccolabium 107
Salvia 156
Sanchezia 52
Sanseveira 52
Sarcanthus 107
Sarcochilus 107
Sarcopodium 107
Sarracenia .. 67 to 71
Saxifraga .. .. 81 & 156
Schismatoglottis 52
—— decora 52
Schomburgkia 107
Soindapsus 52
Scirpus 81
Scuticaria 107
Seaforthia 133
Seeds .. .. 156 & 157

PAGE

Selaginella 9, 126 to 128
—— amœna 126
—— cognata 128
—— flagellifera .. 9
—— involvens variegata 127
Sempervivum 156
Senecio .. .. 70 & 81
Show Pelargoniums .. 114
Shrubs, *vide* Hardy Plants 76
Smilax 52
—— discolor 9
Sobralia 107
Sonerila 52
Sophronitis 107
Sparmannia 70
Spathiphyllum 52
Spathoglottis 107
Spiræa .. .. 81 & 82
—— astilboides 82
Stadmannia 52
Stanhopea .. .. 107 & 108
Stephanotis 52
Stove Plants .. 10 to 53
Streptocarpus 52
Strelitzia 52
Styrax californica .. 83
Syngonium 53
Syringa .. .. 83 & 84
Taccarum 53
Tacsonia .. .. 53 & 70
Tecoma .. .. 9 & 70
—— amboinensis 9
Terminalia 53
The Dove Flower .. 106
—— Irish Fern 125
Thrinax 133
Thunbergia 53
Thrixspermum 108
Thunia .. .. 9 & 108
Tillandsia 53
—— hieroglyphica .. 53
—— Lindeniana vera .. 53
Todea .. .. 123 & 125
Tonga 33
Torenia 53
Tree Ferns .. 119 & 120
Trevesia eminens .. 53
Trichiocentrum 108
Trichopilia 108
Trichosma 108
Trigonidium 108
Tropical Fruits .. 85 to 87
Tuberoses 70
Tydæa 111
Uropedium 108
Utricularia 53
Vanda 108
Vanilla .. 53, 87 & 108
Veronica 72
Viburnum Sieboldii .. 83
Vitis .. 53, 72 & 83
Vriesia 53
Warrea 108
Warscewiczella 109
Weigela .. .. 83 & 85
Wormia 53
Xylophylla 53
Zalacoa nitida 9
Zamia .. .. 134 & 135
Zingiber .. .. 53 & 86
Zygopetalum 109

ORCHID EXHIBITION.

THE ORCHID EXHIBITION AT

Mr. WILLIAM BULL'S Establishment

FOR

NEW AND RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.,

WILL OPEN

TO

PATRONS OF THE ESTABLISHMENT

AND

THOSE RECEIVING CARDS OF INVITATION,

TUESDAY, MAY 4th, 1886,

And continue on view every TUESDAY, THURSDAY and SATURDAY, throughout MAY, JUNE and JULY.

The following are a few short extracts from the Press respecting Last Season's Exhibition:—

"THE TIMES."

"The researches of Collectors and Travellers in the East, in the West, and in the Southern latitudes, supplemented by the skill of the English Horticulturist, have contributed to make the annual Exhibition of Orchids in Mr. William Bull's Conservatory one of the sights of London."

"THE MORNING POST."

"The Annual Exhibition of Orchids at Mr. William Bull's Establishment is not only a flower show of unsurpassed variety and interest, but presents a glimpse of Tropical vegetation, the aggregate beauty of which it would be difficult to imagine possible outside the realms of fairyland. Varieties may be counted by the hundred, and individual examples by the thousand, and at every turn some special feature of colour, form, or marking arrests attention."

"THE GARDENERS' CHRONICLE."

"The display of Orchids at Mr. William Bull's Establishment during the early summer months is, if possible, finer than that witnessed last year, whether estimated by the number of plants of choice species and varieties, or by the excellence of the plants themselves. The arrangements, which must have caused no small amount of trouble, indicate excellent taste, and show the teachings of experience, with results that strike the observer as being very pleasing."

"THE STANDARD."

"Mr. Bull has excelled himself. Such a glow of colour strikes the eye on entering, that even the expert is perplexed for a moment. One's notes about this astonishing display would make a volume. Space fails us to deal with such a collection, so rich, so new, so dazzling in endless diversities of beauty. The list alone of Orchids, new, rare, and supreme in eccentric loveliness, which we should like to furnish, would occupy much space."

"THE GARDEN."

"Mr. Bull's show of flowering Orchids is as fascinating as any of its predecessors, and there is a freshness about it which is quite delightful. The crowds of everyday Orchids, which it contains, are so leavened with all that is new and rare, that connoisseurs must derive much interest from it. From now, onwards to the close of the London season, this charming Exhibition will be a great attraction."

"THE GARDENER'S MAGAZINE."

"The Exhibition of Orchids held in the Nurseries of Mr. William Bull, last year, was so vast in extent and immensely attractive that it was generally supposed to be impossible to effect improvement upon it. But that of this season is of so magnificent a description that there is a general concurrence of opinion amongst experts that Mr. Bull has far surpassed all his previous efforts, and has produced an exhibition which, for extent, richness of colouring, and tasteful arrangement, is without a parallel in the history of Orchid culture."